

Well will not be drilled or Permit Expired Date: _

Signature of Operator or Agent:

For KCC	Use:			
Effective	Date:			
District #				
SGA?	Yes	No		

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 March 2010 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

. month	day year	Spot Description:
monur	uay year	Sec Twp S. R [E [] \
DPERATOR: License#		feet from N / S Line of Section
lame:		feet from E / W Line of Section
.ddress 1:		Is SECTION: Regular Irregular?
ddress 2:		(Note: Locate well on the Section Plat on reverse side)
	e:	County:
Contact Person:		Lease Name: Well #:
hone:		Field Name:
ONTRACTOR: License#		Is this a Prorated / Spaced Field?
lame:		Target Formation(s):
		Nearest Lease or unit boundary line (in footage):
Well Drilled For: Well Cla	lass: Type Equipment:	Ground Surface Elevation:feet MS
Oil Enh Rec Inf	field Mud Rotary	Water well within one-quarter mile:
Gas Storage Po	ool Ext. Air Rotary	Public water supply well within one mile:
	'ildcat Cable	,
	ther	Depth to bottom of fresh water:
Other:		Depth to bottom of usable water:
If OWWO: old well information as	: follows:	Surface Pipe by Alternate: I I II
ii ovvvo. old well illioi mation as	ionows.	Length of Surface Pipe Planned to be set:
· · · · · · · · · · · · · · · · · · ·		Length of Conductor Pipe (if any):
Well Name:		Projected Total Depth:
Original Completion Date:	Original Total Depth:	Formation at Total Depth:
	O Vos No	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbor		Well Farm Pond Other:
f Yes, true vertical depth:		DWR Permit #:
Bottom Hole Location:		(Note: Apply for Permit with DWR)
(CC DKT #:		Will Cores be taken?
		If Yes, proposed zone:
	AF	FIDAVIT
he undersigned hereby affirms that the		FIDAVIT Jaging of this well will comply with K.S.A. 55 et. sea.
-	ne drilling, completion and eventual pl	FIDAVII ugging of this well will comply with K.S.A. 55 et. seq.
t is agreed that the following minimum	e drilling, completion and eventual pl requirements will be met:	
is agreed that the following minimum 1. Notify the appropriate district office	ne drilling, completion and eventual pl requirements will be met: ice <i>prior</i> to spudding of well;	ugging of this well will comply with K.S.A. 55 et. seq.
 is agreed that the following minimum Notify the appropriate district office A copy of the approved notice of 	ne drilling, completion and eventual plane requirements will be met: ice prior to spudding of well; intent to drill shall be posted on eac	ugging of this well will comply with K.S.A. 55 et. seq. n drilling rig;
 is agreed that the following minimum Notify the appropriate district office A copy of the approved notice of The minimum amount of surface 	ne drilling, completion and eventual plane requirements will be met: ice <i>prior</i> to spudding of well; intent to drill <i>shall be</i> posted on each pipe as specified below <i>shall be</i> set	ugging of this well will comply with K.S.A. 55 et. seq. In drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set
agreed that the following minimum Notify the appropriate district office A copy of the approved notice of The minimum amount of surface through all unconsolidated mater	ne drilling, completion and eventual plane requirements will be met: ice <i>prior</i> to spudding of well; intent to drill <i>shall be</i> posted on each pipe as specified below <i>shall be set</i> rials plus a minimum of 20 feet into the	ugging of this well will comply with K.S.A. 55 et. seq. In drilling rig; Iby circulating cement to the top; in all cases surface pipe shall be set e underlying formation.
 is agreed that the following minimum Notify the appropriate district office A copy of the approved notice of The minimum amount of surface through all unconsolidated mater If the well is dry hole, an agreement 	ne drilling, completion and eventual plane requirements will be met: lice <i>prior</i> to spudding of well; lintent to drill <i>shall be</i> posted on each pipe as specified below <i>shall be set</i> rials plus a minimum of 20 feet into the nent between the operator and the distance.	ugging of this well will comply with K.S.A. 55 et. seq. In drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set
is agreed that the following minimum Notify the appropriate district office A copy of the approved notice of The minimum amount of surface through all unconsolidated mater If the well is dry hole, an agreement of the appropriate district office will	ne drilling, completion and eventual plane requirements will be met: lice <i>prior</i> to spudding of well; lintent to drill <i>shall be</i> posted on each pipe as specified below <i>shall be set</i> rials plus a minimum of 20 feet into the nent between the operator and the distribution of the plug is either plug	ugging of this well will comply with K.S.A. 55 et. seq. In drilling rig; Iby circulating cement to the top; in all cases surface pipe shall be set e underlying formation. It ict office on plug length and placement is necessary prior to plugging;
 is agreed that the following minimum Notify the appropriate district office A copy of the approved notice of The minimum amount of surface through all unconsolidated mater If the well is dry hole, an agreement The appropriate district office will If an ALTERNATE II COMPLETION or pursuant to Appendix "B" - Ea 	ne drilling, completion and eventual plane requirements will be met: lice <i>prior</i> to spudding of well; lice <i>prior</i> to spuding of well; lice <i>prior</i> to spud of well, lice	augging of this well will comply with K.S.A. 55 et. seq. In drilling rig; In dy circulating cement to the top; in all cases surface pipe shall be set be underlying formation. It ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing
is agreed that the following minimum Notify the appropriate district office. A copy of the approved notice of the appropriate district office will find a ALTERNATE II COMPLETIC Or pursuant to Appendix "B" - Ea	ne drilling, completion and eventual plane requirements will be met: lice <i>prior</i> to spudding of well; lice <i>prior</i> to spuding of well; lice <i>prior</i> to spud of well, lice	n drilling rig; by circulating cement to the top; in all cases surface pipe <i>shall be set</i> e underlying formation. trict office on plug length and placement is necessary <i>prior to plugging;</i> ged or production casing is cemented in; defrom below any usable water to surface within <i>120 DAYS</i> of spud date.
 is agreed that the following minimum Notify the appropriate district office. A copy of the approved notice of the approved in the approved notice of the appropriate district office will find a ALTERNATE II COMPLETION of pursuant to Appendix "B" - Ea 	ne drilling, completion and eventual plane requirements will be met: lice <i>prior</i> to spudding of well; lice <i>prior</i> to spuding of well; lice <i>prior</i> to spudding of well; lice <i>prior</i> to spuding of well; lice <i>prior</i> to spuding of well, lice <i>prior</i>	augging of this well will comply with K.S.A. 55 et. seq. In drilling rig; In dy circulating cement to the top; in all cases surface pipe shall be set be underlying formation. It ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing
 is agreed that the following minimum Notify the appropriate district office. A copy of the approved notice of The minimum amount of surface through all unconsolidated mater If the well is dry hole, an agreement The appropriate district office will If an ALTERNATE II COMPLETION Or pursuant to Appendix "B" - Ea must be completed within 30 day 	ne drilling, completion and eventual plane requirements will be met: lice <i>prior</i> to spudding of well; lice <i>prior</i> to spuding of well; lice <i>prior</i> to spudding of well; lice <i>prior</i> to spuding of well; lice <i>prior</i> to spuding of well, lice <i>prior</i>	augging of this well will comply with K.S.A. 55 et. seq. In drilling rig; In dy circulating cement to the top; in all cases surface pipe shall be set to e underlying formation. It ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing
 is agreed that the following minimum Notify the appropriate district office. A copy of the approved notice of The minimum amount of surface through all unconsolidated mater If the well is dry hole, an agreement The appropriate district office will If an ALTERNATE II COMPLETION Or pursuant to Appendix "B" - Ea must be completed within 30 day 	ne drilling, completion and eventual plane requirements will be met: lice <i>prior</i> to spudding of well; lice <i>prior</i> to spuding of well; lice <i>prior</i> to spudding of well; lice <i>prior</i> to spuding of well; lice <i>prior</i> to spuding of well, lice <i>prior</i>	augging of this well will comply with K.S.A. 55 et. seq. In drilling rig; In dy circulating cement to the top; in all cases surface pipe shall be set be underlying formation. It ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing
1. Notify the appropriate district office 2. A copy of the approved notice of 3. The minimum amount of surface through all unconsolidated mater 4. If the well is dry hole, an agreement of the appropriate district office will 6. If an ALTERNATE II COMPLETION or pursuant to Appendix "B" - Eamoust be completed within 30 day Submitted Electronically	ne drilling, completion and eventual plane requirements will be met: lice <i>prior</i> to spudding of well; lice <i>prior</i> to spuding of well; lice <i>prior</i> to spudding of well; lice <i>prior</i> to spuding of well; lice <i>prior</i> to spuding of well, lice <i>prior</i>	augging of this well will comply with K.S.A. 55 et. seq. In drilling rig; In dy circulating cement to the top; in all cases surface pipe shall be set to e underlying formation. It ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing
 is agreed that the following minimum Notify the appropriate district office. A copy of the approved notice of The minimum amount of surface through all unconsolidated mater If the well is dry hole, an agreement The appropriate district office will If an ALTERNATE II COMPLETION Or pursuant to Appendix "B" - Ea must be completed within 30 day 	ne drilling, completion and eventual plane requirements will be met: lice <i>prior</i> to spudding of well; lice <i>prior</i> to spuding of well; lice <i>prior</i> to spudding of well; lice <i>prior</i> to spuding of well; lice <i>prior</i> to spuding of well, lice <i>prior</i>	an drilling rig; The drilling rig; The drilling rig; The drilling cement to the top; in all cases surface pipe shall be set The underlying formation. The drilling rig is cased to the top; in all cases surface pipe shall be set The underlying formation. The drilling rig is cased to the top; in all cases surface pipe shall be set The underlying formation. The drilling rig; The underlying formation is necessary prior to plugging ; The underlying formation is necessary prior to plugging ; The underlying formation is necessary prior to plugging ; The underlying formation is necessary prior to plugging ; The underlying formation is necessary prior to plugging ; The underlying formation is necessary prior to plugging ; The underlying formation is necessary prior to plugging ; The underlying formation is necessary prior to plugging ; The underlying formation is necessary prior to plugging ; The underlying formation is necessary prior to plugging ; The underlying formation is necessary prior to plugging ; The underlying formation is necessary prior to plugging ; The underlying formation is necessary prior to plugging ; The underlying formation is necessary prior to plugging ; The underlying formation is necessary prior to plugging ; The underlying formation is necessary prior to plugging ; The underlying formation is necessary prior to plugging ; The underlying formation is necessary prior to plugging ; The underlying formation is necessary prior to plugging ; The underlying formation is necessary prior to plugging ; The underlying formation is necessary prior to plugging ; The underlying formation is necessary prior to plugging ; The underlying formation is necessary prior to plugging ; The underlying formation is necessary prior to plugging ; The underlying formation is necessary prior to plugging ; The underlying formation is necessary prior to plugging ; The underlying formation is necessary prior to plugging ; The underlying formation is necessary prior to plugging ; The underlying
1. Notify the appropriate district office 2. A copy of the approved notice of 3. The minimum amount of surface through all unconsolidated mater 4. If the well is dry hole, an agreement of the appropriate district office will 6. If an ALTERNATE II COMPLETIC Or pursuant to Appendix "B" - Ea must be completed within 30 day UDMitted Electronically For KCC Use ONLY	ne drilling, completion and eventual plane requirements will be met: lice <i>prior</i> to spudding of well; lice <i>prior</i> to spuding of well; lice <i>prior</i> to spudding of well; lice <i>prior</i> to spuding of well; lice <i>prior</i> to spuding of well, lice <i>prior</i>	an drilling rig; The drilling rig; The drilling rig; The drilling rig; The drilling cement to the top; in all cases surface pipe shall be set to underlying formation. The drilling rig remaisses the underlying formation. The drilling rig; The dril
1. Notify the appropriate district office. 2. A copy of the approved notice of a The minimum amount of surface through all unconsolidated mater. 4. If the well is dry hole, an agreem. 5. The appropriate district office will or pursuant to Appendix "B" - Ea must be completed within 30 day. 1. If the well is dry hole, an agreem. 3. The appropriate district office will or pursuant to Appendix "B" - Ea must be completed within 30 day. 2. If the well is dry hole, an agreem. 3. The appropriate district office will or pursuant to Appendix "B" - Ea must be completed within 30 day. 3. The minimum amount of surface will be districted and the well appropriate distriction. 4. If the well is dry hole, an agreem. 5. The appropriate district office will be appropriate district office will be appropriated by a complete distriction. 5. The well is dry hole, an agreem. 5. The appropriate district office will be appropriated by a complete district office will be a complete district office will be appropriated by a complete district office will be a complet	ne drilling, completion and eventual plane requirements will be met: since <i>prior</i> to spudding of well; sintent to drill <i>shall be</i> posted on each pipe as specified below <i>shall be set</i> rials plus a minimum of 20 feet into the nent between the operator and the distance of the plug on the plug on the plug on the plug on the spuddate or the well shall be set of the spuddate or the well shall be set of the spuddate or the well shall be set or the spuddate or the well shall be set or the spuddate or the well shall be set or the spuddate or the well shall be set or the spuddate or the well shall be set or the spuddate or the well shall be set or the spuddate or the well shall be set or the spuddate or the well shall be set or the spuddate or the well shall be set or the spuddate or the well shall be set or the spuddate or the well shall be set or the spuddate.	In drilling rig; In dri
is agreed that the following minimum 1. Notify the appropriate district office 2. A copy of the approved notice of 3. The minimum amount of surface through all unconsolidated mater 4. If the well is dry hole, an agreement 5. The appropriate district office will 6. If an ALTERNATE II COMPLETION Or pursuant to Appendix "B" - Ea must be completed within 30 day Ibmitted Electronically For KCC Use ONLY API # 15 - Conductor pipe required	ne drilling, completion and eventual planequirements will be met: lice <i>prior</i> to spudding of well; lice <i>prior</i> to spudding of well, lice <i>prior</i> to spudding of well, lice <i>prior</i> to spudding of well, lice <i>pr</i>	In drilling rig; The drilling cement to the top; in all cases surface pipe shall be set e underlying formation. The drilling rig; The drilling
is agreed that the following minimum 1. Notify the appropriate district office 2. A copy of the approved notice of 3. The minimum amount of surface through all unconsolidated mater 4. If the well is dry hole, an agreement 5. The appropriate district office will 6. If an ALTERNATE II COMPLETION Or pursuant to Appendix "B" - Ea must be completed within 30 day Submitted Electronically For KCC Use ONLY API # 15	ne drilling, completion and eventual planequirements will be met: lice <i>prior</i> to spudding of well; lice <i>prior</i> to spudding of well, lice <i>prior</i> to spudding of well, lice <i>prior</i> to spudding of well, lice <i>pr</i>	In drilling rig; In dri
is agreed that the following minimum 1. Notify the appropriate district office. 2. A copy of the approved notice of 3. The minimum amount of surface through all unconsolidated mater 4. If the well is dry hole, an agreement of the appropriate district office will 6. If an ALTERNATE II COMPLETION Or pursuant to Appendix "B" - Ea must be completed within 30 day Ibmitted Electronically For KCC Use ONLY API # 15 - Conductor pipe required Minimum surface pipe required	ne drilling, completion and eventual plane requirements will be met: since <i>prior</i> to spudding of well; sintent to drill <i>shall be</i> posted on each pipe as specified below <i>shall be set</i> rials plus a minimum of 20 feet into the nent between the operator and the distill be notified before well is either plug ON, production pipe shall be cemente astern Kansas surface casing order # ys of the spud date or the well shall be refer to the spud date.	An drilling rig; The drilling r
1. Notify the appropriate district office 2. A copy of the approved notice of 3. The minimum amount of surface through all unconsolidated mater 4. If the well is dry hole, an agreement of the appropriate district office will 6. If an ALTERNATE II COMPLETION Or pursuant to Appendix "B" - Earn must be completed within 30 day Submitted Electronically For KCC Use ONLY API # 15	ne drilling, completion and eventual plane requirements will be met: since <i>prior</i> to spudding of well; sintent to drill <i>shall be</i> posted on each pipe as specified below <i>shall be set</i> rials plus a minimum of 20 feet into the nent between the operator and the distill be notified before well is either plug ON, production pipe shall be cemente astern Kansas surface casing order # ys of the spud date or the well shall be refer to the spud date.	In drilling rig; Iby circulating cement to the top; in all cases surface pipe shall be set e underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing explugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days);
t is agreed that the following minimum 1. Notify the appropriate district office 2. A copy of the approved notice of 3. The minimum amount of surface through all unconsolidated mater 4. If the well is dry hole, an agreement of the appropriate district office will on the appropriate district office will or pursuant to Appendix "B" - Earn must be completed within 30 day **Domitted Electronically** For KCC Use ONLY API # 15 - Conductor pipe required Minimum surface pipe required Approved by:	ne drilling, completion and eventual plane requirements will be met: lice prior to spudding of well; lice prior to spudding of well, lice prior to spudding of	An drilling rig; The drilling r

Spud date: _

Side Two



SEWARD CO. 3390' FEL

For KCC Use ONLY	
API # 15	

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

perator:	Location of V	Vell: County:
ase:		feet from N / S Line of Section
II Number:		feet from E / W Line of Section
ld:	Sec.	Twp S. R
mber of Acres attributable to well:	is section.	Regular or Irregular
R/QTR/QTR/QTR of acreage:		
	If Section is	Irregular, locate well from nearest corner boundary.
	Section corn	
	200	o. acca
	PLAT	
Observators of the weeth. Observat		adam the Object the second state of least force of
	_	ndary line. Show the predicted locations of
lease roads, tank batteries, pipelines and		sas Surface Owner Notice Act (House Bill 2032).
	You may attach a separate plat if des 1588 ft.	sirea.
		٦
		LEGEND
	········ · · · · · · · · · · · · · · ·	
	: :	O Well Location
		Tank Battery Location
		——— Pipeline Location
	:	+ 1280 ft Electric Line Location
		Lease Road Location
	i i i	
		EXAMPLE : :
: : :	<u> </u>	- EXAMPLE
32	,	
	: : :	
		1980' FSL
	: : :	
[·		
	1 1 1	
		· · · · · · · · · · · · · · · · · · ·

 ${\it NOTE: In all \ cases \ locate \ the \ spot \ of \ the \ proposed \ drilling \ locaton.}$

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.



KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1065900

Form CDP-1 May 2010 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name:			License Number:	
Operator Address:				
Contact Person:			Phone Number:	
Lease Name & Well No.:			Pit Location (QQQQ):	
Type of Pit: Emergency Pit Burn Pit Settling Pit Drilling Pit Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled) Is the pit located in a Sensitive Ground Water A	Pit is: Proposed Existing If Existing, date constructed: Pit capacity: (bbls)		SecTwpR East WestFeet from North / South Line of SectionFeet from East / West Line of SectionCounty Chloride concentration: mg/l(For Emergency Pits and Settling Pits only)	
Is the bottom below ground level?	Artificial Liner? Yes N	No	How is the pit lined if a plastic liner is not used?	
Pit dimensions (all but working pits):Length (fe			Width (feet)	
If the pit is lined give a brief description of the liner material, thickness and installation procedure.			dures for periodic maintenance and determining any special monitoring.	
Distance to nearest water well within one-mile of pit:		Depth to shallo Source of infor	west fresh water feet. mation:	
feet Depth of water wellfeet		measured	well owner electric log KDWR	
Emergency, Settling and Burn Pits ONLY:		Drilling, Work	over and Haul-Off Pits ONLY:	
Producing Formation:		Type of materia	al utilized in drilling/workover:	
Number of producing wells on lease:		Number of working pits to be utilized:		
Barrels of fluid produced daily:		Abandonment	procedure:	
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No		Drill pits must be closed within 365 days of spud date.		
Submitted Electronically				
KCC OFFICE USE ONLY Liner Steel Pit RFAC RFAS				
Date Received: Permit Number:		Permi	it Date: Lease Inspection: Yes No	



Kansas Corporation Commission Oil & Gas Conservation Division

1065900

Form KSONA-1
July 2010
Form Must Be Typed
Form must be Signed
All blanks must be Filled

CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (C	Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)		
OPERATOR: License #	Well Location:		
Name:	SecTwpS. R 🔲 East 🗌 West		
Address 1:	County:		
Address 2:	Lease Name: Well #:		
City:	If filing a Form T-1 for multiple wells on a lease, enter the legal description of		
Contact Person:	the lease below:		
Phone: () Fax: ()			
Email Address:			
Surface Owner Information:			
Name:	When filing a Form T-1 involving multiple surface owners, attach an additional		
Address 1:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the		
Address 2:	county, and in the real estate property tax records of the county treasurer.		
City:			
the KCC with a plat showing the predicted locations of lease roads, tank	dic Protection Borehole Intent), you must supply the surface owners and a batteries, pipelines, and electrical lines. The locations shown on the plat in the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.		
Select one of the following:			
owner(s) of the land upon which the subject well is or will be loce CP-1 that I am filing in connection with this form; 2) if the form the form; and 3) my operator name, address, phone number, fax, and I have not provided this information to the surface owner(s). I an KCC will be required to send this information to the surface owner(s).	cknowledge that, because I have not provided this information, the ner(s). To mitigate the additional cost of the KCC performing this		
task, I acknowledge that I am being charged a \$30.00 handling If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-	fee with this form. If the fee is not received with this form, the KSONA-1		
Submitted Electronically			

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION


Form KSONA-1
July 2010
Form Must Be Typed
Form must be Signed
All blanks must be Filled

CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: 🗵 C-1 (Intent) 🔲 CB-1	(Cathodic Protection Borehole Intent) T-1 (Tra	nsfer) CP-1 (Plugging Application)
OPERATOR: License # 5004		
Name: Vincent Oil Corporation	Well Location: NW NW SE NE 32	27 23
Address 1: 155 N. Market , Ste 700	NW_NW_SE_NE Sec. 32 Twp. County: Ford	
Address 2:	County: Ford Lease Name: Hill	1-32
Cit., Wichita		
Contact Person. M.L. Korphage	If filing a Form T-1 for multiple wells on the lease below:	a lease, enter the legal description of
Phone: (316) 262-3573 Fax: (316) 262-3309		
Contact Person: M.L. Korphage Phone: (316) 262-3573 Fax: (316) 262-3309 Email Address: land@vincentoil.com		
Surface Owner Information: Name: Ms. H. Darlene Hill Address 1: 4555 Shady Oak Ct. Address 2: City: Midland State: TX Zip: 79707 +	When filing a Form T-1 involving multiple sheet listing all of the information to the owner information can be found in the recounty, and in the real estate property to	e left for each surface owner. Surface ecords of the register of deeds for the
If this form is being submitted with a Form C-1 (Intent) or CB-1 (Cathothe KCC with a plat showing the predicted locations of lease roads, tank are preliminary non-binding estimates. The locations may be entered of Select one of the following:	k batteries, pipelines, and electrical lines	. The locations shown on the plat
I certify that, pursuant to the Kansas Surface Owner Notice A owner(s) of the land upon which the subject well is or will be I CP-1 that I am filing in connection with this form; 2) if the form form; and 3) my operator name, address, phone number, fax, a	ocated: 1) a copy of the Form C-1, Forr being filed is a Form C-1 or Form CB-1,	n CB-1, Form T-1, or Form
I have not provided this information to the surface owner(s). I a KCC will be required to send this information to the surface owners, I acknowledge that I am being charged a \$30.00 handling	vner(s). To mitigate the additional cost	of the KCC performing this
If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-	fee with this form. If the fee is not rece 1 will be returned.	vived with this form, the KSONA-1
I hereby certify that the statements made herein are true and correct to	the best of my knowledge and belief	
11	()	
Date: 11/1/2011 Signature of Operator or Agent:	Title: Ge	eologist



Lease Rd

Lead line

Electrical Line

Tank Battery

Vincent Oil Corporation

Location Plat: Hill #1-32

Preliminary Non-Binding Estimate for: Lease Road, Lead line, Tank Battery and Electrical line





BOX 8604 - PRATT, KS 67124 (620) 672-6491

1013111 INVOICE NO.

VINCENT OIL CORPORATION OPERATOR	1-32 Hill FARM
Ford 32 27s 23w	1588' FNL & 1280' FEL
VINCENT OIL CORPORATION 155 N Market St Ste 700 Wichita KS 67202	elevation: 2466 GR
AUTHORIZED BY MLK	
SCAL	_E: 1" = 1000'
Set 5' & 3' wood stakes. Slight slope circle irrigation corn stubble. 93' NW & 65' SE to wheel tracks. GPS COORDINATES: 37.65760419 99.85646829 NAD 27	1588' 1280' 32
	5½ mi East & ½ m South to Ford,
	Staked 10/13/11

Conservation Division Finney State Office Building 130 S. Market, Rm. 2078 Wichita, KS 67202-3802



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Mark Sievers, Chairman Ward Loyd, Commissioner Thomas E. Wright, Commissioner

November 02, 2011

M.I. Korphage Vincent Oil Corporation 155 N MARKET STE 700 WICHITA, KS 67202-1821

Re: Drilling Pit Application Hill 1-32 NE/4 Sec.32-27S-23W Ford County, Kansas

Dear M.I. Korphage:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed <u>without slots</u>, the bottom shall be flat and reasonably level and the free fluids must be removed. The fluids are to be removed from the reserve pit as soon as the Hutchinson Salt section has been drilled through and displacement of the fluids into the reserve pit has occurred. The fluids should be removed again within 96 hours after drilling operations have ceased.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (620) 225-8888 when the fluids have been removed. Please file form CDP-5 (August 2008), Exploration and Production Waste Transfer, through KOLAR within 30 days of fluid removal.

A copy of this letter should be posted in the doghouse along with the approved Intent to Drill. If you have any questions or concerns please feel free to contact the District Office at (620) 225-8888.