



WELL COMPLETION FORM
WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License # _____

Name: _____

Address 1: _____

Address 2: _____

City: _____ State: _____ Zip: _____ + _____

Contact Person: _____

Phone: (_____) _____

CONTRACTOR: License # _____

Name: _____

Wellsite Geologist: _____

Purchaser: _____

Designate Type of Completion:

- New Well Re-Entry Workover
- Oil WSW SWD SIOW
- Gas D&A ENHR SIGW
- OG GSW Temp. Abd.
- CM (Coal Bed Methane)
- Cathodic Other (Core, Expl., etc.): _____

If Workover/Re-entry: Old Well Info as follows:

Operator: _____

Well Name: _____

Original Comp. Date: _____ Original Total Depth: _____

- Deepening Re-perf. Conv. to ENHR Conv. to SWD
- Conv. to GSW
- Plug Back: _____ Plug Back Total Depth _____
- Commingled Permit #: _____
- Dual Completion Permit #: _____
- SWD Permit #: _____
- ENHR Permit #: _____
- GSW Permit #: _____

Spud Date or Recompletion Date Date Reached TD Completion Date or Recompletion Date

API No. 15 - _____

Spot Description: _____

_____-_____-_____- Sec. _____ Twp. _____ S. R. _____ East West

_____ Feet from North / South Line of Section

_____ Feet from East / West Line of Section

Footages Calculated from Nearest Outside Section Corner:

- NE NW SE SW

County: _____

Lease Name: _____ Well #: _____

Field Name: _____

Producing Formation: _____

Elevation: Ground: _____ Kelly Bushing: _____

Total Depth: _____ Plug Back Total Depth: _____

Amount of Surface Pipe Set and Cemented at: _____ Feet

Multiple Stage Cementing Collar Used? Yes No

If yes, show depth set: _____ Feet

If Alternate II completion, cement circulated from: _____

feet depth to: _____ w/ _____ sx cmt.

Drilling Fluid Management Plan

(Data must be collected from the Reserve Pit)

Chloride content: _____ ppm Fluid volume: _____ bbls

Dewatering method used: _____

Location of fluid disposal if hauled offsite: _____

Operator Name: _____

Lease Name: _____ License #: _____

Quarter _____ Sec. _____ Twp. _____ S. R. _____ East West

County: _____ Permit #: _____

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY

- Letter of Confidentiality Received
Date: _____
- Confidential Release Date: _____
- Wireline Log Received
- Geologist Report Received
- UIC Distribution
- ALT I II III Approved by: _____ Date: _____



1065991

Operator Name: _____ Lease Name: _____ Well #: _____

Sec. _____ Twp. _____ S. R. _____ East West County: _____

INSTRUCTIONS: Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach complete copy of all Electric Wire-line Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken <input type="checkbox"/> Yes <input type="checkbox"/> No <i>(Attach Additional Sheets)</i> Samples Sent to Geological Survey <input type="checkbox"/> Yes <input type="checkbox"/> No Cores Taken <input type="checkbox"/> Yes <input type="checkbox"/> No Electric Log Run <input type="checkbox"/> Yes <input type="checkbox"/> No Electric Log Submitted Electronically <input type="checkbox"/> Yes <input type="checkbox"/> No <i>(If no, Submit Copy)</i> List All E. Logs Run:	<input type="checkbox"/> Log Formation (Top), Depth and Datum <input type="checkbox"/> Sample Name Top Datum
---	---

CASING RECORD <input type="checkbox"/> New <input type="checkbox"/> Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives

ADDITIONAL CEMENTING / SQUEEZE RECORD				
Purpose:	Depth Top Bottom	Type of Cement	# Sacks Used	Type and Percent Additives
_____ Perforate _____ Protect Casing _____ Plug Back TD _____ Plug Off Zone				

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record <i>(Amount and Kind of Material Used)</i>	Depth

TUBING RECORD: Size: _____ Set At: _____ Packer At: _____ Liner Run: Yes No

Date of First, Resumed Production, SWD or ENHR. _____ Producing Method:
 Flowing Pumping Gas Lift Other (Explain) _____

Estimated Production Per 24 Hours	Oil Bbls.	Gas Mcf	Water Bbls.	Gas-Oil Ratio	Gravity
-----------------------------------	-----------	---------	-------------	---------------	---------

DISPOSITION OF GAS: <input type="checkbox"/> Vented <input type="checkbox"/> Sold <input type="checkbox"/> Used on Lease <i>(If vented, Submit ACO-18.)</i>	METHOD OF COMPLETION: <input type="checkbox"/> Open Hole <input type="checkbox"/> Perf. <input type="checkbox"/> Dually Comp. <input type="checkbox"/> Commingled <i>(Submit ACO-5)</i> <i>(Submit ACO-4)</i> <input type="checkbox"/> Other (Specify) _____	PRODUCTION INTERVAL: _____ _____
---	---	--

Lease:	N. BAKER	
Owner:	BOBCAT OILFIELD SERVICES, INC.	
OPR #:	3895	
Contractor:	DALE JACKSON PRODUCTION CO.	
OPR #:	4339	
Surface:	Cemented:	Hole Size:
20FT, 6IN	5 SACKS	8 3/4
Longstring	Cemented:	Hole Size:
330 2 7/8	50	5 5/8

Dale Jackson Production Co.
 Box 266, Mound City, Ks 66056
 Cell # 620-363-2683
 Office # 913-795-2991

Well #: A-5	NW-NW-NE-SW
Location:	N2,N2,N2,S:5,T:20,S.R.:23,E
County:	LINN
FSL: 2620	2589
FEL: 3960	3925
API#:	15-107-24544-00-00
Started:	9-22-11
Completed:	9-23-11

SN:	Packer:	TD: 335
Plugged:	Bottom Plug:	

Well Log

TKN	BTM Depth	Formation	TKN	BTM Depth	Formation
1	1	TOP SOIL			
14	15	LIME			
8	23	SHALE			
2	25	BLACK SHALE			
20	45	LIME			
2	47	SHALE			
2	49	BLACK SHALE			
2	51	LIME			
5	56	SHALE			
6	62	LIME			
1	63	BLACK SHALE			
10	73	SHALE (LIMEY)			
137	210	SHALE			
1	211	BLACK SHALE			
11	222	SHALE			
7	229	LIME			
19	248	SHALE			
10	258	LIME (OIL SHOW)			
4	262	SHALE (LIMEY)			
2	264	SNADY SHALE (OIL SAND STRKS)			
3	267	OIL SAND (SOME SHALE) (POOR BLEED) (GAS)			
3	270	OIL SAND (LIMEY) (FAIR BLEED)			
2	272	LIME			
3	275	OIL SAND (SHALEY) (GOOD BLEED)			
2	277	SANDY SHALE (SOME OIL SAND STRKS) (POOR BLEED)			
1	278	OIL SAND (SHALEY) (GOOD BLEED)			
3	281	SANDY SHALE (SOME OIL SAND STRKS) (POOR BLEED)			
1.5	282.5	OIL SAND (SOME SHALE) (GOOD BLEED)			
1	283.5	SANDY SHALE (SOME OIL SAND STRKS) (POOR BLEED)			
1	284.5	OIL SAND (SHALEY) (GOOD BLEED)			
1.5	286	OIL SAND (SOME SHALE) (GOOD BLEED)			
3.5	289.5	OIL SAND (SHLAEY) (GOOD BLEED)			
3.5	293	OIL SAND (SOME SHALE) (GOOD BLEED)			
9	302	SANDY SHALE (OIL SHOW)			
3	305	SHALE (OIL SAND STRKS)			
5	310	SHALE			
2	312	COAL			
3	315	SHALE			
10	325	LIME			
TD	335	SHALE			

SURFACE: 9-22-11
 SET TIME: 2:30PM
 CALLED: 12:30- JUDY
 LONGSTRING: 330, 2 7/8 8RD PIPE, TD: 335
 SET TIME: 2:00PM, 9-23-11
 CALLED 12:45- JUDY



Dale Jackson Production Co.
 Box 266, Mound City, Ks 66056
 Cell # 620-363-2683
 Office # 913-795-2991

Well #: A-5 NW-NW-NE-SW
Location: N2,N2,N2,S:5,T:20,S.R.:23,E
County: LINN
FSL: 2620 2589
FEL: 3960 3925
API#: 15-107-24544-00-00
Started: 9-22-11
Completed: 9-23-11

Core Run #1

Lease :	N. BAKER
Owner:	BOBCAT OILFIELD SERVICES INC.
OPR #:	3895
Contractor:	DALE JACKSON PRODUCTION CO.
OPR #:	4339

FT	Depth	Clock	Time	Formation/Remarks	Depth
0	272		-----		
1	273		25		
2	274		1.5		
3	275		2.5	OIL SAND (SHALEY) (GOOD BLEED)	275
4	276		2		
5	277		2.5	SANDY SHALE (SOME OIL SAND STRKS) (POOR BLEED)	277
6	278		2	OIL SAND (SHALEY) (GOOD BLEED)	278
7	279		3		
8	280		4		
9	281		4	OIL SAND (SOME SHALE) (GOOD BLEED)	281
10	282		2		
				SANDY SHALE (SOME OIL SAND STRKS)	282.5
11	283		1.5	OIL SAND (SHALEY) (GOOD BLEED)	283.5
12	284		2.5	OIL SAND (SHALEY) (GOOD BLEED)	284.5
13	285		2.5		
14	286		1.5	OIL SAND (SOME SHALE) (GOOD BLEED)	286
15	287		1		
16	288		1		
17	289		1.5	OIL SAND (SHALEY) (GOOD BLEED)	289.5
18	290		1.5		
19	291		2		
20	292		1.5	OIL SAND (SOME SHALE) (GOOD BLEED)	

Avery Lumber

P.O. BOX 66
MOUND CITY, KS 66056
{913} 795-2210 FAX {913} 795-2194

Customer Copy
INVOICE
PLEASE REFER TO INVOICE NUMBER
ON ALL CORRESPONDENCE

Page: 1		Invoice: 10034610	
Special :		Time:	13:21:11
Instructions :		Ship Date:	09/19/11
		Invoice Date:	09/22/11
Sale rep #:	MAVERY MIKE	Acct rep code:	Due Date: 10/05/11
Sold To: BOBCAT OILFIELD SRVC,INC		Ship To: BOBCAT OILFIELD SRVC,INC	
C/O BOB EBERHART		(913) 837-2823	
30805 COLDWATER RD		(913) 837-2823	
LOUISBURG, KS 66053			
Customer #:	3570021	Customer PO:	Order By: TERRY

ORDER	SHIP	L	U/M	ITEM#	DESCRIPTION	Alt Price/Uom	PRICE	EXTENSION
315.00	315.00	L	BAG	CPPC	PORTLAND CEMENT	8.2900 BAG	8.2900	2611.35
200.00	200.00	L	BAG	CPPM	POST SET FLY ASH 75#	5.1000 BAG	5.1000	1020.00
14.00	14.00	L	EA	CPQP	QUIKRETE PALLETS	17.0000 EA	17.0000	238.00
DIRECT DELIVERY, PHONE ORDER BY TERRY								
<p style="font-size: 2em; opacity: 0.5;">INVOICE</p> <p style="font-size: 1.5em; color: blue;">913-837-4159</p> <p style="font-size: 1.2em; color: blue;">North Baker</p> <p style="font-size: 1.2em; color: blue;">A-5</p> <p style="font-size: 1.2em; color: blue;">9-23-11</p>								

	FILLED BY _____ CHECKED BY _____ DATE SHIPPED _____ DRIVER _____	Sales total \$3869.35
	SHIP VIA LINN COUNTY	
	RECEIVED COMPLETE AND IN GOOD CONDITION	
X		Taxable 3869.35 Non-taxable 0.00 Sales tax 248.77

TOTAL \$4113.12

2 - Customer Copy

