

QUEST

Resource Corporation

211 W. 14TH STREET,
CHANUTE, KS 66720
620-431-9500

TICKET NUMBER

✓ 7088

FIELD TICKET REF # _____

FOREMAN Joe Blanchard

SSI 630370

API 15-125-32100

AFE D11057

TREATMENT REPORT & FIELD TICKET CEMENT

DATE	WELL NAME & NUMBER	SECTION	TOWNSHIP	RANGE	COUNTY
6-15-11	Wishell John 22-1	22	34	17	MG

FOREMAN / OPERATOR	TIME IN	TIME OUT	LESS LUNCH	TRUCK #	TRAILER #	TRUCK HOURS	EMPLOYEE SIGNATURE
Joe Blanchard	6:00	12:00		904850		6	Joe Blanchard
Justin T. Jansen	6:00	12:00		903197		6	Justin T. Jansen
DUSTAN PETER	6:30	11:00		903600		4.5	DUSTAN PETER
Wes Cochran	6:00	11:00		931505	931395	5	Wes Cochran
Rodger Armstrong	6:00	12:00		903142	932900	6	Rodger Armstrong

JOB TYPE Longstring HOLE SIZE 7 7/8 HOLE DEPTH 1052 CASING SIZE & WEIGHT 5 1/2 14#
 CASING DEPTH 1040.14 DRILL PIPE _____ TUBING _____ OTHER _____
 SLURRY WEIGHT 13.5 SLURRY VOL _____ WATER gal/sk _____ CEMENT LEFT in CASING 0
 DISPLACEMENT 24.76 DISPLACEMENT PSI _____ MIX PSI _____ RATE 4bpm

REMARKS:
Installed Cement head RAN 1SK gel + 16 BBI dye + 154 SKs of cement to get dye to surface. Flushed pump. Pumped Wiper Plug to bottom set float shoe.
started casing 8:30 started Cement 10:00

ACCOUNT CODE	QUANTITY or UNITS	DESCRIPTION OF SERVICES OR PRODUCT	TOTAL AMOUNT
904850	6 hr	Foreman Pickup	
903197	6 hr	Cement Pump Truck	
903600	4.5 hr	Bulk Truck	
931505	5 hr	Transport Truck	
931395	5 hr	Transport Trailer	
		80 Vac	
	1040.14 Ft	Casing 5 1/2	
	6	Centralizers	
	1	Float Shoe	
	1	Wiper Plug	
	1	Frac Baffles	
	120 SK	Portland Cement	
	30 SK	Gilsonite	
	1 SK	Flo-Seal	
	8 SK	Premium Gel	
	5 SK	Cal Chloride	
	1	40# 5 1/2 Basket	
	7000 gal	City Water	
903142	6	Casing tractor	
932900	6	Casing trailer	

4 1/2 Big hole

Dr. Stanton Outlets Tuesday 06/14/11 @ 2 PM


Pipe#	Length	Running Total	Baffle Location	POSTROCK ENERGY CORP - CASING TALLY SHEET
1	39.66	39.66		Date: 6/14/11
2	38.90	78.56	Cement Basket	Well Name & #: Wishall, John J. 22-1
3	39.22	117.78		Township & Range: 34S-17E
4	38.90	156.68	at 195 ft.	County/State: Montgomery / Kansas
5	39.20	195.88		SSI #: 630370
6	38.90	234.78		AFE#: D11057
7	39.33	274.11		Road Location: 6000 & Anderson, S & W into
8	39.18	313.29		API# 15-125-32100
9	39.10	352.39		PO# MB10061411
10	38.52	390.91		
11	38.29	429.20	No upper baffle here. Not enough room.	
12	39.64	468.84		
13	39.90	508.74		
14	38.00	546.74		
15	38.08	584.82		
16	38.70	623.52		
17	40.05	663.57		
18	39.40	702.97		
19	39.78	742.75		
20	39.35	782.10	← Set Lower baffle @ 782.10 ft. Big Hole. *	
21	38.18	820.28		Using a Big Hole to use up extra Big Holes.
22	39.26	859.54		
23	39.88	899.42		
24	38.58	938.00		
25	40.08	978.08		
26	39.06	1017.14		
Sub	23.00	1040.14	Tally Bottom	
Use all 26 joints + the 23 ft Sub.				
Be Safe.				
Top String				

Miss Top 907 ft.
Tally Bottom 1040.14 ft.
Driller TD 1050 ft.
Log Bottom 1052.60 ft.

Teamwork works! Put Safety 1st!
 Dr. Ke Rousy
 Sr. Geologist
 620 305 9900 Cell
 06-14-11

For reference only / Ken

Pipe #	Length	Running Total	Baffle Location	Casing Tally Sheet	
1	38.66	39.66		Location: John Wishall 22-1	
2	38.90	78.56		SSI#	
3	39.22	117.78		Date:	
4	38.90	156.68		Well ID:	
5	39.20	195.88		D11057	
6	38.90	234.78		PO # MB10061411	
7	39.33	274.11			
8	39.18	313.29		<div style="text-align: center;"> Baffle Location </div>	
9	39.10	352.39			
10	38.32	390.91		Notes	
11	38.29	429.20			
12	39.64	468.84			
13	39.90	508.74			
14	38.00	546.74			
15	38.08	584.82			
16	38.70	623.52			
17	40.05	663.57			
18	39.40	702.97			
19	39.78	742.75			
20	39.35	782.10			
21	38.18	820.28			
22	39.26	859.54			
23	39.88	899.42			
24	38.58	938.00			
25	40.08	978.08			
26	39.06	1017.14			
27	39.20	1056.34			
28					
SUB	23	1040.14			



TOP Load!

~~2200 + 5900~~

6000 + Anderson S + W into