

Well will not be drilled or Permit Expired Date: \_

Signature of Operator or Agent:

For KCC Use:				
Effective Date:				
District #				
SGA?	Yes No			

## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1066533

Form C-1

March 2010

Form must be Typed

Form must be Signed

All blanks must be Filled

# NOTICE OF INTENT TO DRILL

Section	Line of Section V Line of Section V Line of Section  de)  #:  Yes No
OPERATOR: License#   Set from   Y	Line of Section V Line of Section V Line of Section  de)  #:  Yes No
Name:	#:No
Address 2:	#:Yes No
Address 2:	#:Yes No
County:	#:Yes No
Contract Person:	#:
Field Name:  CONTRACTOR: License#  Name:  Well Drilled For: Well Class: Type Equipment:  Oil Enh Rec Infield Mud Rotary Seismic: # of Holes Other Oother:  Oil Other:  Oother: # of Holes Other Oother:  Original Completion Date: Original Total Depth:  Original Completion Date: Original Total Depth:  Directional, Deviated or Horizontal wellbore?  KCC DKT #:  The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well:  2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be must be completed district office on pile of purporation and value plugging or production casing is cemented in;  It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well:  2. A copy of the approved notice of intent to drill shall be posted on each drilling gement to the top; in all cases surface pipe shall be through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plus or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II or must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cemulable the completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cemulable to the completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cemulable to the complete	Yes No
Is this a Prorated / Spaced Field?	
Name:    Mell Drilled For:   Well Class:   Type Equipment:   Ground Surface Elevation:   Search Rec   Infeld   Mud Rotary   Mud Rotary   Mud Rotary   Seismic ;	
Well Drilled For: Well Class: Type Equipment:  Oil	
Oil   Enh Rec   Infield   Wad Rotary   Water well within one-quarter mile:   Water well within one-quarter mile:   Public water supply well within one mile:   Depth to bottom of fresh water:   Depth of Surface Pipe Planned to be set:   Length of Surface Pipe Planned to be set:   Length of Surface Pipe Planned to be set:   Depth of Conductor Pipe (if any):   Projected Total Depth:   Projected Total Depth:   Projected Total Depth:   Projected Total Depth:   Water Source for Drilling Operations:   Well   Farm Pond   Other:   DWR Permit #:   Will Cores be taken?   If Yes, proposed zone:   AFFIDAVIT   The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. It is agreed that the following minimum requirements will be met:   Notify the appropriate district office prior to spudding of well;   A copy of the approved notice of intent to drill shall be posted on each drilling rig;   The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.   If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to pl. 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in;   If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior t	
Gas	teet MSi
Gas   Storage   Pool Ext.   Cable   Ca	
Depth to bottom of fresh water:   Depth to bottom of fresh water:   Depth to bottom of usable water:   Surface Pipe by Alternate:   I   I   Usength of Surface Pipe Planned to be set:   Length of Conductor Pipe (if any):   Projected Total Depth:   DWR Permit on at Total Depth:   DWR Permit on at Total Depth:   DWR Permit with DWR   DWR Permit with DWR   DWR Permit with DWR   DWR Permit with DWR   Parm Pond   Other:   DWR Permit with DWR   DWR Permit with DWR Permit with DWR   DWR Permit with DWR Perm	Yes No
Depth to bottom of usable water:    Surface Pipe by Alternate:   I   II   Length of Surface Pipe Planned to be set:   Length of Conductor Pipe (if any):   Projected Total Depth:   Formation at Total Depth:   Water Source for Drilling Operations:   Well Farm Pond Other:   DWR Permit #:   Water Source for Drilling Operations:   Note: Apply for Permit with DWR   Well Farm Pond Other:   DWR Permit #:   Water Source for Drilling Operations:   Note: Apply for Permit with DWR   Well Cores be taken?   If Yes, proposed zone:   AFFIDAVIT  The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq.   It is agreed that the following minimum requirements will be met:   Notify the appropriate district office prior to spudding of well;   A copy of the approved notice of intent to drill shall be posted on each drilling rig;   The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.   If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to pl 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in:   Section 120 DAYS of sp Or pursuant to Appendix 'B' - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II c must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cemulative definition of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cemulative definition of the spud d	Yes N
Surface Pipe by Alternate: I I II  Length of Surface Pipe Planned to be set:  Length of Surface Pipe Planned to be set:  Length of Conductor Pipe (if any):  Projected Total Depth: Projected Total Depth: Projected Total Depth: Water Source for Drilling Operations:  Directional, Deviated or Horizontal wellbore? Yes No  If Yes, true vertical depth: Water Source for Drilling Operations:  Bottom Hole Location: Water Source for Drilling Operations:  Will Cores be taken?  If Yes, proposed zone:  AFFIDAVIT  The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling cement to the top; in all cases surface pipe shall be through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office of pull length and placement is necessary prior to plust.  5. The appropriate district office will be notified before well is either plugged or production casing is cemented in;  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of sp Or pursuant to Appendix 'B'' - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II c must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cemulative deference to:	
Length of Surface Pipe Planned to be set:  Operator:  Well Name: Original Completion Date: Original Total Depth:  Directional, Deviated or Horizontal wellbore?  Original Completion Date:  Water Source for Drilling Operations:  Will Cores be taken?  If yes, proposed zone:  If yes, proposed zone:  It is agreed that the following minimum requirements will be met:  Notify the appropriate district office prior to spudding of well; A copy of the approved notice of intent to drill shall be posted on each drilling rig; The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plug.  The appropriate district office will be notified before well is either plugged or production casing is cemented in; If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plug.  The appropriate district office will be notified before well is either plugged or production casing is cemented in; If all ALTERNATE ICOMPLETION, production pipe shall be cemented from below yusable water to surface within 120 DAYS of sport pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II or must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cemulative deferments.	
Operator:  Well Name: Original Completion Date: Original Total Depth:  Directional, Deviated or Horizontal wellbore?  If Yes, true vertical depth: Bottom Hole Location:  KCC DKT #:  The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq.  It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plus in an appropriate district office will be notified before well is either plugged or production casing is cemented in;  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of sport or prusuant to Appendix "B": Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cemulability and plus to surface within 20 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cemulability and plus an approach of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cemulability and plus an	
Well Name: Original Completion Date: Original Total Depth: Formation at Total Depth: Water Source for Drilling Operations: Water Source for Drilling Other: Water Sour	
Well Name: Original Completion Date: Original Total Depth: Formation at Total Depth: Water Source for Drilling Operations: Water Source for Drilli	
Original Completion Date: Original Total Depth: Formation at Total Depth: Water Source for Drilling Operations: Water Source for Drilling Operations: DWR Permit #: DWR Permit #: DWR Permit #: DWR Permit with DWR ) Will Cores be taken? If Yes, proposed zone: Will Cores be taken? If Yes, proposed zone: Will Cores be taken? If Yes, proposed zone: AFFIDAVIT  The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office *prior** to spudding of well; 2. A copy of the approved notice of intent to drill *shall be** posted on each drilling rig; 3. The minimum amount of surface pipe as specified below *shall be** set** by circulating cement to the top; in all cases surface pipe *shall be** through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary *prior** to *pi**. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within *120 DAYS** of sport pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II or must be completed within 30 days of the spud date or the well shall be plugged. *In all cases, NOTIFY district office* prior to any cemented to the complete district office on the spud date or the well shall be plugged. *In all cases, NOTIFY district office** prior to any cemented from below any usable water to surface within 120 DAYS of sport production casing is cemented from below any usable water to surface within 120 DAYS of sport production casing is	
Water Source for Drilling Operations:    Water Source for Drilling Operations:   Water Source for Drilling Operations:   Water Source for Drilling Operations:   Well   Farm Pond   Other:   DWR Permit #:   DWR Permit #:   DWR Permit #:   Will Cores be taken?   If Yes, proposed zone:   Well   Farm Pond   Other:   DWR Permit with DWR   OWN Permit with DWR Permit with DWR   OWN Permit with DWR   OWN Permit with DWR   O	
Directional, Deviated or Horizontal wellbore?  If Yes, true vertical depth:  Bottom Hole Location:  KCC DKT #:  Well Farm Pond Other:  (Note: Apply for Permit with DWR )  Will Cores be taken?  If Yes, proposed zone:  AFFIDAVIT  The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq.  It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each drilling rig;  3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plus. The appropriate district office will be notified before well is either plugged or production casing is cemented in;  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spor pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II or must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cemulability.  Remember to:	
Bottom Hole Location:	
KCC DKT #:   Will Cores be taken?   If Yes, proposed zone:     Will Cores be taken?   If Yes, proposed zone:     Will Cores be taken?   If Yes, proposed zone:       Will Cores be taken?   If Yes, proposed zone:       Will Cores be taken?   If Yes, proposed zone:	
If Yes, proposed zone:  AFFIDAVIT  The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each drilling rig;  3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plus. The appropriate district office will be notified before well is either plugged or production casing is cemented in;  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of sport or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II or must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cemental materials.  Submitted Electronically	
AFFIDAVIT  The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each drilling rig;  3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to pluse. The appropriate district office will be notified before well is either plugged or production casing is cemented in;  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of sport pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cemented Electronically  Remember to:	Yes No
AFFIDAVIT  The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each drilling rig;  3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to ploed. The appropriate district office will be notified before well is either plugged or production casing is cemented in;  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of sport pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cemental materials.  **Remember to:**	
The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq.  It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each drilling rig;  3. The minimum amount of surface pipe as specified below <i>shall be set</i> by circulating cement to the top; in all cases surface pipe <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary <i>prior to pl</i> 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in;  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within <i>120 DAYS</i> of sp Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II completed within 30 days of the spud date or the well shall be plugged. <i>In all cases, NOTIFY district office</i> prior to any cemental plus to the completed within 30 days of the spud date or the well shall be plugged. <i>In all cases, NOTIFY district office</i> prior to any cemental plus to the complete to:	
<ol> <li>It is agreed that the following minimum requirements will be met:         <ol> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on each drilling rig;</li> <li>The minimum amount of surface pipe as specified below <i>shall be set</i> by circulating cement to the top; in all cases surface pipe <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.</li> <li>If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary <i>prior to pl</i></li> <li>The appropriate district office will be notified before well is either plugged or production casing is cemented in;</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within <i>120 DAYS</i> of sp Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II completed within 30 days of the spud date or the well shall be plugged. <i>In all cases, NOTIFY district office</i> prior to any cemented in the completed within 30 days of the spud date or the well shall be plugged. <i>In all cases, NOTIFY district office</i> prior to any cemented in the complete of the complete in the comple</li></ol></li></ol>	
<ol> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on each drilling rig;</li> <li>The minimum amount of surface pipe as specified below <i>shall be set</i> by circulating cement to the top; in all cases surface pipe <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.</li> <li>If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary <i>prior to pl</i></li> <li>The appropriate district office will be notified before well is either plugged or production casing is cemented in;</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within <i>120 DAYS</i> of sp</li> <li>Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II or must be completed within 30 days of the spud date or the well shall be plugged. <i>In all cases, NOTIFY district office</i> prior to any cemented Electronically</li> </ol> Remember to:	
<ol> <li>A copy of the approved notice of intent to drill shall be posted on each drilling rig;</li> <li>The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.</li> <li>If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plus. The appropriate district office will be notified before well is either plugged or production casing is cemented in;</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of sport pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementary district office prior to any cementary district office.</li> </ol>	
<ol> <li>The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.</li> <li>If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plus. The appropriate district office will be notified before well is either plugged or production casing is cemented in;</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of sport pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementary district office prior to any cementary district office.</li> </ol>	
through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary <i>prior to pl</i> 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in;  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of sp Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II c must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementary to the spud date or the well shall be plugged.  Submitted Electronically  Remember to:	
<ol> <li>If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary <i>prior to pl</i></li> <li>The appropriate district office will be notified before well is either plugged or production casing is cemented in;</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of sp Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II c must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementary completed Electronically</li> </ol> Remember to:	e set
<ol> <li>The appropriate district office will be notified before well is either plugged or production casing is cemented in;</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of sp. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II c must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementary completed within 30 days of the spud date or the well shall be plugged.</li> </ol> Remember to:	
6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of sp Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II c must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cemulative description of the spud date or the well shall be plugged. Remember to:	
Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II of must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cembrated Electronically  Remember to:	ıgging;
must be completed within 30 days of the spud date or the well shall be plugged. <i>In all cases, NOTIFY district office</i> prior to any cembrated Electronically  **Remember to:	
Submitted Electronically  Remember to:	ıd date.
Remember to:	nd date. ementing
Remember to:	nd date. ementing
Remember to:	nd date. ementing
	nd date. ementing
For KCC Use ONLY	nd date. ementing
- File Certification of Compliance with the Kansas Surface Owner	nd date. ementing enting.
API # 15 Act (KSONA-1) with Intent to Drill;  - File Drill Pit Application (form CDP-1) with Intent to Drill;	nd date. ementing enting.
Conductor pipe requiredfeetfeetfeetfeet	nd date. ementing enting.
Minimum surface pipe requiredfeet per ALT. I I II - File acreage attribution plat according to field proration orders;	nd date. ementing enting.
Approved by:	nd date. ementing enting.
- Submit plugging report (CP-4) after plugging is completed (within	nd date. ementing enting.  Notification
This authorization expires:	ad date. ementing enting.  Notification
- If well will not be drilled or permit has expired (See: authorized ex	ad date. ementing enting.  Notification
Spud date: Agent: please check the box below and return to the address below.	and date. ementing enting.  Notification  entry; 60 days);

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202 Side Two



For KCC Use ONLY	
API # 15	

#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW


In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator:	Location of Well: County:
Lease:	feet from N / S Line of Section
Well Number:	feet from E / W Line of Section
Field:	Sec Twp S. R
Number of Acres attributable to well:	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW

#### **PLAT**

Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032).

You may attach a separate plat if desired.



NOTE: In all cases locate the spot of the proposed drilling locaton.

#### 1731 ft.

#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.



## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

066533

Form CDP-1
May 2010
Form must be Typed

# **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name:			License Number:	
Operator Address:				
Contact Person:			Phone Number:	
Lease Name & Well No.:			Pit Location (QQQQ):	
Settling Pit Drilling Pit If Existing, date construction of the pit is lined give a brief description of the liner		(bbls)  No  lo epest point:	SecTwpRBast WestFeet from North / South Line of SectionFeet from East / West Line of SectionCounty  Chloride concentration: mg/l(For Emergency Pits and Settling Pits only)  How is the pit lined if a plastic liner is not used? Width (feet) N/A: Steel Pits	
Distance to nearest water well within one-mile of pit:  Depth to shallowest fresh water feet.				
feet Donth of water well feet		Source of information measured	mation:	
Emergency, Settling and Burn Pits ONLY:  Drilling, Workover and Haul-Off Pits ONLY:				
Producing Formation:		Type of materia	ıl utilized in drilling/workover:	
Number of producing wells on lease:			king pits to be utilized:	
Barrels of fluid produced daily:		Abandonment	procedure:	
Does the slope from the tank battery allow all spilled fluids to flow into the pit?    Yes    No		Drill pits must b	e closed within 365 days of spud date.	
Submitted Electronically				
KCC OFFICE USE ONLY  Liner Steel Pit RFAC RFAS				
Date Received: Permit Numl	per:	Permi	t Date: Lease Inspection: Yes No	



### Kansas Corporation Commission Oil & Gas Conservation Division

1066533


Form KSONA-1
July 2010
Form Must Be Typed
Form must be Signed
All blanks must be Filled

# CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (C	Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)			
OPERATOR: License #	Well Location:			
Name:	SecTwpS. R			
Address 1:	County:			
Address 2:	Lease Name: Well #:			
City: State: Zip:+	If filing a Form T-1 for multiple wells on a lease, enter the legal description of			
Contact Person:	the lease below:			
Phone: ( ) Fax: ( )				
Email Address:				
Surface Owner Information:				
Name:	When filing a Form T-1 involving multiple surface owners, attach an additional			
Address 1: sheet listing all of the information to the left for each surface own owner information can be found in the records of the register of contraction.				
Address 2:	accurate, and in the real entate property toy records of the accurate traceuror			
City: State: Zip:+				
the KCC with a plat showing the predicted locations of lease roads, tank	dic Protection Borehole Intent), you must supply the surface owners and batteries, pipelines, and electrical lines. The locations shown on the plat in the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.			
Select one of the following:				
owner(s) of the land upon which the subject well is or will be loc CP-1 that I am filing in connection with this form; 2) if the form be form; and 3) my operator name, address, phone number, fax, and I have not provided this information to the surface owner(s). I ack KCC will be required to send this information to the surface owner(s).	cknowledge that, because I have not provided this information, the rner(s). To mitigate the additional cost of the KCC performing this			
task, I acknowledge that I am being charged a \$30.00 handling  If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-	fee with this form. If the fee is not received with this form, the KSONA-1			
Submitted Electronically	_			



Conservation Division Finney State Office Building 130 S. Market, Rm. 2078 Wichita, KS 67202-3802



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Mark Sievers, Chairman Ward Loyd, Commissioner Thomas E. Wright, Commissioner

November 01, 2011

P. J. Buck Jones & Buck Development, a General Partnership PO BOX 68 SEDAN, KS 67361-0068

Re: Drilling Pit Application API 15-019-27037-00-00 Lemmon JBD #4 SW/4 Sec.26-34S-10E Chautaugua County, Kansas

#### Dear P. J. Buck:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed <u>without slots</u>, the bottom shall be flat and reasonably level, and the free fluids must be removed. The fluids are to be removed from the reserve pit as soon as practical after drilling operations have ceased.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (620) 432-2300 when the fluids have been removed. Please file form CDP-5 (August 2008), Exploration and Production Waste Transfer, through KOLAR within 30 days of fluid removal.

A copy of this letter should be posted in the doghouse along with the approved Intent to **Drill**. If you have any questions or concerns please feel free to contact the District Office at (620) 432-2300.