

Well will not be drilled or Permit Expired Date: \_

Signature of Operator or Agent:

For KCC	Use:
Effective	Date:
District #	·
SGA?	Yes No

## Kansas Corporation Commission Oil & Gas Conservation Division

1066742

Form C-1

March 2010

Form must be Typed

Form must be Signed

All blanks must be Filled

## NOTICE OF INTENT TO DRILL

month day year	Spot Description:
	Sec Twp S. R [ E [ ] \
DPERATOR: License#	feet from N / S Line of Section
Name:	feet from E / W Line of Section
Address 1:	Is SECTION: Regular Irregular?
address 2:	(Note: Locate well on the Section Plat on reverse side)
City: State: Zip: +	County:
Contact Person:	Lease Name: Well #:
Phone:	Field Name:
CONTRACTOR: License#	Is this a Prorated / Spaced Field?
lame:	Target Formation(s):
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage):
	Ground Surface Elevation:feet MS
Oil Enh Rec Infield Mud Rotary  Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile:
Disposal Wildcat Cable	Public water supply well within one mile:
Seismic ; # of Holes Other	Depth to bottom of fresh water:
Other:	Depth to bottom of usable water:
	Surface Pipe by Alternate: I I II
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set:
Operator:	Length of Conductor Pipe (if any):
Well Name:	Projected Total Depth:
Original Completion Date: Original Total Depth:	Formation at Total Depth:
	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore?	Well Farm Pond Other:
f Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR )
(CC DKT #:	Will Cores be taken? Yes Yes
	If Yes, proposed zone:
AF	FIDAVIT
The undersigned hereby affirms that the drilling, completion and eventual pl	ugging of this well will comply with K.S.A. 55 et. seq.
aas.oighoa horosy aminio that the arming, completion and eventual pr	
t is agreed that the following minimum requirements will be met:	
t is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i>	h drilling rig; by circulating cement to the top; in all cases surface pipe <b>shall be set</b>
t is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac.  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the	n drilling rig; by circulating cement to the top; in all cases surface pipe <b>shall be set</b> e underlying formation.
t is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the distribution.  4. If the well is dry hole, an agreement between the operator and the distribution.	In drilling rig; by circulating cement to the top; in all cases surface pipe <b>shall be set</b> e underlying formation. trict office on plug length and placement is necessary <b>prior to plugging</b> ;
<ol> <li>t is agreed that the following minimum requirements will be met:</li> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on eac</li> <li>The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the</li> <li>If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug</li> </ol>	In drilling rig;  by circulating cement to the top; in all cases surface pipe shall be set e underlying formation.  trict office on plug length and placement is necessary prior to plugging;
<ol> <li>t is agreed that the following minimum requirements will be met:</li> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on eac</li> <li>The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the</li> <li>If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #</li> </ol>	In drilling rig; It by circulating cement to the top; in all cases surface pipe <i>shall be set</i> It is enderlying formation. It is office on plug length and placement is necessary <i>prior to plugging</i> ; It is office on production casing is cemented in; It is office on plug length and placement is necessary <i>prior to plugging</i> ; It is office on plug length and placement is necessary <i>prior to plugging</i> ; It is office on plug length and placement is necessary <i>prior to plugging</i> ; It is office on plug length and placement is necessary <i>prior to plugging</i> ; It is office on plug length and placement is necessary <i>prior to plugging</i> ; It is office on plug length and placement is necessary <i>prior to plugging</i> ; It is office on plug length and placement is necessary <i>prior to plugging</i> ; It is office on plug length and placement is necessary <i>prior to plugging</i> ; It is office on plug length and placement is necessary <i>prior to plugging</i> ; It is office on plug length and placement is necessary <i>prior to plugging</i> ; It is office on plug length and placement is necessary <i>prior to plugging</i> ; It is office on plug length and placement is necessary <i>prior to plugging</i> ; It is office on plug length and placement is necessary <i>prior to plugging</i> ; It is office on plug length and placement is necessary <i>prior to plugging</i> ; It is office on plug length and placement is necessary <i>prior to plugging</i> ; It is office on plug length and placement is necessary <i>prior to plugging</i> ; It is office on plug length and placement is necessary <i>prior to plugging</i> ; It is office on plug length and placement is necessary <i>prior to plugging</i> ; It is office on plug length and plug length a
<ol> <li>t is agreed that the following minimum requirements will be met:</li> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on eac</li> <li>The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the</li> <li>If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #</li> </ol>	In drilling rig; It by circulating cement to the top; in all cases surface pipe <i>shall be set</i> It is enderlying formation. It ict office on plug length and placement is necessary <i>prior to plugging</i> ; It is ged or production casing is cemented in; It is defined below any usable water to surface within 120 DAYS of spud date.
<ol> <li>t is agreed that the following minimum requirements will be met:</li> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on eac</li> <li>The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the</li> <li>If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #</li> </ol>	In drilling rig; It by circulating cement to the top; in all cases surface pipe <i>shall be set</i> It is enderlying formation. It is office on plug length and placement is necessary <i>prior to plugging</i> ; It is office on production casing is cemented in; It is office on plug length and placement is necessary <i>prior to plugging</i> ; It is office on plug length and placement is necessary <i>prior to plugging</i> ; It is office on plug length and placement is necessary <i>prior to plugging</i> ; It is office on plug length and placement is necessary <i>prior to plugging</i> ; It is office on plug length and placement is necessary <i>prior to plugging</i> ; It is office on plug length and placement is necessary <i>prior to plugging</i> ; It is office on plug length and placement is necessary <i>prior to plugging</i> ; It is office on plug length and placement is necessary <i>prior to plugging</i> ; It is office on plug length and placement is necessary <i>prior to plugging</i> ; It is office on plug length and placement is necessary <i>prior to plugging</i> ; It is office on plug length and placement is necessary <i>prior to plugging</i> ; It is office on plug length and placement is necessary <i>prior to plugging</i> ; It is office on plug length and placement is necessary <i>prior to plugging</i> ; It is office on plug length and placement is necessary <i>prior to plugging</i> ; It is office on plug length and placement is necessary <i>prior to plugging</i> ; It is office on plug length and placement is necessary <i>prior to plugging</i> ; It is office on plug length and placement is necessary <i>prior to plugging</i> ; It is office on plug length and placement is necessary <i>prior to plugging</i> ; It is office on plug length and plug length a
<ol> <li>is agreed that the following minimum requirements will be met:</li> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on eac</li> <li>The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the</li> <li>If the well is dry hole, an agreement between the operator and the distinct office will be notified before well is either plug</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be</li> </ol>	In drilling rig; It by circulating cement to the top; in all cases surface pipe <b>shall be set</b> It is enderlying formation. It ict office on plug length and placement is necessary <b>prior to plugging</b> ; It is ged or production casing is cemented in; It is defined below any usable water to surface within <b>120 DAYS</b> of spud date. It is a surface within <b>120 DAYS</b> of spud date. It is a surface within <b>120 DAYS</b> of spud date. It is a surface within <b>120 DAYS</b> of spud date. It is a surface within <b>120 DAYS</b> of spud date. It is a surface within <b>120 DAYS</b> of spud date.
<ol> <li>is agreed that the following minimum requirements will be met:</li> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on eac</li> <li>The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the</li> <li>If the well is dry hole, an agreement between the operator and the distinct office will be notified before well is either plug</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be</li> </ol>	In drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set be underlying formation. It ict office on plug length and placement is necessary prior to plugging; It ged or production casing is cemented in; It is defined below any usable water to surface within 120 DAYS of spud date. It is a length of the surface within 120 DAYS of spud date. It is a length of the surface within 120 DAYS of spud date. It is a length of the surface within 120 DAYS of spud date. It is a length of the surface within 120 DAYS of spud date. It is a length of the surface within 120 DAYS of spud date. It is a length of the surface within 120 DAYS of spud date.
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be submitted Electronically	In drilling rig; It by circulating cement to the top; in all cases surface pipe <i>shall be set</i> It is enderlying formation. It ict office on plug length and placement is necessary <i>prior to plugging;</i> It is ged or production casing is cemented in; It is defined below any usable water to surface within <i>120 DAYS</i> of spud date. It is a surface within <i>120 DAYS</i> of spud date. It is a surface within <i>120 DAYS</i> of spud date. It is a surface within <i>120 DAYS</i> of spud date. It is a surface within <i>120 DAYS</i> of spud date.
<ol> <li>is agreed that the following minimum requirements will be met:</li> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on eac</li> <li>The minimum amount of surface pipe as specified below <i>shall be se</i>:         through all unconsolidated materials plus a minimum of 20 feet into the</li> <li>If the well is dry hole, an agreement between the operator and the dis</li> <li>The appropriate district office will be notified before well is either plug</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be</li> </ol>	In drilling rig; It by circulating cement to the top; in all cases surface pipe <b>shall be set</b> It is enderlying formation. It ict office on plug length and placement is necessary <b>prior to plugging</b> ; It is ged or production casing is cemented in; It is defined below any usable water to surface within <b>120 DAYS</b> of spud date. In all cases, NOTIFY district office prior to any cementing explugged.  In all cases, NOTIFY district office prior to any cementing.
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be submitted Electronically	In drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set e underlying formation.  It ict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the disesting of the appropriate district office will be notified before well is either plug for pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be submitted Electronically  For KCC Use ONLY  API # 15 -	In drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set e underlying formation.  It ict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  - File Drill Pit Application (form CDP-1) with Intent to Drill;
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of the	In drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set e underlying formation.  It ict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be se</i> : through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dis 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be  submitted Electronically  For KCC Use ONLY  API # 15 -  Conductor pipe required	In drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set e underlying formation.  It ict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set.  4. If the well is dry hole, an agreement between the operator and the dis 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be shall be supported to the well shall be shall be completed within 30 days of the spud date or the well shall be supported to the well shall be shall be supported to the spud date or the well shall be supported to the spud date or the well shall be supported to the spud date or the well shall be supported to the spud date or the well shall be supported to the spud date or the well shall be supported to the spud date or the well shall be supported to the spud date or the well shall be supported to the spud date or the well shall be supported to the spud date or the well shall be supported to the supported to the spud date or the well shall be supported to the supported to the spud date or the well shall be supported to the spud date or the spud date or the well shall be supported to the spud date or the spud date or the well shall be supported to the spud date or the	In drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry;
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all the set through all the set of the set into the set of the set into the set of th	In drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set e underlying formation.  It ict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;
t is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac  3. The minimum amount of surface pipe as specified below <i>shall be</i> set through all unconsolidated materials plus a minimum of 20 feet into th  4. If the well is dry hole, an agreement between the operator and the dis  5. The appropriate district office will be notified before well is either plug  6. If an ALTERNATE II COMPLETION, production pipe shall be cemente.  Or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall b  UDMITTED Electronically  For KCC Use ONLY  API # 15 -  Conductor pipe required	In drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set e underlying formation.  It ict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed (within 60 days);

For KCC Use ONLY	
API # 15	_


### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator:	Location of Well: County:
Lease:	feet from N / S Line of Section
Well Number:	feet from E / W Line of Section
Field:	Sec Twp S. R 🗌 E 🔲 W
Number of Acres attributable to well:	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW

### **PLAT**

Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032). You may attach a separate plat if desired.



NOTE: In all cases locate the spot of the proposed drilling locaton.

### 495 ft.

### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 May 2010 Form must be Typed

## **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name:		•	License Number:
Operator Address:			
Contact Person:		Phone Number:	
Lease Name & Well No.:			Pit Location (QQQQ):
Type of Pit:	DV:		· · · · · · · · · · · · · · · · · · ·
Emergency Pit Burn Pit	Pit is:	Existing	SecTwp R
Settling Pit Drilling Pit	If Existing, date constructed:		Feet from North / South Line of Section
Workover Pit Haul-Off Pit			Feet from East / West Line of Section
(If WP Supply API No. or Year Drilled)	Pit capacity:	(bbls)	County
Letter with earlied in a Oracitie Oracid Metal		. ,	
Is the pit located in a Sensitive Ground Water A	rea? Yes	No	Chloride concentration: mg/l  (For Emergency Pits and Settling Pits only)
Is the bottom below ground level?	Artificial Liner?	No	How is the pit lined if a plastic liner is not used?
Yes No			
	Length (fee	,	Width (feet) N/A: Steel Pits
•	om ground level to dee	· ·	dures for periodic maintenance and determining
			icluding any special monitoring.
Distance to nearest water well within one-mile	of pit:	Depth to shallo Source of inforr	west fresh water feet. nation:
feet Depth of water wellfeet		measured	well owner electric log KDWR
Emergency, Settling and Burn Pits ONLY:		Drilling, Work	over and Haul-Off Pits ONLY:
Producing Formation:		Type of materia	l utilized in drilling/workover:
Number of producing wells on lease:		Number of worl	xing pits to be utilized:
Barrels of fluid produced daily:		Abandonment p	procedure:
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No		Drill pits must b	e closed within 365 days of spud date.
<b>.</b>			
Submitted Electronically			
	KCC	OFFICE USE O	
			Liner Steel Pit RFAC RFAS
Date Received: Permit Num	ber:	Permi	t Date: Lease Inspection:  Yes  No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form KSONA-1 July 2010 Form Must Be Typed Form must be Signed All blanks must be Filled

## **CERTIFICATION OF COMPLIANCE WITH THE** KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application). Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (C	Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)	
OPERATOR: License #	Well Location:	
Name:	SecTwpS. R East _ West	
Address 1:	County:	
Address 2:	Lease Name: Well #:	
City: State: Zip:+	If filing a Form T-1 for multiple wells on a lease, enter the legal description of	
Contact Person:	the lease below:	
Phone: ( ) Fax: ( )		
Email Address:		
Surface Owner Information:		
Name:	When filing a Form T-1 involving multiple surface owners, attach an additional	
Address 1:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the	
Address 2:	county, and in the real estate property tax records of the county treasurer.	
City:		
the KCC with a plat showing the predicted locations of lease roads, tank	dic Protection Borehole Intent), you must supply the surface owners and a batteries, pipelines, and electrical lines. The locations shown on the plat in the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.	
owner(s) of the land upon which the subject well is or will be lo	ct (House Bill 2032), I have provided the following to the surface ocated: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form being filed is a Form C-1 or Form CB-1, the plat(s) required by this and email address.	
	cknowledge that, because I have not provided this information, the vner(s). To mitigate the additional cost of the KCC performing this fee, payable to the KCC, which is enclosed with this form.	
If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-	fee with this form. If the fee is not received with this form, the KSONA-1 will be returned.	
Submitted Electronically	_	

: 27 . . -\_ Kent

• •

.

.

.

.

Conservation Division Finney State Office Building 130 S. Market, Rm. 2078 Wichita, KS 67202-3802



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Mark Sievers, Chairman Ward Loyd, Commissioner Thomas E. Wright, Commissioner

November 03, 2011

JOSEPH WAGNER Circle E Investments 3820 W. 52ND ST ROELAND PARK, KS 66205

Re: Drilling Pit Application API 15-103-21319-00-00 KENT NUNEMAKER 1 SW/4 Sec.27-12S-20E Leavenworth County, Kansas

### Dear JOSEPH WAGNER:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed <u>without slots</u>, the bottom shall be flat and reasonably level, and the free fluids must be removed. The fluids are to be removed from the reserve pit as soon as practical after drilling operations have ceased.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (620) 432-2300 when the fluids have been removed. Please file form CDP-5 (August 2008), Exploration and Production Waste Transfer, through KOLAR within 30 days of fluid removal.

A copy of this letter should be posted in the doghouse along with the approved Intent to **Drill**. If you have any questions or concerns please feel free to contact the District Office at (620) 432-2300.

## **Summary of Changes**

Lease Name and Number: KENT NUNEMAKER 1

API/Permit #: 15-103-21319-00-00

Doc ID: 1066742

Correction Number: 1

Approved By: Rick Hestermann 11/04/2011

Field Name	Previous Value	New Value
Depth Of Water Well	64	54
ElevationPDF	821 Estimated	815 Estimated
Feet to Nearest Water Well Within One-Mile of	1302	1165
Pit Ground Surface Elevation	821	815
KCC Only - Approved By	Rick Hestermann 06/02/2011	Rick Hestermann 11/04/2011
KCC Only - Approved Date	06/02/2011	11/04/2011
KCC Only - Date Received	06/02/2011	11/03/2011
KCC Only - Regular Section Quarter Calls	S2 N2 SW NW	NE SW SW SW
LocationInfoLink	https://solar.kgs.ku.edu/kcc/detail/locationInform	https://solar.kgs.ku.edu/kcc/detail/locationInform
Nearest Lease Or Unit Boundary	ation.cfm?section=27&t 660	ation.cfm?section=27&t 495

# Summary of changes for correction 1 continued

Field Name	Previous Value	New Value
Number of Feet East or West From Section Line	4620	4785
Number of Feet East or West From Section Line	4620	4785
Number of Feet North or South From Section	3465	495
Line Number of Feet North or South From Section	3465	495
Line Quarter Call 1 - Largest	NW	SW
Quarter Call 1 - Largest	NW	SW
Quarter Call 3	N2	SW
Quarter Call 3	N2	SW
Quarter Call 4 - Smallest	S2	NE
Quarter Call 4 - Smallest	S2	NE
Save Link	//kcc/detail/operatorE ditDetail.cfm?docID=10 57003	//kcc/detail/operatorE ditDetail.cfm?docID=10 66742

## **Summary of Attachments**

Lease Name and Number: KENT NUNEMAKER 1

API: 15-103-21319-00-00

Doc ID: 1066742

Correction Number: 1

Approved By: Rick Hestermann 11/04/2011

**Attachment Name** 

Fluid