For KCC Use:

Effective	Date:

Effective	Date:
District #	

$District \pi$		
SGA?	Yes	No

CORRECTION #1

1067254

KANSAS CORPORATION COMMISSION **OIL & GAS CONSERVATION DIVISION** 

March 2010 Form must be Typed Form must be Signed All blanks must be Filled

Form C-1

Must be approved by KCC five (5) days prior to commencing well

Form KSONA-1, Certification of Compliance with the Kansas Surface Owner Notification Act, MUST be submitted with this form.

Expected Spud Date:	Spot Description:
month day year	
OPERATOR: License#	feet from N / S Line of Section
Name:	Feet from E / W Line of Section
Address 1:	Is SECTION: Regular Irregular?
Address 2:	(Note: Locate well on the Section Plat on reverse side)
City: State: Zip: +	County:
Contact Person:	Lease Name: Well #:
Phone:	Field Name:
CONTRACTOR: License#	Is this a Prorated / Spaced Field?
Name:	· · · ·
Well Drilled For:       Well Class:       Type Equipment:         Oil       Enh Rec       Infield       Mud Rotary         Gas       Storage       Pool Ext.       Air Rotary         Disposal       Wildcat       Cable         Seismic ;       # of Holes       Other         Other:	Target Formation(s):
	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore?	Well Farm Pond Other:
If Yes, true vertical depth:	
Bottom Hole Location:	DWR Permit #:(Note: Apply for Permit with DWR )
KCC DKT #:	Will Cores be taken?
	If Yes, proposed zone:

#### **AFFIDAVIT**

The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq.

It is agreed that the following minimum requirements will be met:

- 1. Notify the appropriate district office prior to spudding of well;
- 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig;
- 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.
- 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging;
- 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in;
- 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.

Submitted E	Electronically
-------------	----------------

For KCC Use ONLY	
API # 15	
Conductor pipe required	feet
Minimum surface pipe required	feet per ALT.
Approved by:	
This authorization expires:	
Spud date: Agent:	

#### Remember to:

- File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;
- File Drill Pit Application (form CDP-1) with Intent to Drill;
- File Completion Form ACO-1 within 120 days of spud date;
- File acreage attribution plat according to field proration orders;
- Notify appropriate district office 48 hours prior to workover or re-entry;
- Submit plugging report (CP-4) after plugging is completed (within 60 days);
- Obtain written approval before disposing or injecting salt water.
- If well will not be drilled or permit has expired (See: authorized expiration date) please check the box below and return to the address below.

ш

Well will not be drilled or Permit Expired Date: \_ Signature of Operator or Agent:

For KCC Use ONLY

API # 15 - .

CORRECTION #1

1067254


### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator:	Location of Well: County:	
Lease:	feet from N / S Line of Section	
Well Number:	feet from E / W Line of Section	
Field:	Sec Twp S. R E 🗌 W	
Number of Acres attributable to well: QTR/QTR/QTR/QTR of acreage:	Is Section: Regular or Irregular	
	If Section is Irregular, locate well from nearest corner boundary.	
	Section corner used: NE NW SE SW	

PLAT

Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032). You may attach a separate plat if desired.



NOTE: In all cases locate the spot of the proposed drilling locaton.

#### In plotting the proposed location of the well, you must show:

1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.

3370 ft.

- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

CORRECTION #1

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 May 2010 Form must be Typed

# **APPLICATION FOR SURFACE PIT**

Operator Name:       Lianse Number:         Operator Address:       Phone Number:         Cantact Person:       Phone Number:         Lease Name & Well No:       Pit Location (OOOO):         Type of Pit:       Pit is:         Energency. Pit       Dunling Pit         H Existing:       Genergency. Pit         Worksore Pit:       Pit assentive:         // Bit divensions (all but working pits):	Submit in Duplicate				
Contract Person:       Phone Number:         Lease Name & Well No:       Pit Location (QOQQ):         Type of Pit:       Pit I:         Emergency Pit       Burn Pit         Emergency Pit       Drilling Pit         Monkower Pit       Hauk-Off Pit         Pit costant in a Sensitive Ground Water Area?       Yes         No       Chloride concentration:         If WPS Supply API Na. or Ward Differit       Pit copacity:         (wbis)       Coloride concentration:         (wbis)       Chloride concentration:         Is the bottom below ground level?       Artificial Line?         How is the pit lined if a plastic liner is not use?       mgrl         Pit dimensions (all but working pits):       Length (feet)       Width (feet)       N/A: Steel Pits         Depth from ground level to deepest point:       [clean]       No Pit       Image: Steam Pit dimensions         If the pit is lined give a brief description of the liner       No Pit       Depth from ground level to deepest point:       [clean]         If the pit is lined give a brief description of the liner       No Pit       Image: Steam Pit dimension:       No Pit         Depth for material difficial Liner?       No Pit       Image: Steam Pit dimension:       No Pit       Image: Steam Pit dimage: Steam Pit dimension:	Operator Name:			License Number:	
Lease Name & Well No:       Pri Location (QQQQ):         Type of Pit:       Pit is:            Ennergency Pit is:       Pit proposed is tristing.            Setting Pit is:       Proposed is tristing.            Workover Pit is:       Hau-Off Pit is:            Workover Pit is:       Hau-Off Pit is:            (W Suppy AP/No. or ite:: Dunied)        Pit capacity::            (B'WP Suppy AP/No. or ite:: Dunied)        Pit capacity::            (bb)        Feet from is at / West Line of Section             (B'WP Suppy AP/No. or ite:: Dunied)        Pit capacity::            (bb)        Feet from is at / West Line of Section             (B'WP Suppy AP/No. or ite:: Dunied)        Chioride concentration::             (B'WP Suppy AP/No. or ite:: Dunied)        Artificial Liner?             (bb)        County             Is the bottom below ground level?        Artificial Liner?             Leargth (feet)        Wolth (feet)             Pit dimensions (all but working pits):        Leargth (feet)             Depth from ground level to deepest point:        (feet)             Depth from statue at intergrity, including any special monitoring.	Operator Address:				
Type of Pit:       Pit is:       Pit is:	Contact Person:			Phone Number:	
Emergency Pit Burn Pit   Setting Pit Drilling Pit   Workover Pit Haul-OIT Pit   (WW Vorkover Pit Haul-OIT Pit   (WW Stower Pit Haul-OIT Pit   (W Stower Pit Haul-OIT Pit   (W Stower Pit (Haul-OIT Pit   (Haul-OIT Pit (Haul-OIT Pit  <	Lease Name & Well No.:			Pit Location (QQQQ):	
Setting Pit       Drilling Pit       II Existing, date constructed:	Type of Pit:	Pit is:			
Workover Pit Haul-Off Pit   (I'WP Supply API No. or Year Diffed) Pit capacity:   (bbie) Feet from	Emergency Pit Burn Pit	Proposed	Existing	SecTwpR East West	
(I'WP Supply API No. or Year Omled)       Pit capacity:	Settling Pit Drilling Pit	If Existing, date cor	nstructed:	Feet from North / South Line of Section	
is the pit located in a Sensitive Ground Water Area?       Yes       No       Chloride concentration:		Pit capacity:		Feet from East / West Line of Section	
Image: control level?       Artificial Liner?       How is the pit lined if a plastic liner is not used?         Image: control level?       Image: control level?       How is the pit lined if a plastic liner is not used?         Pit dimensions (all but working pits):       Length (feet)       Width (feet)       NA: Steel Pits         Depth from ground level to deepest point:       (feet)       No Pit       No Pit         If the pit is lined give a brief description of the liner material, thickness and installation procedure.       Describe procedures for periodic maintenance and determining liner integrity, including any special monitoring.         Distance to nearest water well within one-mile of pit:       Source of information:       feet.         feet       Depth to shallowest fresh water       feet.         Scure of information:       measured       well owner       electric log       KDWR         Producing Formation:       Type of material utilized in drilling/workover:       Mumber of working pits to be utilized:       Abandonment procedure:         Does the slope from the tank battery allow all spilled fluids to flow into the pit?       Yes       No       Drill pits must be closed within 365 days of spud date.         Submitted Electronically       Inter Steel Pit       RFAS	(		(bbls)	County	
res No   Pit dimensions (all but working pits): Length (feet)   Depth from ground level to deepest point: (feet)   If the pit is lined give a brief description of the liner material, thickness and installation procedure. Describe procedures for periodic maintenance and determining liner integrity, including any special monitoring.   Distance to nearest water well within one-mile of pit: Depth to shallowest fresh water feet. Source of information:   refer Depth of water well refer   Producing Formation: Type of material utilized in drilling/workover:   Number of producing wells on lease: Number of working pits to be utilized:   Abandonment procedure: Dest bill pits must be closed within 365 days of spud date.	Is the pit located in a Sensitive Ground Water A	rea? Yes	No		
Depth from ground level to deepest point:			10	How is the pit lined if a plastic liner is not used?	
If the pit is lined give a brief description of the liner material, thickness and installation procedure.       Describe procedures for periodic maintenance and determining liner integrity, including any special monitoring.         Distance to nearest water well within one-mile of pit:       Depth to shallowest fresh water feet. Source of information:        feet       Depth of water wellfeet       Depth to shallowest fresh water feet. Source of information:        feet       Depth of water wellfeet       Drilling, Workover and Haul-Off Pits ONLY:         Producing Pormation:       Type of material utilized in drilling/workover:	Pit dimensions (all but working pits):	Length (fee	et)	Width (feet)N/A: Steel Pits	
material, thickness and installation procedure. liner integrity, including any special monitoring.     Distance to nearest water well within one-mile of pit: Depth to shallowest fresh water feet.   Source of information: feet Depth of water well feet  feet Depth of water wellfeet Drilling, Workover and Haul-Off Pits ONLY:   Producing Formation:	Depth fro	m ground level to dee	pest point:	(feet) No Pit	
Source of information:  feet  feet  feet  feet  feet  feet  feet  feet					
Emergency, Settling and Burn Pits ONLY:   Producing Formation:					
Producing Formation: Type of material utilized in drilling/workover:   Number of producing wells on lease: Number of working pits to be utilized:   Barrels of fluid produced daily: Abandonment procedure:   Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes   No Drill pits must be closed within 365 days of spud date.	feet Depth of water well	feet	measured	well owner electric log KDWR	
Number of producing wells on lease:	Emergency, Settling and Burn Pits ONLY: Drilling, Workover and Haul-Off Pits ONLY:		ver and Haul-Off Pits ONLY:		
Barrels of fluid produced daily:   Does the slope from the tank battery allow all spilled fluids to   flow into the pit?   Yes   No     Drill pits must be closed within 365 days of spud date.     Submitted Electronically     KCC OFFICE USE ONLY     Liner   Steel Pit	Producing Formation:		Type of materia	al utilized in drilling/workover:	
Does the slope from the tank battery allow all spilled fluids to flow into the pit?   Yes   No   Drill pits must be closed within 365 days of spud date.    Submitted Electronically   KCC OFFICE USE ONLY     Liner   Steel Pit   RFAS	Number of producing wells on lease: Number of work		orking pits to be utilized:		
flow into the pit? Yes   Drill pits must be closed within 365 days of spud date.   Submitted Electronically   KCC OFFICE USE ONLY   Liner Steel Pit   RFAS	Barrels of fluid produced daily: Abandonment		procedure:		
Submitted Electronically           KCC OFFICE USE ONLY           Liner         Steel Pit         RFAC         RFAS			st be closed within 365 days of spud date.		
Liner Steel Pit RFAC RFAS					
		KCC	OFFICE USE OI		
	Date Received: Permit Numb	oer:	Permi		

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

### Submitted Electronically

I

# **CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT**

**KANSAS CORPORATION COMMISSION** 

**OIL & GAS CONSERVATION DIVISION** 

CORRECTION #1

Form KSONA-1 July 2010 Form Must Be Typed Form must be Signed All blanks must be Filled

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application). Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)

OPERATOR: License #	Well Location:
Name:	Sec TwpS. R East 🗌 West
Address 1:	County:
Address 2:	Lease Name: Well #:
City: State: Zip:+	If filing a Form T-1 for multiple wells on a lease, enter the legal description of
Contact Person:	the lease below:
Phone: ( ) Fax: ( )	
Email Address:	
Surface Owner Information:	
Name:	When filing a Form T-1 involving multiple surface owners, attach an additional
Address 1:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the
Address 2:	county, and in the real estate property tax records of the county treasurer.
City: State: Zip:+	

If this form is being submitted with a Form C-1 (Intent) or CB-1 (Cathodic Protection Borehole Intent), you must supply the surface owners and the KCC with a plat showing the predicted locations of lease roads, tank batteries, pipelines, and electrical lines. The locations shown on the plat are preliminary non-binding estimates. The locations may be entered on the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.

#### Select one of the following:

- I certify that, pursuant to the Kansas Surface Owner Notice Act (House Bill 2032), I have provided the following to the surface owner(s) of the land upon which the subject well is or will be located: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form CP-1 that I am filing in connection with this form; 2) if the form being filed is a Form C-1 or Form CB-1, the plat(s) required by this form; and 3) my operator name, address, phone number, fax, and email address.
- I have not provided this information to the surface owner(s). I acknowledge that, because I have not provided this information, the KCC will be required to send this information to the surface owner(s). To mitigate the additional cost of the KCC performing this task, I acknowledge that I am being charged a \$30.00 handling fee, payable to the KCC, which is enclosed with this form.

If choosing the second option, submit payment of the \$30.00 handling fee with this form. If the fee is not received with this form, the KSONA-1 form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-1 will be returned.

I

Part of Carter A Lease, Sec 17-T18S-R21E, Franklin County, KS Revised Proposed Well Locations Nov. 3, 2011



Conservation Division Finney State Office Building 130 S. Market, Rm. 2078 Wichita, KS 67202-3802



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Mark Sievers, Chairman Ward Loyd, Commissioner Thomas E. Wright, Commissioner Sam Brownback, Governor

November 10, 2011

Marcia Littell Enerjex Kansas, Inc. 27 CORPORATE WOODS, STE 350 10975 GRANDVIEW DR OVERLAND PARK, KS 66210

Re: Drilling Pit Application API 15-059-25759-00-00 Carter A BSP-CA23 NE/4 Sec.17-18S-21E Franklin County, Kansas

Dear Marcia Littell:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed **without slots**, the bottom shall be flat and reasonably level, and the free fluids must be removed. The fluids are to be removed from the reserve pit as soon as practical after drilling operations have ceased.

# If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (620) 432-2300 when the fluids have been removed. Please file form CDP-5 (August 2008), Exploration and Production Waste Transfer, through KOLAR within 30 days of fluid removal.

A copy of this letter should be posted in the doghouse along with the approved Intent to Drill. If you have any questions or concerns please feel free to contact the District Office at (620) 432-2300.

# Summary of Changes

Lease Name and Number: Carter A BSP-CA23 API/Permit #: 15-059-25759-00-00

Doc ID: 1067254

Correction Number: 1

Approved By: Rick Hestermann 11/10/2011

Field Name	Previous Value	New Value
Feet to Nearest Water Well Within One-Mile of Pit	3434	3318
KCC Only - Approved By	Rick Hestermann 10/11/2011	Rick Hestermann 11/10/2011
KCC Only - Approved Date	10/11/2011	11/10/2011
KCC Only - Date Received	10/10/2011	11/10/2011
KCC Only - Lease Inspection	Yes	No
KCC Only - Regular Section Quarter Calls	N2 S2 SW NE	SW NE SW NE
LocationInfoLink	https://solar.kgs.ku.edu/ kcc/detail/locationInform	https://solar.kgs.ku.edu/ kcc/detail/locationInform
Number of Feet East or West From Section Line	ation.cfm?section=17&t 1980	ation.cfm?section=17&t 1860
Number of Feet East or West From Section Line	1980	1860
Number of Feet North or South From Section Line	3275	3370

Summary of changes for correction 1 continued

Field Name	Previous Value	New Value
Number of Feet North or South From Section Line	3275	3370
Quarter Call 3	S2	NE
Quarter Call 3	S2	NE
Quarter Call 4 - Smallest	N2	SW
Quarter Call 4 - Smallest	N2	SW
Save Link	//kcc/detail/operatorE ditDetail.cfm?docID=10 64953	//kcc/detail/operatorE ditDetail.cfm?docID=10 67254
Spot Description	N2 S2 SW NE	SW NE SW NE

# Summary of Attachments

Lease Name and Number: Carter A BSP-CA23 API: 15-059-25759-00-00 Doc ID: 1067254 Correction Number: 1 Approved By: Rick Hestermann 11/10/2011

Attachment Name

Fluid