

Kansas Corporation Commission Oil & Gas Conservation Division

1067976

Form ACO-1

June 2009

Form Must Be Typed

Form must be Signed

All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #	API No. 15
Name:	Spot Description:
Address 1:	SecTwpS. R
Address 2:	Feet from North / South Line of Section
City: State: Zip: +	Feet from _ East / _ West Line of Section
Contact Person:	Footages Calculated from Nearest Outside Section Corner:
Phone: ()	□NE □NW □SE □SW
CONTRACTOR: License #	County:
Name:	Lease Name: Well #:
Wellsite Geologist:	Field Name:
Purchaser:	Producing Formation:
Designate Type of Completion:	Elevation: Ground: Kelly Bushing:
☐ New Well ☐ Re-Entry ☐ Workover	Total Depth: Plug Back Total Depth:
☐ Oil ☐ WSW ☐ SHOW ☐ Gas ☐ D&A ☐ ENHR ☐ SIGW ☐ OG ☐ GSW ☐ Temp. Abd. ☐ CM (Coal Bed Methane) ☐ Cathodic ☐ Other (Core, Expl., etc.): ☐ If Workover/Re-entry: Old Well Info as follows:	Amount of Surface Pipe Set and Cemented at: Feet Multiple Stage Cementing Collar Used?
Operator:	
Well Name:	Drilling Fluid Management Plan (Data must be collected from the Reserve Pit)
Original Comp. Date: Original Total Depth: Deepening Re-perf. Conv. to ENHR Conv. to SWD Conv. to GSW Plug Back: Plug Back Total Depth Commingled Permit #: Dual Completion Permit #: SWD Permit #: ENHR Permit #: GSW Permit #:	Chloride content: ppm Fluid volume: bbls Dewatering method used: Location of fluid disposal if hauled offsite: Operator Name: License #: Quarter Sec Twp S. R East West County: Permit #:
Spud Date or Date Reached TD Completion Date or Recompletion Date Recompletion Date	

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY
Letter of Confidentiality Received
Date:
Confidential Release Date:
Wireline Log Received
Geologist Report Received
UIC Distribution
ALT I I II Approved by: Date:

Side Two



Operator Name:			Lease Name	e:			_ Well #:	
Sec Twp	S. R	East West	County:					
time tool open and clos	sed, flowing and shut s if gas to surface tes	I base of formations per in pressures, whether set, along with final chart well site report.	shut-in pressure	reached s	static level,	hydrostatic press	sures, bottom h	ole temperature, fl
Orill Stem Tests Taken (Attach Additional S		Yes No		Log	Formatio	n (Top), Depth an	d Datum	Sample
Samples Sent to Geolo		☐ Yes ☐ No	N	lame			Тор	Datum
Cores Taken Electric Log Run Electric Log Submitted (If no, Submit Copy)	I Electronically	Yes No Yes No Yes No						
List All E. Logs Run:			RECORD [Used			
	Size Hole	Report all strings set- Size Casing	-conductor, surface Weight		ate, producti Setting	on, etc. Type of	# Sacks	Type and Percen
Purpose of String	Drilled	Set (In O.D.)	Lbs. / Ft.		Depth	Cement	Used	Additives
		ADDITIONA	L OFMENTING (00115575	DECORD			
		ADDITIONA	L CEMENTING / :	SQUEEZE	RECORD			
Purpose: Perforate Protect Casing Plug Back TD Plug Off Zone	Depth Top Bottom	Type of Cement	# Sacks Used	d		Type and F	Percent Additives	
Shots Per Foot		ON RECORD - Bridge Plu ootage of Each Interval Pe			Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used)			
TUBING RECORD:	Size:	Set At:	Packer At:	Line	r Run:	Yes No		
Date of First, Resumed I	Production, SWD or ENI	HR. Producing Me	thod:	Gas Li	ift C	Other (Explain)		
Estimated Production Per 24 Hours	Oil E	Bbls. Gas	Mcf	Water	В	bls. (Gas-Oil Ratio	Gravity
DISPOSITIO	Used on Lease	Open Hole	METHOD OF COM Perf. D	MPLETION: ually Comp omit ACO-5)	. Cor	nmingled mit ACO-4)	PRODUCTIO	ON INTERVAL:
(If vented, Sub	mit ACO-18.)	Other (Specify)						

Form	ACO1 - Well Completion
Operator	Laymon Oil II, LLC
Well Name	Dunne 1D-11
Doc ID	1067976

Tops

Name	Тор	Datum
Soil	0	27
Shale	27	100
Lime & Shale	100	830
Black Shale	830	832
5' Llme	832	837
Black Shale	837	840
Shale	840	875
cap rock	875	876
Shale	876	878
Cap Rock	878	879
Lower Squirrel Sand	879	888
Shale	888	1226
Mississippi Lime	1226	1395

Since 1903

THE NEW KLEIN LUMBER CO., INC.

-	-	4	*	W	AND ADDRESS OF THE REAL PROPERTY.	4	- Charles	-	-	A harmy allowed	ě
					MADISO	N	&	W	A	LNUT	

IOLA, KANSAS, _____

BILLING ADDRESS _____

elivered To	Loaded By	На	auled By		
QUANTITY	DESCRIPTION	FEET	PRICE	TOTAL	
200	Sardin Portland Cement	200	945	1890	DC
			toy	161	61
			-		
				2051	62

Sheparal 5-11 - 10 Dacks

ECEIVED ABOVE IN GOOD ORDER

Shepard 7-11 - 10 Oacks.

Shepard 3-11, - 10 Dacks.

Shoperal 10-11-10 packer.

10 Dacks Sheparal 11-11

10 Dacks Shapard 12-11 10 Dacks Shepard 13-11

10 Dacks Shupard 6-11 IN Markon Jones 22-11 Dunne 1-0-11 10 Dacks 10 Dock 802 N. Industrial Rd. P.O. Box 664 Iola, Kansas 66749 Phone: (620) 365-5588

Payless Concrete Products, LAC.

Concrete to be delivered to the nearest accessible point over passable road, under truck's own power. Due to delivery at owner's or intermediary's direction, seller assumes no responsibility for damages in any manner to sidewalks, roadways, driveways, buildings, trees, shrubbery, etc., which are at customer's risk. The maximum allotted time for unloading trucks is 5 minutes per yard. A charge will be made for holding trucks longer. This concrete contains correct water contents for strength or mix indicated. We do not assume responsibility for strength test when water is added at customer's request.

NOTICE TO OWNER

Failure of this contractor to pay those persons supplying material or services to complete this contract can result in the filing of a mechanic's lien on the property which is the subject of this contract.

LAYMON OIL II, L.L.C. 1998 SQUIRREL RD. JACK DUNN LEASE WELL # 1D-11
54 W TO WILLOW RD_ID-THE PACES
60 N TO 200TH RD 1 MI WEST

NEOSHO FALLS KS

1		66758					
TIME	FORMULA	LOADASIZE	YARDS ORDERED		DRIVER/TRUCK		PLANT/TRANSACTION #
				% CAL	WK	% AIR	
17:34:08a	HELL	8.00 yd	15.00 yd	0.00	35	0,00	MOODCO
DATE	A CONTRACTOR OF THE PARTY OF TH	LOAD#	YARDS DEL.	BATCH#	WATER TRIM	SLUMP	TICKET NUMBER
	To Date	· i	16.00 yd				
18-26-11	Today		16.00 yd	18101	5/yd -70.6	4.00 in	29938

WARNING IRRITATING TO THE SKIN AND EYES

Contains Portland Cement. Wear Rubber Boots and Gloves. PROLONGED CONTACT MAY CAUSE BURNS. Avoid Contact With Eyes and Prolonged Contact With Skin. In Case of Contact With Skin or Eyes, Flush Thoroughly With Water, If Irritation Persists, Get Medical Attention. KEEP CHILDREN AWAY.

CONCRETE IS a PERISHABLE COMMODITY and BECOMES the PROPERTY of the PURCHASER UPON LEAVING the PLANT. ANY CHANGES OR CANCELLATION of ORIGINAL INSTRUCTIONS MUST be TELEPHONED to the OFFICE BEFORE LOADING STARTS.

The undersigned promises to pay all costs, including reasonable attorneys' fees, incurred in collecting any sums owed.

All accounts not paid within 30 days of delivery will bear interest at the rate of 24% per annum

Not Responsible for Reactive Aggregate or Color Quality. No Craim Allowed Unless Made at Time Material is Delivered.

A \$25 Service Charge and Loss of the Cash Discount will be collected on all Returned Chacks.

Excess Delay Time Charged @ \$50/HR.

CODE

PROPERTY DAMAGE RELEASE	
ITO BE SIGNED IF DELIVERY TO BE MADE INSIDE CURB LI	NE)

Dear Customer-The driver of this truck in presenting this RELEASE to you for your signature is of the opinion that the size and weight of his truck may possibly cause damage to the premises and/or adjacent property if it places the material in this load where you desire it. It is our wish to help you in every way that we can, but in order to do this the driver is requesting that you sign this RELEASE relieving him and this supplier from any responsibility from any damage that may occur to the premises and/or adjacent property, buildings, sidewalks, driveways, curbs, etc., by the delivery of this material, and that you also agree to help him remove mud from the wheels of his vehicle so_ that he will not litter the public street. Further, as additional consideration, the undersigned agrees to indemnity and hold harmless the driver of this truck and this supplier for any and all damage to the premises and/or adjacent property which may be claimed by anyone to have arisin out of delivery of this order. SIGNED

Excessive Water is Detrimental to Concrete Performance H₂0 Added By Request/Authorized By

GAL X_

WEIGHMASTER

NOTICE: MY SIGNATURE BELOW INDICATES THAT I HAVE READ THE HEALTH WARNING NOTICE AND SUPPLIER WILL NOT BE RESPONSIBLE FOR ANY DAMAGE CAUSED WHEN DELIVERING INSIDE CURB LINE.

UNIT PRICE

LOAD RECEIVED BY:

_

X

EXTENDED PRICE

8.00

QUANTITY

WELL

WELL (10 SACKS PER UNIT)

DESCRIPTION

16.00

MIREL

20 g 2	TALLIAN .					_
TURNED TO PLANT	LEFT JOB	FINISH UNLOADING	DELAY EXPLANATION/CYLINDER TEST TAKEN		TIME ALLOWED	
			JOB NOT READY SLOW POUR OR PUMP TRUCK AHEAD ON JOB	TRUCK BROKE DOWN ACCIDENT CITATION		
LEFT PLANT	ARRIVED JOB	START UNLOADING	CONTRACTOR BROKE DOWN ADDED WATER	9. OTHER	TIME DUE	
7:11-11	SAMA.					Al
TAL ROUND TRIP	TOTAL AT JOB	UNI OADING TIME			DELAY TIME	A

ADDITIONAL CHARGE 1

ADDITIONAL CHARGE 2

802 N. Industrial Rd. P.O. Box 664 Iola, Kansas 66749 Phone: (620) 365-5588

Payless Concrete Products, LAC.

LAVMON DIE II, L.L.C. 1998 SQUIRREL RD.

NEOSHO FALLS KS

JACK DUNN LEASE WELL # 10-11
54 W TO WILLOW RO TO THE FALLS
GO N TO POOTH RO 1 MT WEST

NOTICE TO OWNER

which is the subject of this contract.

CONDITIONS

		66758					
TIME	FORMULA	LOAD SIZE	YARDS ORDERED		DRIVER/TRUCK		PLANT/TRANSACTION #
				A CAL	* UIK	% AIR	
07.29:16a	File I	8.00 yd	16.00 yd	0.00	35	0.00	WOODCO
DATE		LOAD#	YARDS DEL.	BATCH#	WATER TRIM	SLUMP	TICKET NUMBER
	o Date	1	8.00 yd				
08-36-11	oday ·	1	8.00 yd	1 19100	G/yd -70.0	4.00 in	29957

IRRITATING TO THE SKIN AND EYES

IRRITATING TO THE SKIN AND EYES

Contains Portland Cement. Wear Rubber Boots and Gloves, PROLONGED CONTACT MAY

CAUSE BURNS. Avoid Contact With Eyes and Prolonged Contact With Skin. In Case of

Contact With Skin or Eyes, Flush Thoroughly With Water, If Irritation Persists, Get Medical

Attention. KEEP CHILDREN AWAY.

CONCRETE IS A PERISHABLE COMMODITY and BECOMES the PROPERTY of the PURCHASER UPON LEAVING the PLANT. ANY CHANGES OR CANCELLATION of ORIGINAL INSTRUCTIONS MUST DE TELEPHONED TEL

The undersigned promises to pay all costs, including reasonable attorneys's fees, incurred in collecting any sums owed.

All accounts not paid within 30 days of delivery will bear interest at the rate of 24% per annum.

Not Responsible for Reactive Aggregate or Color Quality. No Claim Allowed Unless Made at Time I., Material is Delivered.

A \$25 Service Charge and Loss of the Cash Discount will be obligated on all Returned Checks.

Excess Delay Time Charged © \$50/RR.

PROPERTY DAMAGE RELEASE

(TO BE SIGNED IF DELIVERY TO BE MADE INSIDE CURB LINE)

Dear Customer-The driver of this truck in presenting this RELEASE to you for your signature is of the opinion that the size and weight of his truck may possibly cause damage to the premises and/or adjacent property if it places the material in this load where you desire it. It is our wish to help you in every way that we can; but in order to do this the driver is requesting that you sign this RELEASE referring him and this supplier from any responsibility from any damage that may occup to the premises and/or adjacent property, buildings, sidewalks, driveways, curbs, etc., by the delivery of this material, and that you also agree to help him remove mud from the wheels of his vehicle so that he will not litter the public street. Further, as additional consideration, the undersigned agrees to indemnify and hold harmless the driver of this truck and this supplier for any and all damage to the premises and/or adjacent property which may be claimed by anyone to have this out of delivery of this order.

Excessive Water is Detrimental to Concrete Performance H₂0 Added By Request/Authorized By

Concrete to be delivered to the nearest accessible point over passable road, under truck's own power. Due to delivery at owner's or intermediary's direction, seller assumes no responsibility for damages in any manner to sidewalks,

roadways, driveways, buildings, trees, shrubbery, etc., which are at customer's risk. The maximum allotted time for unfoading trucks is 5 minutes per yard. A

charge will be made for holding trucks longer. This concrete contains correct

water contents for strength or mix indicated. We do not assume responsibility for

Fallure of this contractor to pay those persons supplying material or services to complete this contract can result in the filling of a mechanic's lien on the property

strength test when water is added at customer's request.

GAL X

WEIGHMASTER

NOTICE: MY SIGNATURE BELOW INDICATES THAT I HAVE READ THE HEALTH WARNING NOTICE AND SUPPLIER WILL NOT BE RESPONSIBLE FOR ANY DAMAGE CAUSED WHEN DELIVERING INSIDE CURB LINE.

LOAD RECEIVED BY:

X

QUANTITY CODE DESCRIPTION

TRUCKING

UNIT PRICE

EXTENDED PRICE

B.00

E. 000

MELL

WELL (10 SACKS PER UNIT)

X

TRUCKING CHARGE

8.00

2,00

Mile

ETURNED TO PLANT	LEFT JOB	FINISH UNLOADING	DELAY EXPLANATION/CYLINDER TEST TAKEN	TIME ALLOWED	7
			1. JOB NOT READY 2. SLOW POUR OR PUMP 3. TRUCK AHEAD ON JOB 6. TRUCK BROKE DOWN 7. ACCIDENT 8. CITATION	i.	
LEFT PLANT	ARRIVED JOB	MART UNLOADING	CONTRACTOR BROKE DOWN	TIME DUE	
7:47	8:12				ADI
OTAL ROUND TRIP	TOTAL AT JOB	UNLOADING TIME		DELAY TIME	AD
the I			1		

ADDITIONAL CHARGE 1

ADDITIONAL CHARGE 2.

GRAND TOTAL