

Well will not be drilled or Permit Expired Date: _

Signature of Operator or Agent:

For KCC	Use:	
Effective	Date:	
District #	=	
SGA?	Yes No	

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1068348

Form C-1

March 2010

Form must be Typed

Form must be Signed

All blanks must be Filled

NOTICE OF INTENT TO DRILL

Expected Spud Date:	Spot Description:
month day year	Sec Twp S. R E V
OPERATOR: License#	(0/0/0/0) feet from N / S Line of Section
Name:	feet from E / W Line of Section
Address 1:	Is SECTION: Regular Irregular?
Address 2:	(Note: Locate well on the Section Plat on reverse side)
City: State: Zip: +	County:
Contact Person:	Lease Name: Well #:
Phone:	Field Name:
CONTRACTOR: License#	Is this a Prorated / Spaced Field?
lame:	Target Formation(s):
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage):
Oil Enh Rec Infield Mud Rotary	Ground Surface Elevation:feet MS
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile:
Disposal Wildcat Cable	Public water supply well within one mile:
Seismic ; # of Holes Other	Depth to bottom of fresh water:
Other:	Depth to bottom of usable water:
If OMMO, old well information as fallows:	Surface Pipe by Alternate: II II
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set:
Operator:	Length of Conductor Pipe (if any):
Well Name:	Projected Total Depth:
Original Completion Date: Original Total Depth:	Formation at Total Depth:
Directional, Deviated or Horizontal wellbore?	Water Source for Drilling Operations:
f Yes, true vertical depth:	Well Farm Pond Other:
Bottom Hole Location:	DWR Permit #:
	(Note: Apply for Permit with DWR)
	Will Cores be taken?
CCC DKT #:	Will Cores be taken? If Yes, proposed zone:
CCC DKT #:AFI	Will Cores be taken? Yes Yes If Yes, proposed zone:
AFI The undersigned hereby affirms that the drilling, completion and eventual plu	Will Cores be taken? Yes Yes If Yes, proposed zone:
AFI The undersigned hereby affirms that the drilling, completion and eventual plu	Will Cores be taken? Yes Yes Yes If Yes, proposed zone:
AFI The undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well;	Will Cores be taken? If Yes, proposed zone: FIDAVIT gging of this well will comply with K.S.A. 55 et. seq.
AFI The undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each	Will Cores be taken? If Yes, proposed zone: FIDAVIT gging of this well will comply with K.S.A. 55 et. seq. drilling rig;
AFI The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i>	Will Cores be taken? If Yes, proposed zone: FIDAVIT gging of this well will comply with K.S.A. 55 et. seq. drilling rig; by circulating cement to the top; in all cases surface pipe shall be set
AFI The undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the	Will Cores be taken? If Yes, proposed zone: FIDAVIT gging of this well will comply with K.S.A. 55 et. seq. drilling rig; by circulating cement to the top; in all cases surface pipe shall be set a underlying formation.
AFI The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist	Will Cores be taken? If Yes, proposed zone: FIDAVIT gging of this well will comply with K.S.A. 55 et. seq. drilling rig; by circulating cement to the top; in all cases surface pipe shall be set enderlying formation. rict office on plug length and placement is necessary prior to plugging;
AFI The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the	Will Cores be taken? If Yes, proposed zone: FIDAVIT gging of this well will comply with K.S.A. 55 et. seq. drilling rig; by circulating cement to the top; in all cases surface pipe shall be set enderlying formation. rict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in;
AFI The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either pluge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #1	Will Cores be taken? If Yes, proposed zone: FIDAVIT gging of this well will comply with K.S.A. 55 et. seq. drilling rig; by circulating cement to the top; in all cases surface pipe shall be set a underlying formation. rict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing
AFI The undersigned hereby affirms that the drilling, completion and eventual plusis agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the intention of the specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the second of the intention	Will Cores be taken? If Yes, proposed zone: FIDAVIT gging of this well will comply with K.S.A. 55 et. seq. drilling rig; by circulating cement to the top; in all cases surface pipe shall be set enderlying formation. rict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date.
AFI The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either pluge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #1	Will Cores be taken? If Yes, proposed zone: FIDAVIT gging of this well will comply with K.S.A. 55 et. seq. drilling rig; by circulating cement to the top; in all cases surface pipe shall be set a underlying formation. rict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing
AFI The undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the fifth the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugue if an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be	Will Cores be taken? If Yes, proposed zone: FIDAVIT gging of this well will comply with K.S.A. 55 et. seq. drilling rig; by circulating cement to the top; in all cases surface pipe shall be set anderlying formation. rict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing
AFI The undersigned hereby affirms that the drilling, completion and eventual plus agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either pluge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be	Will Cores be taken? If Yes, proposed zone: FIDAVIT gging of this well will comply with K.S.A. 55 et. seq. drilling rig; by circulating cement to the top; in all cases surface pipe shall be set a underlying formation. rict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing
AFI The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and a surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the surface will be notified before well is either plugue. 5. The appropriate district office will be notified before well is either plugue. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #7 must be completed within 30 days of the spud date or the well shall be submitted Electronically	Will Cores be taken? If Yes, proposed zone: FIDAVIT gging of this well will comply with K.S.A. 55 et. seq. drilling rig; by circulating cement to the top; in all cases surface pipe shall be set a underlying formation. rict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing
AFI The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either pluge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order #4 must be completed within 30 days of the spud date or the well shall be Jubmitted Electronically For KCC Use ONLY	Will Cores be taken? If Yes, proposed zone: FIDAVIT gging of this well will comply with K.S.A. 55 et. seq. drilling rig; by circulating cement to the top; in all cases surface pipe shall be set enderlying formation. rict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification
AFI The undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order #4 must be completed within 30 days of the spud date or the well shall be submitted Electronically For KCC Use ONLY API # 15 -	Will Cores be taken? If Yes, proposed zone: FIDAVIT gging of this well will comply with K.S.A. 55 et. seq. drilling rig; by circulating cement to the top; in all cases surface pipe shall be set enderlying formation. rict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;
AFI he undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the interval of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set into the s	Will Cores be taken? If Yes, proposed zone: FIDAVIT gging of this well will comply with K.S.A. 55 et. seq. drilling rig; by circulating cement to the top; in all cases surface pipe shall be set enderlying formation. rict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; diffrom below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill;
AFI he undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either pluge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be a submitted Electronically For KCC Use ONLY API # 15	Will Cores be taken? If Yes, proposed zone: FIDAVIT gging of this well will comply with K.S.A. 55 et. seq. drilling rig; by circulating cement to the top; in all cases surface pipe shall be set enderlying formation. rict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; defrom below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date;
AFI The undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each and the intention of the minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through a state of the set through a state of the set through a state of the set of the s	Will Cores be taken? If Yes, proposed zone: FIDAVIT gging of this well will comply with K.S.A. 55 et. seq. drilling rig; by circulating cement to the top; in all cases surface pipe shall be set enderlying formation. rict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; defrom below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill;
AFI The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each and the intervention of the intention of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all because the set of the se	If Yes, proposed zone: If Yes
AFI The undersigned hereby affirms that the drilling, completion and eventual plusts is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each and through all unconsolidated materials plus a minimum of 20 feet into the shall be set through all unconsolidated materials plus a minimum of 20 feet into the standard properties. The appropriate district office will be notified before well is either plugges. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be submitted Electronically. For KCC Use ONLY API # 15	Will Cores be taken? If Yes, proposed zone: FIDAVIT gging of this well will comply with K.S.A. 55 et. seq. drilling rig; by circulating cement to the top; in all cases surface pipe shall be set enderlying formation. rict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;



For KCC Use ONLY	
API # 15	

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Number of Acres attributable to well: QTR/QTR/QTR of acreage:	Operator: _							Lo	cation of W	Vell: County:
Sec	Lease:									feet from N / S Line of Section
Number of Acres attributable to well:	Well Numb	er:								feet from E / W Line of Section
If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW	Field:					Se	SecTwpS. R E W			
Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW PLAT Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032). You may attach a separate plat if desired. 1300 ft. UEGEND Well Location Tank Battery Location Pipeline Location Electric Line Location Lease Road Location								15	Section:	Regular or Irregular
PLAT Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032). You may attach a separate plat if desired. 300 ft. LEGEND Well Location Tank Battery Location Pipeline Location Electric Line Location Lease Road Location EXAMPLE	QTR/QTR/	QTR/QTR	of acreag	je:				_		
Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032). You may attach a separate plat if desired. LEGEND Well Location Tank Battery Location Pipeline Location Electric Line Location Lease Road Location EXAMPLE										
O Well Location Tank Battery Location — Pipeline Location — Electric Line Location — Lease Road Location				atteries, p	ipelines an	d electrica	l lines, as	est lease of required b	y the Kans	sas Surface Owner Notice Act (House Bill 2032).
O Well Location Tank Battery Location — Pipeline Location —— Electric Line Location —— Lease Road Location EXAMPLE 1980'FSL	1300 ft				:		:			LEGEND
Tank Battery Location — Pipeline Location — Electric Line Location — Lease Road Location					•				•	O W III
Pipeline Location Electric Line Location Lease Road Location EXAMPLE 1980' FSL			:	:	:		:	:	:	
EXAMPLE 3 1980'FSL			:	:	:		:	:	:	
EXAMPLE 1980' FSL			• • • • • • • • • • • • • • • • • • • •	•••••		•••••		• • • • • • • • • • • • • • • • • • • •	• • • • • • • • • • • • • • • • • • • •	-
SAMPLE SAMPLE 1980' FSL			:	:	:		:	:	:	
3 EXAMPLE 1980' FSL			:	:	:		:	:	:	Lease Road Location
3 1980' FSL			• • • • • • • • • • • • • • • • • • • •	• • • • • • • • • • • • • • • • • • • •		•••••			• • • • • • • • • • • • • • • • • • • •	
3 1980' FSL			:	:	:		:	:	:	
3 1980' FSL			:		:	I	:		:	EXAMPLE : :
1980' FSL			•	•	<u>. </u>		•	•	•	-
1980' FSL			:	:	3	}	•		:	: : :
1980' FSL			:	:	:				:	
1980' FSL		•••••	• • • • • • • • • • • • • • • • • • • •				• • • • • • • • • • • • • • • • • • • •		• • • • • • • • • • • • • • • • • • • •	
1980' FSL			:	:	:		:	:	:	
1980' FSL			:	:	:		:	:	:	
			:	:	:	*******	:	:	:	0=7 1980' FSL
			:		:		:		:	
: : SEWARD CO. 3390' FEL			········ :		······································		· · · · · · · · · · · · · · · · · · ·		:	
			:	:	:		:	:	:	: . :
			:	:	:		:	:	:	SEWARD CO. 3390' FEL

NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.



KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

068348

Form CDP-1 May 2010 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name:		License Number:			
Operator Address:					
Contact Person:		Phone Number:			
Lease Name & Well No.:			Pit Location (QQQQ):		
Type of Pit: Emergency Pit Burn Pit	Pit is:	Existing	SecTwp R		
Settling Pit Drilling Pit	If Existing, date con	structed:	Feet from North / South Line of Section		
Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)	Pit capacity:	(bbls)	Feet from East / West Line of Section County		
Is the pit located in a Sensitive Ground Water A	rea? Yes 1	No	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)		
Is the bottom below ground level? Yes No	Artificial Liner?	0	How is the pit lined if a plastic liner is not used?		
Pit dimensions (all but working pits):	Length (fee	t)	Width (feet) N/A: Steel Pits		
Depth fro	m ground level to dee	pest point:	(feet) No Pit		
If the pit is lined give a brief description of the line material, thickness and installation procedure.			dures for periodic maintenance and determining ncluding any special monitoring.		
Distance to nearest water well within one-mile of	of pit:	Depth to shallo	west fresh water feet. mation:		
feet Depth of water well	feet	measured	well owner electric log KDWR		
Emergency, Settling and Burn Pits ONLY:		Drilling, Worko	over and Haul-Off Pits ONLY:		
Producing Formation:		Type of material utilized in drilling/workover:			
Number of producing wells on lease:		Number of working pits to be utilized:			
Barrels of fluid produced daily:		Abandonment procedure:			
Does the slope from the tank battery allow all splow into the pit? Yes No	pilled fluids to	Drill pits must be closed within 365 days of spud date.			
Submitted Electronically					
	KCC OFFICE USE ONLY Liner Steel Pit RFAC RFAS				
Date Received: Permit Numl	ber:	Permi	t Date: Lease Inspection: Yes No		



Kansas Corporation Commission Oil & Gas Conservation Division

1068348

Form KSONA-1
July 2010
Form Must Be Typed
Form must be Signed
All blanks must be Filled

CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).


Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (CB-1)	Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)				
OPERATOR: License #	Well Location:				
Name:	SecTwpS. R East				
Address 1:	County:				
Address 2:	Lease Name: Well #:				
City: State: Zip:+	If filing a Form T-1 for multiple wells on a lease, enter the legal description of				
Contact Person:	the lease below:				
Phone: () Fax: ()					
Email Address:					
Surface Owner Information:					
Name:	When filing a Form T-1 involving multiple surface owners, attach an additional				
Address 1:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the				
Address 2:	county, and in the real estate property tax records of the county treasurer.				
City:					
the KCC with a plat showing the predicted locations of lease roads, tank	dic Protection Borehole Intent), you must supply the surface owners and k batteries, pipelines, and electrical lines. The locations shown on the plat n the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.				
☐ I certify that, pursuant to the Kansas Surface Owner Notice A owner(s) of the land upon which the subject well is or will be to CP-1 that I am filing in connection with this form; 2) if the form to form; and 3) my operator name, address, phone number, fax, at ☐ I have not provided this information to the surface owner(s). I at KCC will be required to send this information to the surface owner(s).	cknowledge that, because I have not provided this information, the vner(s). To mitigate the additional cost of the KCC performing this				
task, I acknowledge that I am being charged a \$30.00 handling If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-	fee with this form. If the fee is not received with this form, the KSONA-1				
Submitted Electronically					



Oil Field & Construction Site Staking

P.O. Box 2324 Garden City, Kansas 67846 Office/Fax: (620) 276-6159



q111711-h

Cell: (620) 272-1499

American Warrior Inc.

OPERATOR

Hodgeman County, KS

26w Twp.

Irsik #1-3

LEASE NAME

335' FNL - 1300' FWI

PROSPECT


1" =1000' SCALE:_ Nov. 17th, 2011 DATE STAKED: Luke R. MEASURED BY: Luke R. DRAWN BY: Cecil O. AUTHORIZED BY:.

This drawing does not constitute a monumented survey or a land survey plat.

This drawing is for construction purposes only.

GR. ELEVATION: 2410.3°


Directions: From the North side of Jetmore, Ks at the intersection of Hwy 156 & Hwy 283 - Now go 13.5 miles West on Hwy 156 - Now go 12 miles North on 206 Rd - Now go 0.8 mile West on X Rd to ingress stake North into - Now go 1 mile North on trail to ingress stake West into – Now go appprox.1435' West through wheat stubble to the NE corner of section 3-21s-26w - Now go approx. 4000' West through wheat stubble - Now go 335' South through wheat stubble into staked location. Final ingress must be verified with land owner or Operator.





Oil Field & Construction Site Staking

P.O. Box 2324 Garden City, Kansas 67846 Office/Fax: (620) 276-6159



q111711-h

fice/Fax: (620) 276-6159
Cell: (620) 272-1499

American Warrior Inc.

OPERATOR

Hodgeman County, KS

3 21s 26w Sec. Twp. Rng. Irsik #1-3 LEASE NAME 335' FNL – 1300' FWI

LOCATION SPOT

PROSPECT


This drawing does not constitute a monumented survey or a land survey plat.

This drawing is for construction purposes only.

GR. ELEVATION: 2410.3°

Directions: From the North side of Jetmore, Ks at the intersection of Hwy 156 & Hwy 283 – Now go 13.5 miles West on Hwy 156 – Now go 12 miles North on 206 Rd – Now go 0.8 mile West on X Rd to ingress stake North into – Now go 1 mile North on trail to ingress stake West into – Now go appprox.1435' West through wheat stubble to the NE corner of section 3-21s-26w – Now go approx. 4000' West through wheat stubble – Now go 335' South through wheat stubble into staked location.

Final ingress must be verified with land owner or Operator.





Oil Field & Construction Site Staking

P.O. Box 2324 Garden City, Kansas 67846 Office/Fax: (620) 276-6159

26w

Twp.



Cell: (620) 272-1499

INVOICE NO.

American Warrior Inc.

OPERATOR

Hodgeman County, KS

COUNTY

N/A Nov. 17th, 2011

DATE STAKED: Luke R. MEASURED BY:

SCALE:

Luke R. DRAWN BY:

Cecil O. AUTHORIZED BY:

This drawing does not constitute a monumented survey or a land survey plat.

This drawing is for construction purposes only.

Irsik #1-3

LEASE NAME

335' FNL - 1300' FWI


LOCATION SPOT

PROSPECT

GR. ELEVATION: 2410.3°

Directions: From the North side of Jetmore, Ks at the intersection of Hwy 156 & Hwy 283 - Now go 13.5 miles West on Hwy 156 - Now go 12 miles North on 206 Rd - Now go 0.8 mile West on X Rd to ingress stake North into - Now go 1 mile North on trail to ingress stake West into - Now go appprox.1435' West through wheat stubble to the NE corner of section 3-21s-26w - Now go approx. 4000' West through wheat stubble - Now go 335' South through wheat stubble into staked location.

Final ingress must be verified with land owner or Operator.






Oil Field & Construction Site Staking

P.O. Box 2324

Garden City, Kansas 67846 Office/Fax: (620) 276-6159

9685

11



Cell: (620) 272-1499 INVOICE NO. **American Warrior Inc. Irsik #1-3** OPERATOR LEASE NAME 335' FNL - 1300' FWI Hodgeman County, KS 21s 26w LOCATION SPOT Rng. 1"=1000 PROSPECT SCALE:_ 2410.3' Nov. 17th, 2011 DATE STAKED: Luke R. Directions: From the North side of Jetmore, Ks at the MEASURED BY: intersection of Hwy 156 & Hwy 283 - Now go 13.5 miles West Luke R. DRAWN BY: on Hwy 156 - Now go 12 miles North on 206 Rd - Now go 0.8 Cecil O. AUTHORIZED BY: mile West on X Rd to ingress stake North into - Now go 1 mile North on trail to ingress stake West into - Now go appprox.1435' West through wheat stubble to the NE corner of section 3-21s-26w This drawing does not constitute a monumented survey - Now go approx. 4000' West through wheat stubble - Now go or a land survey plat. This drawing is for construction purposes only. 335' South through wheat stubble into staked location. Final ingress must be verified with land owner or Operator. Ness Co. T 20 S 35 Hodgeman Co. T 21 S draw could hold water ingress stake wheat stubble West into heat stubble wheat stubble wheat stubble Road. Electric Line Pipe line Line wheat stubble. from here North, trail will be farmed through from here North, trail draw is holding water on 11-17-2011 will be farmed through optional ingress stake N-NW into gate wheat stubble Irsik #1-3 335' FNL - 1300' FWL 2410.3' - gr. elev. at staked loc. Lat. =N38° 15' 40.242" alfalfa stubble Long. =W100° 10' 05,563" I staked location with 7' wood (painted orange & blue) and t-post Location falls in wheat stubble This is preliminary + non-bonding While standing at staked location looking approx 150' in all directions loc, has 1' bumps gate

* 10

Conservation Division Finney State Office Building 130 S. Market, Rm. 2078 Wichita, KS 67202-3802



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Mark Sievers, Chairman Ward Loyd, Commissioner Thomas E. Wright, Commissioner

November 23, 2011

Cecil O'Brate American Warrior, Inc. 3118 Cummings Rd PO BOX 399 GARDEN CITY, KS 67846

Re: Drilling Pit Application Irsik #1-3 NW/4 Sec.03-21S-26W Hodgeman County, Kansas

Dear Cecil O'Brate:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed <u>without slots</u>, the bottom shall be flat and reasonably level and the free fluids must be removed. The fluids are to be removed from the reserve pit as soon as the Hutchinson Salt section has been drilled through and displacement of the fluids into the reserve pit has occurred. The fluids should be removed again within 96 hours after drilling operations have ceased.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (620) 225-8888 when the fluids have been removed. Please file form CDP-5 (August 2008), Exploration and Production Waste Transfer, through KOLAR within 30 days of fluid removal.

A copy of this letter should be posted in the doghouse along with the approved Intent to Drill. If you have any questions or concerns please feel free to contact the District Office at (620) 225-8888.