

Well will not be drilled or Permit Expired Date: _

Signature of Operator or Agent:

| For KCC | Use: |
|------------|----------|
| Effective | Date: |
| District # | <u> </u> |
| SGA? | Yes No |

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 March 2010 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

| month day year | Spot Description: |
|--|--|
| | Sec Twp S. R L E L V |
| PPERATOR: License# | feet from N / S Line of Section |
| ame: | feet from E / W Line of Section |
| ddress 1: | Is SECTION: Regular Irregular? |
| ddress 2: | (Note: Locate well on the Section Plat on reverse side) |
| ity: State: Zip: + | County: |
| ontact Person:hone: | Lease Name: Well #: |
| | Field Name: |
| CONTRACTOR: License# | Is this a Prorated / Spaced Field? |
| ame: | Target Formation(s): |
| Well Drilled For: Well Class: Type Equipment: | Nearest Lease or unit boundary line (in footage): |
| Oil Enh Rec Infield Mud Rotary | Ground Surface Elevation:feet MS |
| Gas Storage Pool Ext. Air Rotary | Water well within one-quarter mile: |
| Disposal Wildcat Cable | Public water supply well within one mile: |
| Seismic ; # of Holes Other | Depth to bottom of fresh water: |
| Other: | Depth to bottom of usable water: |
| If OWWO: old wall information as fallows: | Surface Pipe by Alternate: III |
| If OWWO: old well information as follows: | Length of Surface Pipe Planned to be set: |
| Operator: | Length of Conductor Pipe (if any): |
| Well Name: | Projected Total Depth: |
| Original Completion Date: Original Total Depth: | Formation at Total Depth: |
| Directional, Deviated or Horizontal wellbore? | Water Source for Drilling Operations: |
| Directional, Deviated or Horizontal wellbore? Yes No Yes, true vertical depth: | Well Farm Pond Other: |
| Bottom Hole Location: | DWR Permit #: |
| CCC DKT #: | (Note: Apply for Permit with DWR) |
| | Will Cores be taken? |
| | If Yes, proposed zone: |
| | 100, proposou 201101 |
| AF | FIDAVIT |
| | FIDAVIT |
| he undersigned hereby affirms that the drilling, completion and eventual plus | FIDAVIT |
| The undersigned hereby affirms that the drilling, completion and eventual plates is agreed that the following minimum requirements will be met: | FIDAVIT |
| The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; | FIDAVIT ugging of this well will comply with K.S.A. 55 et. seq. |
| The undersigned hereby affirms that the drilling, completion and eventual plate is agreed that the following minimum requirements will be met: | FIDAVIT ugging of this well will comply with K.S.A. 55 et. seq. n drilling rig; |
| The undersigned hereby affirms that the drilling, completion and eventual place is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the | FIDAVIT ugging of this well will comply with K.S.A. 55 et. seq. In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. |
| The undersigned hereby affirms that the drilling, completion and eventual place is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the interval of the sufface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the sufface pipe as specified below the interval of the well is dry hole, an agreement between the operator and the distance is agreement between the operator and the distance is agreement between the operator and the distance is agreement between the operator. | FIDAVIT ugging of this well will comply with K.S.A. 55 et. seq. In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. trict office on plug length and placement is necessary prior to plugging; |
| The undersigned hereby affirms that the drilling, completion and eventual place is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the interval of the surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the surface pipe as specified below the interval of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugger. | FIDAVIT ugging of this well will comply with K.S.A. 55 et. seq. In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; |
| The undersigned hereby affirms that the drilling, completion and eventual places is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the sum of the sum of the sum of the posted on each and the sum of the sum | FIDAVIT ugging of this well will comply with K.S.A. 55 et. seq. In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. |
| The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the interval of the approved notice of intent to drill <i>shall be</i> posted on each and the interval of the posted on each and the interval of the provided interval of the posted on each and the interval of the provided interva | FIDAVIT ugging of this well will comply with K.S.A. 55 et. seq. In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing |
| The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the interval of the surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the surface well is dry hole, an agreement between the operator and the disentation of the surface will be notified before well is either pluggers. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order # | FIDAVIT ugging of this well will comply with K.S.A. 55 et. seq. In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. |
| The undersigned hereby affirms that the drilling, completion and eventual places agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the summan amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the summan and the district office will be notified before well is either pluggers. The appropriate district office will be notified before well is either pluggers. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order # | FIDAVIT ugging of this well will comply with K.S.A. 55 et. seq. In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing |
| The undersigned hereby affirms that the drilling, completion and eventual places agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the state of the posted on each and the state of the posted on each and the state of the posted on the posted on the provided all unconsolidated materials plus a minimum of 20 feet into the state of the well is dry hole, an agreement between the operator and the disentation of the properties of the provided before well is either plug. 5. The appropriate district office will be notified before well is either plug. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be | FIDAVIT ugging of this well will comply with K.S.A. 55 et. seq. In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing |
| The undersigned hereby affirms that the drilling, completion and eventual places agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the state of the posted on each and the state of the posted on each and the state of the posted on the posted on the provided all unconsolidated materials plus a minimum of 20 feet into the state of the well is dry hole, an agreement between the operator and the disentation of the properties of the provided before well is either plug. 5. The appropriate district office will be notified before well is either plug. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be | reging of this well will comply with K.S.A. 55 et. seq. In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing. |
| The undersigned hereby affirms that the drilling, completion and eventual places agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the sum of the posted on the sum of the posted on each and the posted on each and the sum of the posted on each and the sum of the posted on each and the posted on each an | reging of this well will comply with K.S.A. 55 et. seq. In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. It ict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. It is a from below any usable water to surface within 120 DAYS of spud date. It is a from below any usable water to surface within 120 DAYS of spud date. It is a from below any usable water to surface within 120 DAYS of spud date. It is a from below any usable water to surface within 120 DAYS of spud date. It is a from below any usable water to surface within 120 DAYS of spud date. It is a from below any usable water to surface within 120 DAYS of spud date. It is a from below any usable water to surface within 120 DAYS of spud date. It is a from below any usable water to surface within 120 DAYS of spud date. It is a from below any usable water to surface within 120 DAYS of spud date. It is a from below any usable water to surface within 120 DAYS of spud date. It is a from below any usable water to surface within 120 DAYS of spud date. It is a from below any usable water to surface within 120 DAYS of spud date. |
| The undersigned hereby affirms that the drilling, completion and eventual places agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the sum of the posted on each and the posted on the posted on the posted on each and the posted of the posted on each and the posted on the posted on each and the posted of the posted on each and the posted on the posted on each and the posted | reging of this well will comply with K.S.A. 55 et. seq. In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. It ict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing explugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification |
| The undersigned hereby affirms that the drilling, completion and eventual places is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the state of the provided intent to drill <i>shall be</i> posted on each and the state of the provided intent to drill <i>shall be</i> posted on each and the state of the provided intent to drill shall be posted on each and the state of the provided intent to the provided intent to the state of the provided intent to the provided | rigging of this well will comply with K.S.A. 55 et. seq. In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. It ict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. It is a span of the same of the surface within 120 DAYS of spud date. It is a span of the same of |
| he undersigned hereby affirms that the drilling, completion and eventual places agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the state of the posted on each and the posted of the posted on each and the posted of the posted of the posted on each and the posted of | rigging of this well will comply with K.S.A. 55 et. seq. In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. It ict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. It is in all cases, NOTIFY district office prior to any cementing explugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; |
| The undersigned hereby affirms that the drilling, completion and eventual places agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set throug | rigging of this well will comply with K.S.A. 55 et. seq. In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. It ict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. It is in all cases, NOTIFY district office prior to any cementing is plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; |
| The undersigned hereby affirms that the drilling, completion and eventual places is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set in | rigging of this well will comply with K.S.A. 55 et. seq. In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. It ict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. It is in all cases, NOTIFY district office prior to any cementing explugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; |
| The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each an each and the approved notice of intent to drill <i>shall be</i> posted on each and a specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the specified like the well is dry hole, an agreement between the operator and the disentation of the specified before well is either pluggers. The appropriate district office will be notified before well is either pluggers. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be submitted Electronically For KCC Use ONLY API # 15 | rich drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; drom below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing e plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; |
| The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of the set of the set of the specific plus into the set of the set o | rigging of this well will comply with K.S.A. 55 et. seq. In drilling rig; |

Agent:

Spud date: _

| For KCC Use ONLY | |
|------------------|---|
| API # 15 | - |

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

| Operator: | Operator: | | | _ Lo | Location of Well: County: | | | | | |
|--------------|----------------|------------|--------------|-------|---------------------------|---------------------------------|--|---------------------------------|--|--|
| Lease: | ease: | | | | | | | feet from N / S Line of Section | | |
| Well Number: | | | | | | feet from E / W Line of Section | | | | |
| Field: | | | | | | | Se | SecTwpS. R 🗌 E 🔲 W | | |
| Number of | f Acres attrib | outable to | well: | | | | – ls : | Section: | Regular or Irregular | |
| QTR/QTR | /QTR/QTR | of acreage | ə: | | | | | | | |
| | | | | | | | | Section is ction corne | Irregular, locate well from nearest corner boundary. er used: NE NW SE SW | |
| | | | atteries, pi | | d electrica | l lines, as | required b | | dary line. Show the predicted locations of sas Surface Owner Notice Act (House Bill 2032). ired. | |
| | | | | • | | | | | LEGEND | |
| 765 ft. – | | • | | | | | O Well Location Tank Battery Location Pipeline Location Electric Line Location Lease Road Location | | | |
| | | | | 1 | 9 | | : : : : | | EXAMPLE | |
| | | | | | •••• | | | | 1980' FSL | |
| | | | | : | ••••• | | : | : | SEWARD CO. 3390' FEL | |

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.

NOTE: In all cases locate the spot of the proposed drilling locaton.

- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION 069178

Form CDP-1
May 2010
Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

| Operator Name: | | License Number: | | | | |
|---|--|--|--|--|--|--|
| Operator Address: | | | | | | |
| Contact Person: | | Phone Number: | | | | |
| Lease Name & Well No.: | | Pit Location (QQQQ): | | | | |
| Type of Pit: Emergency Pit Burn Pit Settling Pit Drilling Pit Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled) | Pit is: Proposed If Existing, date co Pit capacity: | Existing nstructed: | SecTwp R East WestFeet from North / South Line of SectionFeet from East / West Line of Section | | | |
| | | (bbls) | County | | | |
| Is the pit located in a Sensitive Ground Water A | Area? Yes | No | Chloride concentration: mg/l (For Emergency Pits and Settling Pits only) | | | |
| Is the bottom below ground level? | Artificial Liner? | No | How is the pit lined if a plastic liner is not used? | | | |
| Pit dimensions (all but working pits): | Length (fe | et) | Width (feet) N/A: Steel Pits | | | |
| Depth fro | om ground level to dee | epest point: | (feet) No Pit | | | |
| If the pit is lined give a brief description of the li material, thickness and installation procedure. | | | dures for periodic maintenance and determining ncluding any special monitoring. | | | |
| Distance to nearest water well within one-mile | of pit: | Depth to shallowest fresh water feet. Source of information: | | | | |
| feet Depth of water well | feet | measured | well owner electric log KDWR | | | |
| Emergency, Settling and Burn Pits ONLY: | | Drilling, Work | over and Haul-Off Pits ONLY: | | | |
| Producing Formation: | | Type of material utilized in drilling/workover: | | | | |
| Number of producing wells on lease: | | Number of working pits to be utilized: | | | | |
| Barrels of fluid produced daily: | | Abandonment procedure: | | | | |
| Does the slope from the tank battery allow all s flow into the pit? Yes No | spilled fluids to | Drill pits must be closed within 365 days of spud date. | | | | |
| Submitted Electronically | | | | | | |
| | KCC OFFICE USE ONLY | | | | | |
| Date Received: Permit Num | ber: | Permi | Liner Steel Pit RFAC RFAS it Date: Lease Inspection: Yes No | | | |

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form KSONA-1 July 2010 Form Must Be Typed Form must be Signed All blanks must be Filled

CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application). Any such form submitted without an accompanying Form KSONA-1 will be returned.

| Select the corresponding form being filed: C-1 (Intent) CB-1 (C | Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application) | | | | | |
|--|--|--|--|--|--|--|
| OPERATOR: License # | Well Location: | | | | | |
| Name: | SecTwpS. R 🔲 East 🗌 West | | | | | |
| Address 1: | County: | | | | | |
| Address 2: | Lease Name: Well #: | | | | | |
| City: State: Zip:+ | If filing a Form T-1 for multiple wells on a lease, enter the legal description of | | | | | |
| Contact Person: | the lease below: | | | | | |
| Phone: () Fax: () | | | | | | |
| Email Address: | | | | | | |
| Surface Owner Information: | | | | | | |
| Name: | When filing a Form T-1 involving multiple surface owners, attach an additional | | | | | |
| Address 1: | sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the | | | | | |
| Address 2: | county, and in the real estate property tax records of the county treasurer. | | | | | |
| City: | | | | | | |
| the KCC with a plat showing the predicted locations of lease roads, tank | dic Protection Borehole Intent), you must supply the surface owners and a batteries, pipelines, and electrical lines. The locations shown on the plat in the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted. | | | | | |
| owner(s) of the land upon which the subject well is or will be lo | ct (House Bill 2032), I have provided the following to the surface ocated: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form being filed is a Form C-1 or Form CB-1, the plat(s) required by this and email address. | | | | | |
| | cknowledge that, because I have not provided this information, the vner(s). To mitigate the additional cost of the KCC performing this fee, payable to the KCC, which is enclosed with this form. | | | | | |
| If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CP- | fee with this form. If the fee is not received with this form, the KSONA-1 will be returned. | | | | | |
| Submitted Electronically | | | | | | |

Summary of Changes

Lease Name and Number: S. Riegel 1 API/Permit #: 15-057-20769-00-00

Doc ID: 1069178

Correction Number: 1

Approved By: Rick Hestermann 11/30/2011

| Field Name | Previous Value | New Value |
|------------------------------|---|---|
| Contractor License Number | 5929 | 30606 |
| Contractor Name | Duke Drilling Co., Inc. | Murfin Drilling Co., Inc. |
| Expected Spud Date | 12/6/2011 | 12/18/2011 |
| KCC Only - Approved By | Rick Hestermann 11/28/2011 | Rick Hestermann 11/30/2011 |
| KCC Only - Approved Date | 11/28/2011 | 11/30/2011 |
| KCC Only - Date Received | 11/28/2011 | 11/29/2011 |
| Save Link | //kcc/detail/operatorE ditDetail.cfm?docID=10 68962 | //kcc/detail/operatorE ditDetail.cfm?docID=10 69178 |