

ALLIED CEMENTING CO., LLC. 043390

Federal Tax I.D.# 20-5975804

REMIT TO P.O. BOX 31
RUSSELL, KANSAS 67665

SERVICE POINT: Daklay, ks

| | | | | | | | |
|------------------------------------|--------------------|---|-----------------|--------------|----------------------|-------------------------|--------------------------|
| DATE <u>8-10-11</u> | SEC. <u>33</u> | TWP. <u>13</u> | RANGE <u>31</u> | CALLED OUT | ON LOCATION | JOB START <u>7:00pm</u> | JOB FINISH <u>9:30pm</u> |
| LEASE <u>Campbell</u> | WELL # <u>1-33</u> | LOCATION <u>Daklay 119, SE, 5 1/2 S</u> | | | COUNTY <u>Greene</u> | STATE <u>KS</u> | |
| OLD OR NEW (Circle one) <u>NEW</u> | | | | <u>Winds</u> | | | |

CONTRACTOR Martin #24

TYPE OF JOB Surface

HOLE SIZE 12 1/2" T.D. 220'

CASING SIZE 8 7/8" DEPTH 220'

TUBING SIZE DEPTH

DRILL PIPE DEPTH

TOOL DEPTH

PRES. MAX MINIMUM

MEAS. LINE SHOE JOINT

CEMENT LEFT IN CSG. 15'

PERFS.

DISPLACEMENT 13.1266

EQUIPMENT

PUMP TRUCK CEMENTER Lakene

422 HELPER Darren

BULK TRUCK DRIVER Chris

409

BULK TRUCK DRIVER

#

REMARKS:

Mix 165 stks down casing

Displace with water

Cement did circulate

Thank You

CHARGE TO: Grand Mesa

STREET

CITY STATE ZIP

To Allied Cementing Co., LLC.
You are hereby requested to rent cementing equipment and furnish cementer and helper(s) to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read and understand the "GENERAL TERMS AND CONDITIONS" listed on the reverse side.

PRINTED NAME Anthony Martin

SIGNATURE Anthony Martin

OWNER same

CEMENT AMOUNT ORDERED 165 stks com 3% CC

to gel

| | | |
|----------|-------------------------|----------------------|
| COMMON | <u>165 stks @ 16.25</u> | <u>2681.25</u> |
| POZMIX | @ | |
| GEL | <u>39 stks @ 21.25</u> | <u>63.75</u> |
| CHLORIDE | <u>6 stks @ 58.20</u> | <u>349.20</u> |
| ASC | @ | |
| | @ | |
| | @ | |
| | @ | |
| | @ | |
| | @ | |
| | @ | |
| | @ | |
| HANDLING | <u>174 stks @ 2.25</u> | <u>391.50</u> |
| MILEAGE | <u>114 stks/mile</u> | <u>421.08</u> |
| | | TOTAL <u>3906.78</u> |

SERVICE

DEPTH OF JOB 220'

PUMP TRUCK CHARGE 1125.00

EXTRA FOOTAGE @

MILEAGE 22 x 2 @ 7.00 308.00

MANIFOLD 5 wedge @ 325.00

Light Vehicle mileage @ 4.00 176.00

@

TOTAL 1938.00

PLUG & FLOAT EQUIPMENT

@

@

@

@

@

TOTAL

SALES TAX (If Any)

TOTAL CHARGES

DISCOUNT IF PAID IN 30 DAYS

JOB LOG

SWIFT Services, Inc.

DATE 8-24-11 PAGE NO. 1

CUSTOMER: **GRAND MESA** WELL NO. **1-33** LEASE **KLAUS-CAMPBELL** JOB TYPE **5 1/2" 2-STAGE LGST.** TICKET NO. **21018**

| CHART NO. | TIME | RATE (BPM) | VOLUME (BBL) (GAL) | PUMPS | | PRESSURE (PSI) | | DESCRIPTION OF OPERATION AND MATERIALS |
|-----------|------|------------|--------------------|-------|---|----------------|--------|---|
| | | | | T | C | TUBING | CASING | |
| | 2400 | | | | | | | ON LOCATION |
| | 0045 | | | | | | | START 5 1/2" CASING IN WELL |
| | | | | | | | | TD- 4700 SET = 469# |
| | | | | | | | | TP- 4698 5 1/2 # 15.5 |
| | | | | | | | | ST- 11' |
| | | | | | | | | CONTRAILZS- 1, 3, 5, 8, 10, 15, 55 |
| | | | | | | | | CMT BSKTS- 2, 56 |
| | | | | | | | | DV TOOL = 2405 TOP JT # 56 |
| | 0300 | | | | | | | DROP BALL - CIRCULATE ROTATE |
| | 0350 | 7 | 12 | | ✓ | 500 | | PUMP 500 GAL MUD FLUSH " |
| | 0352 | 7 | 20 | | ✓ | 500 | | PUMP 20 BBL KCL-FLUSH " |
| | 0400 | 4 | 42 | | ✓ | | | MAX 175 SKS EA-2 @ 15.4 PPG " |
| | 0412 | | | | | | | WASH OUT PUMP - LEVES |
| | 0412 | | | | | | | RELEASE 1 ST STAGE LATCH DOWN PLUG |
| | 0415 | 8 | 0 | | ✓ | | | DISPLACE PLUG " |
| | | 8 | 101 | | | 850 | | SHOT OFF ROTATING |
| | 0430 | 7 | 111.5 | | | 1500 | | PLUG DOWN - PSE UP LATCH IN PLUG |
| | 0432 | | | | | OK | | RELEASE PSE - HELD WASH TRUCK |
| | 0435 | | | | | | | DROP DV OPENING PLUG |
| | 0450 | | | | ✓ | 1250 | | OPEN DV - CIRCULATE |
| | 0635 | 6 | 20 | | ✓ | 300 | | PUMP 20 BBL KCL-FLUSH |
| | 0640 | | 7-5 | | | | | PLUG RH - MH (30 SKS - 20 SKS) |
| | 0645 | 6 | 140 | | ✓ | 250 | | MAX 250 SKS SMD @ 11.2 PPG |
| | 0725 | | | | | | | WASH OUT PUMP - LEVES |
| | 0726 | | | | | | | RELEASE DV CLOSING PLUG |
| | 0730 | 6 | 0 | | ✓ | | | DISPLACE PLUG |
| | 0740 | 5 | 57.2 | | | 1500 | | PLUG DOWN - PSE UP CLOSE DV TOOL |
| | 0742 | | | | | OK | | RELEASE PSE - HELD |
| | | | | | | | | CIRCULATED 40 SKS cement to PET |
| | | | | | | | | WASH TRUCK |
| | 0830 | | | | | | | JOB COMPLETE |

John Taylor
Don Stueber
 THANK YOU
 WAYNE, DON L., JOE, ROB

Acidizing Report

PRO-STIM CHEMICALS

Date 9-22-11

| | | |
|--|---------------------------------------|---------------------------------|
| Customer <u>Crown Mesa</u> | Pro-Stim Chemical Yard <u>Dighton</u> | Pro-Stim Number <u>Ab 57144</u> |
| Well Name & Number <u>Class # 3 Campbell</u> | Field | Formation Spot <u>1 brl</u> |
| County <u>Coyne</u> State <u>KS</u> | BHT | YD |
| | | Interval <u>4530-46</u> |

Well Type: Completion Recompletion Workover Oil Gas Water Disposal Perf OH

Job Pumped Via: Tubing Casing Annulus CTU Combination Plug Depth Packer Depth Treat 4494

| | | | | | | | |
|------------------|-------------------|---------|--------------------|---------------------------|-----------|----|------------------|
| Casing Size: | GRD | WT | Depth | Tubing Size: <u>2 7/8</u> | GRD | WT | Spot <u>4552</u> |
| Casing Vol. | Tbg Vol <u>26</u> | Ann Vol | OH Vol | Total Displacement | | | |
| Maximum Pressure | Tubing | Casing | Proposed Pump Time | AOL | Leave Loc | | |

Special Instructions: 400 gals Rwt R-1 1570

Treatment Record

| Time | Type Fluid | Rate BMP | Increment Vol Bbls | Cum Vol Bbls | Pressure | | Observations |
|------|------------|----------|--------------------|--------------|----------|--------|-----------------------|
| | | | | | Tubing | Casing | |
| | | | | | | | Safety Meeting |
| 1 | Acid | Spot | 1 | 0 | | | Prs Test to _____ psi |
| 10 | Acid | 2.6 | | 2.3 | 20 | | |
| 14 | Acid | 2.6 | | 9.8 | 20 | | Acid Gone |
| 20 | Flush | 0 | | 26.3 | 50 | | Coiled |
| 21 | Flush | 0 | | 26.4 | 300 | | |
| 1:30 | Flush | 0 | | 27.2 | 500 | | |
| 2:37 | Flush | 0 | | 27.9 | 800 | | |
| 2:44 | Flush | 0 | | 27.9 | 1000 | | |
| 2:57 | Flush | 0 | | 28 | 1200 | | |
| 3:10 | Flush | 0 | | 28.1 | 1300 | | |
| 3:20 | Flush | 1 | | 29.3 | 350 | | |
| 3:26 | Flush | 1 | | 36 | 350 | | Done |

Treatment Synopsis

| | | | | | |
|-------------------------|-----------|----------------|-------------------|---------------------|-------------------|
| Avg Inj Rate | Fluid BPM | Total Injected | H2O <u>26 brl</u> | Acid <u>9.8 brl</u> | Oil |
| Treating Prs. | Max | Final | Avg. | ISIP <u>100</u> | 6' SI <u>VAC</u> |
| Customer Representative | | | | Pro-Stim Supervisor | <u>Shannon M.</u> |

Pro-Stim Chemicals, LLC

P.O. Box 25
 Cheyenne Wells, CO 80810

Invoice

| | |
|-----------|-----------|
| Date | Invoice # |
| 9/29/2011 | 57146 |

| |
|--|
| Bill To |
| Grand Mesa Operating Co. 1700 N. Waterfront Pkwy - Bldg 600 Wichita, KS 67206-6614 |

| |
|----------------|
| Ship To |
| |

| | | | | |
|---------------------|--------------|-------------------|-------------|----------------|
| Requested By | Terms | Sales Rep. | Ship | Lease |
| | Net 30 | S M | 9/22/2011 | KLAUS CAMPBELL |

| Quantity | Item Code | Description | Price Each | Amount |
|----------|-----------------|-----------------------|------------|---------|
| 400 | RWR-1 15% | GALLONS | 2.26 | 904.00 |
| 2 | AR-630 | GALLONS | 24.10 | 48.20 |
| 26 | KCL BIOCID - 2% | BRLS | 3.16 | 82.16 |
| 1 | DUMP JOB | | 158.00 | 158.00T |
| 6 | TRUCK TIME | HOURS | 95.00 | 570.00T |
| | | Sales Tax - LOGAN CO. | 7.80% | 56.78 |

| | | | | |
|--|--|--|--------------|------------|
| | | | Total | \$1,819.14 |
|--|--|--|--------------|------------|

| | | |
|----------------|--------------|---------------------|
| Phone # | Fax # | E-mail |
| 719-767-8071 | 719-767-5925 | prostim@hotmail.com |