



TRILOBITE TESTING, INC.

DRILL STEM TEST REPORT

Strata Exploration Inc

Naumann #1-32 A

PO Box 401
Fairfield IL 62837

32-27s-18w

Job Ticket: 44055

DST#: 1

ATTN: John R Kinney/Jon Chrd IL 62837

Test Start: 2011.09.07 @ 04:07:54

GENERAL INFORMATION:

Formation: **Lansing A**

Deviated: No Whipstock: ft (KB)

Time Tool Opened: 00:00:00

Time Test Ended: 09:51:54

Test Type:

Tester: Cris staats

Unit No: 34

Interval: 4217.00 ft (KB) To 4235.00 ft (KB) (TVD)

Reference Elevations: 2217.00 ft (KB)

Total Depth: 4235.00 ft (KB) (TVD)

2209.00 ft (CF)

Hole Diameter: 7.88 inches Hole Condition:

KB to GR/CF: 8.00 ft

Serial #: 6773 Outside

Press @ RunDepth: psig @ 4218.00 ft (KB)

Capacity: 8000.00 psig

Start Date: 2011.09.07 End Date: 2011.09.07


Last Calib.: 2011.09.07

Start Time: 04:07:59 End Time: 09:51:53

Time On Btm: 2011.09.07 @ 07:01:54

Time Off Btm: 2011.09.07 @ 08:13:09

TEST COMMENT: Miss Run Lost Circulation



PRESSURE SUMMARY

Time (Min.)	Pressure (psig)	Temp (deg F)	Annotation
0	2054.95	107.39	Initial Hydro-static
72	1900.54	110.09	Final Hydro-static

Recovery

Length (ft)	Description	Volume (bbl)

Gas Rates

Choke (inches)	Pressure (psig)	Gas Rate (Mcf/d)



**TRILOBITE
TESTING, INC.**

DRILL STEM TEST REPORT

FLUID SUMMARY

Strata Exploration Inc

Naumann #1-32 A

PO Box 401
Fairfield IL 62837

32-27s-18w

Job Ticket: 44055

DST#: 1

ATTN: John R Kinney/Jon Chrd IL 62837

Test Start: 2011.09.07 @ 04:07:54

Mud and Cushion Information

Mud Type: Gel Chem

Cushion Type:

Oil API:

deg API

Mud Weight: 9.00 lb/gal

Cushion Length:

ft

Water Salinity:

ppm

Viscosity: 48.00 sec/qt

Cushion Volume:

bbbl

Water Loss: 8.79 in³

Gas Cushion Type:

Resistivity: 0.00 ohm.m

Gas Cushion Pressure:

psig

Salinity: 5400.00 ppm

Filter Cake: 0.02 inches

Recovery Information

Recovery Table

Length ft	Description	Volume bbbl

Total Length: ft Total Volume: bbl

Num Fluid Samples: 0 Num Gas Bombs: 0 Serial #:

Laboratory Name: Laboratory Location:

Recovery Comments:

