

Well will not be drilled or Permit Expired Date: _

Signature of Operator or Agent:

| For KCC | Use: | |
|------------|--------|--|
| Effective | Date: | |
| District # | | |
| SGA? | Yes No | |

Kansas Corporation Commission Oil & Gas Conservation Division

Form C-1 March 2010 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

| Expected Spud Date: | day year | Spot Description: |
|--|--|--|
| monut | day your | Sec Twp S. R E |
| PERATOR: License# | | feet from \bigcup N / \bigcup S Line of Sec |
| ame: | | feet from L E / L W Line of Sec |
| ddress 1: | | Is SECTION: Regular Irregular? |
| ddress 2: | | |
| ity: Sta | · | County: |
| Contact Person: | | Lease Name: Well #: |
| hone: | | Field Name: |
| CONTRACTOR: License# | | Is this a Prorated / Spaced Field? Yes |
| lame: | | Target Formation(s): |
| Well Drilled For: Well (| Class: Type Equipment: | Nearest Lease or unit boundary line (in footage): |
| Oil Enh Rec II | Infield Mud Rotary | Ground Surface Elevation:feet N |
| | Pool Ext. Air Rotary | Water well within one-quarter mile: |
| | Wildcat Cable | Public water supply well within one mile: |
| | Other | Depth to bottom of fresh water: |
| Other: | | Depth to bottom of usable water: |
| | an fallanua. | Surface Pipe by Alternate: II II |
| If OWWO: old well information a | as toliows: | Length of Surface Pipe Planned to be set: |
| Operator: | | Length of Conductor Pipe (if any): |
| Well Name: | | Projected Total Depth: |
| Original Completion Date: | Original Total Depth: | |
| | | Water Source for Drilling Operations: |
| Directional, Deviated or Horizontal wellbe | | Well Talliffold Other. |
| f Yes, true vertical depth: Bottom Hole Location: | | DWR Permit #: |
| olloiii i lole Localion. | | |
| | | (Note: Apply for Permit with DWR) |
| | | Will Cores be taken? |
| | | |
| | | Will Cores be taken? |
| CCC DKT #: | | Will Cores be taken? If Yes, proposed zone: |
| CCC DKT #: | the drilling, completion and eventual | Will Cores be taken? If Yes, proposed zone: FFIDAVIT |
| CCC DKT #: | the drilling, completion and eventual mand requirements will be met: | Will Cores be taken? If Yes, proposed zone: FFIDAVIT |
| CCC DKT #: The undersigned hereby affirms that to the tis agreed that the following minimum 1. Notify the appropriate district of | the drilling, completion and eventual mand requirements will be met: | Will Cores be taken? If Yes, proposed zone: FFIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. |
| The undersigned hereby affirms that to the is agreed that the following minimum 1. Notify the appropriate district of 2. A copy of the approved notice of 3. The minimum amount of surface of the interest of | the drilling, completion and eventual m requirements will be met: ffice <i>prior</i> to spudding of well; of intent to drill <i>shall be</i> posted on each pipe as specified below <i>shall be</i> ; | Will Cores be taken? If Yes, proposed zone: IFFIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. ach drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set |
| The undersigned hereby affirms that to this agreed that the following minimum of the appropriate district of the approved notice of the a | the drilling, completion and eventual m requirements will be met: ffice <i>prior</i> to spudding of well; of intent to drill <i>shall be</i> posted on each pipe as specified below <i>shall be</i> erials plus a minimum of 20 feet into | Will Cores be taken? If Yes, proposed zone: IFFIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. ach drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. |
| The undersigned hereby affirms that to is agreed that the following minimum 1. Notify the appropriate district of 2. A copy of the approved notice of 3. The minimum amount of surface through all unconsolidated mate 4. If the well is dry hole, an agreer | the drilling, completion and eventual merequirements will be met: ffice prior to spudding of well; of intent to drill shall be posted on expipe as specified below shall be ; erials plus a minimum of 20 feet into ment between the operator and the | Will Cores be taken? If Yes, proposed zone: IFFIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. ach drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; |
| The undersigned hereby affirms that to the sagreed that the following minimum of the sagreed that the appropriate district of the sagreed notice of the sagreed all unconsolidated materials. If the well is dry hole, an agreer the sagreer sagreer that the sagreer | the drilling, completion and eventual m requirements will be met: ffice prior to spudding of well; of intent to drill shall be posted on e to pipe as specified below shall be ; erials plus a minimum of 20 feet into ment between the operator and the will be notified before well is either pl | Will Cores be taken? If Yes, proposed zone: IFFIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. ach drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; augged or production casing is cemented in; |
| the undersigned hereby affirms that the is agreed that the following minimum 1. Notify the appropriate district of 2. A copy of the approved notice of 3. The minimum amount of surfact through all unconsolidated mate 4. If the well is dry hole, an agreer 5. The appropriate district office with an ALTERNATE II COMPLET | the drilling, completion and eventual m requirements will be met: ffice <i>prior</i> to spudding of well; of intent to drill <i>shall be</i> posted on eace pipe as specified below <i>shall be</i> erials plus a minimum of 20 feet into ment between the operator and the will be notified before well is either place. | Will Cores be taken? If Yes, proposed zone: IFFIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. ach drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; agged or production casing is cemented in; inted from below any usable water to surface within 120 DAYS of spud date. |
| The undersigned hereby affirms that to is agreed that the following minimum 1. Notify the appropriate district of 2. A copy of the approved notice of 3. The minimum amount of surface through all unconsolidated mate 4. If the well is dry hole, an agreer 5. The appropriate district office with 6. If an ALTERNATE II COMPLET Or pursuant to Appendix "B" - E | the drilling, completion and eventual m requirements will be met: ffice <i>prior</i> to spudding of well; of intent to drill <i>shall be</i> posted on each pipe as specified below <i>shall be</i> erials plus a minimum of 20 feet into ment between the operator and the will be notified before well is either place. Took, production pipe shall be cemes eastern Kansas surface casing orde | Will Cores be taken? If Yes, proposed zone: IFFIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. ach drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; augged or production casing is cemented in; |
| The undersigned hereby affirms that to the sagreed that the following minimum of the sagreed that the following minimum of the sagreed notice of the sagreed notice of the sagreed all unconsolidated materials. The minimum amount of surfact through all unconsolidated materials of the sagreed | the drilling, completion and eventual m requirements will be met: ffice <i>prior</i> to spudding of well; of intent to drill <i>shall be</i> posted on each pipe as specified below <i>shall be</i> erials plus a minimum of 20 feet into ment between the operator and the will be notified before well is either place. Took, production pipe shall be cemes eastern Kansas surface casing orde | Will Cores be taken? If Yes, proposed zone: IFFIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. ach drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; agged or production casing is cemented in; inted from below any usable water to surface within 120 DAYS of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing |
| The undersigned hereby affirms that to is agreed that the following minimum 1. Notify the appropriate district of 2. A copy of the approved notice of 3. The minimum amount of surfact through all unconsolidated mate 4. If the well is dry hole, an agreer 5. The appropriate district office with 6. If an ALTERNATE II COMPLET Or pursuant to Appendix "B" - E | the drilling, completion and eventual m requirements will be met: ffice <i>prior</i> to spudding of well; of intent to drill <i>shall be</i> posted on each pipe as specified below <i>shall be</i> erials plus a minimum of 20 feet into ment between the operator and the will be notified before well is either place. Took, production pipe shall be cemes eastern Kansas surface casing orde | Will Cores be taken? If Yes, proposed zone: IFFIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. ach drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; agged or production casing is cemented in; inted from below any usable water to surface within 120 DAYS of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing |
| the undersigned hereby affirms that the is agreed that the following minimum of the appropriate district of the approved notice of the appropriate and the appropriate district office with a property of the appropriate district office with a number of the appropriate district of the approved notice of t | the drilling, completion and eventual m requirements will be met: ffice <i>prior</i> to spudding of well; of intent to drill <i>shall be</i> posted on each pipe as specified below <i>shall be</i> erials plus a minimum of 20 feet into ment between the operator and the will be notified before well is either place. Took, production pipe shall be cemes eastern Kansas surface casing orde | Will Cores be taken? If Yes, proposed zone: IFFIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. ach drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; agged or production casing is cemented in; inted from below any usable water to surface within 120 DAYS of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing |
| The undersigned hereby affirms that to a sagreed that the following minimum of the appropriate district of the approved notice of the appropriate district office with the appropriate district office with a ALTERNATE II COMPLET or pursuant to Appendix "B" - E must be completed within 30 days and the approved notice of the appropriate district of the approved notice of the | the drilling, completion and eventual m requirements will be met: ffice <i>prior</i> to spudding of well; of intent to drill <i>shall be</i> posted on each pipe as specified below <i>shall be</i> erials plus a minimum of 20 feet into ment between the operator and the will be notified before well is either place. Took, production pipe shall be cemes eastern Kansas surface casing orde | Will Cores be taken? If Yes, proposed zone: IFFIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. ach drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; agged or production casing is cemented in; anted from below any usable water to surface within 120 DAYS of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. |
| The undersigned hereby affirms that to a sagreed that the following minimum of the appropriate district of the approved notice of the appropriate district office with the appropriate district office with a ALTERNATE II COMPLET or pursuant to Appendix "B" - E must be completed within 30 days and the approved notice of the appropriate district of the approved notice of the | the drilling, completion and eventual m requirements will be met: ffice <i>prior</i> to spudding of well; of intent to drill <i>shall be</i> posted on each pipe as specified below <i>shall be</i> erials plus a minimum of 20 feet into ment between the operator and the will be notified before well is either place. Took, production pipe shall be cemes eastern Kansas surface casing orde | Will Cores be taken? If Yes, proposed zone: IFFIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. ach drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; augged or production casing is cemented in; anted from below any usable water to surface within 120 DAYS of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. |
| The undersigned hereby affirms that to a sagreed that the following minimum. 1. Notify the appropriate district of 2. A copy of the approved notice of 3. The minimum amount of surface through all unconsolidated mate. 4. If the well is dry hole, an agreer 5. The appropriate district office w. 6. If an ALTERNATE II COMPLET. Or pursuant to Appendix "B" - E must be completed within 30 day. Ubmitted Electronically. | the drilling, completion and eventual in requirements will be met: ffice <i>prior</i> to spudding of well; of intent to drill <i>shall be</i> posted on e epipe as specified below <i>shall be</i> are rials plus a minimum of 20 feet into ment between the operator and the will be notified before well is either place. TON, production pipe shall be cemes Eastern Kansas surface casing order anys of the spud date or the well shall | Will Cores be taken? If Yes, proposed zone: IFFIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. ach drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; augged or production casing is cemented in; anted from below any usable water to surface within 120 DAYS of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification |
| The undersigned hereby affirms that to a sagreed that the following minimum of the appropriate district of an acceptance of the approved notice of a surface through all unconsolidated mater and the well is dry hole, an agreer of the appropriate district office with a propriate district office with a propriate of the appropriate of the | the drilling, completion and eventual in requirements will be met: Iffice <i>prior</i> to spudding of well; of intent to drill <i>shall be</i> posted on each posted on the posted of the posted | Will Cores be taken? If Yes, proposed zone: IFFIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. ach drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; augged or production casing is cemented in; anted from below any usable water to surface within 120 DAYS of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; |
| The undersigned hereby affirms that to is agreed that the following minimum of the appropriate district of the approved notice of the appropriate district office with a part of the appropriate district office with a national notice of the appropriate district office with a national notice of the appropriate district office with a national notice of the appropriate district office with a national notice of the appropriate district office with a national notice of the approved no | the drilling, completion and eventual in requirements will be met: ffice <i>prior</i> to spudding of well; of intent to drill <i>shall be</i> posted on exercise pipe as specified below <i>shall be</i> ; erials plus a minimum of 20 feet into ment between the operator and the will be notified before well is either ploon, production pipe shall be cemes eastern Kansas surface casing orderays of the spud date or the well shall be the spud date or the spud date | Will Cores be taken? If Yes, proposed zone: IFFIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. ach drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; augged or production casing is cemented in; anted from below any usable water to surface within 120 DAYS of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification |
| The undersigned hereby affirms that to a sagreed that the following minimum of the appropriate district of the approved notice of the appropriate district office with the well is dry hole, an agreer of the appropriate district office with a national to the appropriate of the appropria | the drilling, completion and eventual in requirements will be met: ffice <i>prior</i> to spudding of well; of intent to drill <i>shall be</i> posted on exercise pipe as specified below <i>shall be</i> ; erials plus a minimum of 20 feet into ment between the operator and the will be notified before well is either ploon, production pipe shall be cemes eastern Kansas surface casing orderays of the spud date or the well shall be the spud date or the spud date | Will Cores be taken? If Yes, proposed zone: AFFIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. ach drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; agged or production casing is cemented in; anted from below any usable water to surface within 120 DAYS of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; |
| The undersigned hereby affirms that to is agreed that the following minimum of the appropriate district of the approved notice of the appropriate district office with a part of the appropriate district office with a national notice of the appropriate district office with a national notice of the appropriate district office with a national notice of the appropriate district office with a national notice of the appropriate district office with a national notice of the approved no | the drilling, completion and eventual in requirements will be met: Iffice <i>prior</i> to spudding of well; of intent to drill <i>shall be</i> posted on experience as specified below <i>shall be</i> ; ere pipe as s | Will Cores be taken? If Yes, proposed zone: IFFIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. ach drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; augged or production casing is cemented in; anted from below any usable water to surface within 120 DAYS of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; |
| The undersigned hereby affirms that to the sagreed that the following minimum of the sagreed that the following minimum of the sagreed that the appropriate district of the sagreed that the approved notice of the sagreed of the sagr | the drilling, completion and eventual in requirements will be met: ffice <i>prior</i> to spudding of well; of intent to drill <i>shall be</i> posted on experience of intent to drill <i>shall be</i> posted on experience of specified below <i>shall be</i> erials plus a minimum of 20 feet into ment between the operator and the will be notified before well is either ploton, production pipe shall be cemes astern Kansas surface casing order anys of the spud date or the well shall be specified before well. | Will Cores be taken? If Yes, proposed zone: IFFIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. ach drilling rig; bet by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; ugged or production casing is cemented in; anted from below any usable water to surface within 120 DAYS of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed (within 60 days); |
| The undersigned hereby affirms that to a sagreed that the following minimum of the appropriate district of the approved notice of the appropriate district office with the appropriate district office with a property or pursuant to Appendix "B" - E must be completed within 30 days and the approved of the approved | the drilling, completion and eventual in requirements will be met: Iffice <i>prior</i> to spudding of well; of intent to drill <i>shall be</i> posted on exercise pipe as specified below <i>shall be</i> erials plus a minimum of 20 feet into ment between the operator and the will be notified before well is either ploton, production pipe shall be cemestastern Kansas surface casing orderays of the spud date or the well shall have a feet feet feet feet feet feet feet f | Will Cores be taken? If Yes, proposed zone: AFFIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. Ach drilling rig; Bet by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Clistrict office on plug length and placement is necessary prior to plugging; bugged or production casing is cemented in; and in the sequence of the complete of the sequence o |

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202 Side Two



| For KCC Use ONLY | |
|------------------|--|
| API # 15 | |

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

| | Operator: | Location of Well: County: |
|--|--|--|
| Sec | _ease: | feet from N / S Line of Section |
| Number of Acres attributable to well: Is Section: Regular or Irregular If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW | Vell Number: | feet from E / W Line of Section |
| If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW PLAT Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032). You may attach a separate plat if desired. 693 ft. LEGEND 715 ft. Well Location — Pipeline Location — Pipeline Location — Electric Line Location — Lease Road Location EXAMPLE 20 | Field: | SecTwp S. R |
| If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW PLAT Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032). You may attach a separate plat if desired. 693 ft. LEGEND 715 ft. Well Location — Tank Battery Location — Pipeline Location — Pipeline Location — Lease Road Location EXAMPLE 20 | | |
| Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032). You may attach a separate plat if desired. 693 ft. LEGEND 715 ft. Well Location — Pipeline Location — Pipeline Location — Lease Road Location — Lease Road Location | <u> </u> | |
| Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032). You may attach a separate plat if desired. State | | Section corner used: NE NW SE SW |
| Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032). You may attach a separate plat if desired. State | | |
| lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032). You may attach a Separate plat if desired. 693 ft. LEGEND 715 ft. Well Location — Pipeline Location —— Electric Line Location —— Lease Road Location Lease Road Location | | |
| Vou may attach a separate plat if desired. 693 ft. LEGEND 715 ft. Well Location Tank Battery Location Pipeline Location Electric Line Location Lease Road Location EXAMPLE 1980' FSL | - The state of the | · · · · · · · · · · · · · · · · · · · |
| LEGEND 715 ft. O Well Location Tank Battery Location Pipeline Location | | |
| 715 ft. O Well Location Tank Battery Location — Pipeline Location — Electric Line Location — Lease Road Location EXAMPLE 1980' FSL | : : : : : | : |
| 715 ft. O Well Location Tank Battery Location — Pipeline Location — Electric Line Location — Lease Road Location EXAMPLE 1980' FSL | | LEGEND |
| Tank Battery Location — Pipeline Location — Electric Line Location — Lease Road Location EXAMPLE 1980' FSL | | 715 ft. O Well Location |
| EXAMPLE 20 Section Lease Road Location Lease Road Location | | Tank Battery Location |
| Lease Road Location EXAMPLE 1980' FSL | | |
| 20 EXAMPLE 1980' FSL | | : |
| 20 1980' FSL | | ······································ |
| 20 1980' FSL | | FXAMPI'F : : |
| 1980' FSL | | |
| 1980' FSL | 20 | |
| 1980' FSL | | |
| 1980' FSL | | |
| | | 1980' FSL |
| | | |
| SEWARD CO 3390' FEI | | ······································ |
| | | : |

NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.



KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

069674

Form CDP-1
May 2010
Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

| Operator Name: | | | License Number: |
|---|---|---|---|
| Operator Address: | | | |
| Contact Person: | | Phone Number: | |
| Lease Name & Well No.: | | | Pit Location (QQQQ): |
| Type of Pit: Emergency Pit Burn Pit Settling Pit Drilling Pit Workover Pit (If WP Supply API No. or Year Drilled) Is the pit located in a Sensitive Ground Water A | Pit is: Proposed Existing If Existing, date constructed: Pit capacity: (bbls) | | SecTwp R East West Feet from North / South Line of Section Feet from East / West Line of Section County |
| Is the bottom below ground level? Yes No Artificial Liner? Yes No | | No | (For Emergency Pits and Settling Pits only) How is the pit lined if a plastic liner is not used? |
| Pit dimensions (all but working pits): Depth fro | Length (fee | | |
| If the pit is lined give a brief description of the li material, thickness and installation procedure. | ner | | dures for periodic maintenance and determining acluding any special monitoring. |
| Distance to nearest water well within one-mile of | of pit: | Depth to shallo Source of infor | west fresh water feet. nation: |
| feet Depth of water well | feet | measured | well owner electric log KDWR |
| Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all s flow into the pit? Yes No Submitted Electronically | | Type of materia Number of work Abandonment p Drill pits must b | over and Haul-Off Pits ONLY: all utilized in drilling/workover: king pits to be utilized: procedure: per closed within 365 days of spud date. |
| · | | | |
| | KCC | OFFICE USE O | NLY Liner Steel Pit RFAC RFAS |
| Date Received: Permit Number:Perm | | t Date: Lease Inspection: Yes No | |



Kansas Corporation Commission Oil & Gas Conservation Division

1069674

Form KSONA-1
July 2010
Form Must Be Typed
Form must be Signed
All blanks must be Filled

CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

| Select the corresponding form being filed: C-1 (Intent) CB-1 (CB-1) | Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application) | | |
|---|--|--|--|
| OPERATOR: License # | Well Location: | | |
| Name: | SecTwpS. R East | | |
| Address 1: | County: | | |
| Address 2: | Lease Name: Well #: | | |
| City: State: Zip:+ | If filing a Form T-1 for multiple wells on a lease, enter the legal description of | | |
| Contact Person: | the lease below: | | |
| Phone: () Fax: () | | | |
| Email Address: | | | |
| Surface Owner Information: | | | |
| Name: | When filing a Form T-1 involving multiple surface owners, attach an additional | | |
| Address 1: | sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the | | |
| Address 2: | county, and in the weel estate preparty toy records of the equation trace was | | |
| City: | | | |
| the KCC with a plat showing the predicted locations of lease roads, tank | dic Protection Borehole Intent), you must supply the surface owners and k batteries, pipelines, and electrical lines. The locations shown on the plat in the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted. | | |
| ☐ I certify that, pursuant to the Kansas Surface Owner Notice A owner(s) of the land upon which the subject well is or will be to CP-1 that I am filing in connection with this form; 2) if the form to form; and 3) my operator name, address, phone number, fax, at ☐ I have not provided this information to the surface owner(s). I at KCC will be required to send this information to the surface owner(s). | cknowledge that, because I have not provided this information, the vner(s). To mitigate the additional cost of the KCC performing this | | |
| task, I acknowledge that I am being charged a \$30.00 handling If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CP- | fee with this form. If the fee is not received with this form, the KSONA-1 | | |
| Submitted Electronically | | | |

| For KCC Use ONLY | - |
|------------------|---|
| API # 15 | - |

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

| Operator | | | | Location of Well: C | County: |
|----------|---|-----|--|---------------------|---|
| Lease: | | | | | feet from N / S Line of Section |
| Well Num | nber: | | A | | feet from E / W Line of Section |
| Field: | | | | Sec Tw | vp S. R |
| | of Acres attributable to R/QTR/QTR of acreag | | | Is Section: | Regular or Irregular |
| | | | | | ular, locate well from nearest corner boundary. ed: NENWSESSW |
| | | | footage to the nearest le d electrical lines, as requ | | ine. Show the predicted locations of urface Owner Notice Act (House Bill 2032). |
| | 12-4 | | | | LEGEND |
| | | | | | O Well Location Tank Battery Location Pipeline Location Electric Line Location |
| | | | | | Lease Road Location |
| | | : : | ' <u> </u> | | EXAMPLE |
| | | | 1 : : | : | |
| | | | | | |
| | | | | | 1980' FSL |
| | | | | | 1980' FSL |