

Well will not be drilled or Permit Expired Date: _

Signature of Operator or Agent:

For KCC	Use:	
Effective	Date:	
District #		
SGA?	Yes No	

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1069751

Form C-1

March 2010

Form must be Typed

Form must be Signed

All blanks must be Filled

NOTICE OF INTENT TO DRILL

Expected Spud Date:	Spot Description:	
month day	<i>year</i> Sec	Twp S. R
DPERATOR: License#	(Q/Q/Q/Q) fee	t from N / S Line of Section
lame:	foo	t from E / W Line of Section
ddress 1:	OFOTION	
ddress 2:		ation Plat on reverse side)
City: State: Zip:		*
Contact Person:		
Phone:		
CONTRACTOR: License#	Field Name:	Yes N
Name:	to time at Foratour opacour forat	
varie.	Target Formation(s):	
Well Drilled For: Well Class:	Type Equipment: Nearest Lease or unit boundary line (in for	• '
Oil Enh Rec Infield	Mud Rotary Ground Surface Elevation:	
Gas Storage Pool Ext.	Air Rotary Water well within one-quarter mile:	Yes N
Disposal Wildcat	Cable Public water supply well within one mile:	Yes N
Seismic ;# of Holes Other	Depth to bottom of fresh water:	
Other:	Depth to bottom of usable water:	
	Surface Pipe by Alternate: II	
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set:	
Operator:	Length of Conductor Pipe (if any):	
Well Name:	D : . IT. ID :	
Original Completion Date: Original	otal Depth: Formation at Total Depth:	
	Water Source for Drilling Operations:	
Directional, Deviated or Horizontal wellbore?	Yes No Well Farm Pond Other:	
If Yes, true vertical depth:	DWR Permit #:	
Bottom Hole Location:	(Note: Apply for Perr	mit with DWR 🔲)
KCC DKT #:	Will Cores be taken?	Yes N
	100	
	If Yes, proposed zone:	
	` <i>'</i>	
The undersigned hereby affirms that the drilling, co	AFFIDAVIT	
	AFFIDAVIT Inpletion and eventual plugging of this well will comply with K.S.A. 55 of	
It is agreed that the following minimum requirement	AFFIDAVIT Inpletion and eventual plugging of this well will comply with K.S.A. 55 et will be met:	
t is agreed that the following minimum requirement 1. Notify the appropriate district office <i>prior</i> to s	AFFIDAVIT Inpletion and eventual plugging of this well will comply with K.S.A. 55 et will be met: Budding of well;	
t is agreed that the following minimum requirement 1. Notify the appropriate district office <i>prior</i> to s 2. A copy of the approved notice of intent to dril	AFFIDAVIT Inpletion and eventual plugging of this well will comply with K.S.A. 55 et will be met: Budding of well; Shall be posted on each drilling rig;	et. seq.
It is agreed that the following minimum requirement 1. Notify the appropriate district office <i>prior</i> to s 2. A copy of the approved notice of intent to dril 3. The minimum amount of surface pipe as spe	AFFIDAVIT Inpletion and eventual plugging of this well will comply with K.S.A. 55 of will be met: Budding of well; Shall be posted on each drilling rig; Iffied below shall be set by circulating cement to the top; in all cases	et. seq.
t is agreed that the following minimum requirement 1. Notify the appropriate district office <i>prior</i> to s 2. A copy of the approved notice of intent to dril 3. The minimum amount of surface pipe as spe through all unconsolidated materials plus a n	AFFIDAVIT Inpletion and eventual plugging of this well will comply with K.S.A. 55 of will be met: Budding of well; Shall be posted on each drilling rig; Iffied below shall be set by circulating cement to the top; in all cases in imum of 20 feet into the underlying formation.	et. seq. surface pipe shall be set
 t is agreed that the following minimum requirement Notify the appropriate district office <i>prior</i> to s A copy of the approved notice of intent to dril The minimum amount of surface pipe as spe through all unconsolidated materials plus a n If the well is dry hole, an agreement between 	AFFIDAVIT Inpletion and eventual plugging of this well will comply with K.S.A. 55 of will be met: Budding of well; Shall be posted on each drilling rig; Iffied below shall be set by circulating cement to the top; in all cases	et. seq. surface pipe shall be set
 It is agreed that the following minimum requirement Notify the appropriate district office <i>prior</i> to s A copy of the approved notice of intent to dril The minimum amount of surface pipe as spe through all unconsolidated materials plus a n If the well is dry hole, an agreement between The appropriate district office will be notified 	AFFIDAVIT Inpletion and eventual plugging of this well will comply with K.S.A. 55 of will be met: Budding of well; Shall be posted on each drilling rig; Iffied below shall be set by circulating cement to the top; in all cases in imum of 20 feet into the underlying formation. The operator and the district office on plug length and placement is not all cases.	et. seq. surface pipe shall be set ecessary prior to plugging;
 t is agreed that the following minimum requirement Notify the appropriate district office <i>prior</i> to s A copy of the approved notice of intent to dril The minimum amount of surface pipe as spe through all unconsolidated materials plus a n If the well is dry hole, an agreement between The appropriate district office will be notified If an ALTERNATE II COMPLETION, producti 	AFFIDAVIT Inpletion and eventual plugging of this well will comply with K.S.A. 55 of will be met: Budding of well; Shall be posted on each drilling rig; Iffied below shall be set by circulating cement to the top; in all cases in imium of 20 feet into the underlying formation. The operator and the district office on plug length and placement is never fore well is either plugged or production casing is cemented in;	et. seq. surface pipe shall be set ecessary prior to plugging; hin 120 DAYS of spud date.
 It is agreed that the following minimum requirement Notify the appropriate district office <i>prior</i> to s A copy of the approved notice of intent to dril The minimum amount of surface pipe as spe through all unconsolidated materials plus a n If the well is dry hole, an agreement between The appropriate district office will be notified If an ALTERNATE II COMPLETION, production or pursuant to Appendix "B" - Eastern Kansa 	AFFIDAVIT Inpletion and eventual plugging of this well will comply with K.S.A. 55 of will be met: Budding of well; Shall be posted on each drilling rig; Iffied below shall be set by circulating cement to the top; in all cases in imium of 20 feet into the underlying formation. If the operator and the district office on plug length and placement is new perfore well is either plugged or production casing is cemented in; in pipe shall be cemented from below any usable water to surface with	et. seq. surface pipe shall be set ecessary prior to plugging; hin 120 DAYS of spud date. 3 area, alternate II cementing
 It is agreed that the following minimum requirement Notify the appropriate district office <i>prior</i> to s A copy of the approved notice of intent to dril The minimum amount of surface pipe as spe through all unconsolidated materials plus a n If the well is dry hole, an agreement between The appropriate district office will be notified If an ALTERNATE II COMPLETION, production or pursuant to Appendix "B" - Eastern Kansa 	AFFIDAVIT Inpletion and eventual plugging of this well will comply with K.S.A. 55 of will be met: Budding of well; Install be posted on each drilling rig; Iffied below shall be set by circulating cement to the top; in all cases in imium of 20 feet into the underlying formation. If the operator and the district office on plug length and placement is not before well is either plugged or production casing is cemented in; in pipe shall be cemented from below any usable water to surface with a surface casing order #133,891-C, which applies to the KCC District.	et. seq. surface pipe shall be set ecessary prior to plugging; hin 120 DAYS of spud date. 3 area, alternate II cementing
 t is agreed that the following minimum requirement Notify the appropriate district office <i>prior</i> to s A copy of the approved notice of intent to dril The minimum amount of surface pipe as spe through all unconsolidated materials plus a n If the well is dry hole, an agreement between The appropriate district office will be notified If an ALTERNATE II COMPLETION, production or pursuant to Appendix "B" - Eastern Kansa 	AFFIDAVIT Inpletion and eventual plugging of this well will comply with K.S.A. 55 of will be met: Budding of well; Install be posted on each drilling rig; Iffied below shall be set by circulating cement to the top; in all cases in imium of 20 feet into the underlying formation. If the operator and the district office on plug length and placement is not before well is either plugged or production casing is cemented in; in pipe shall be cemented from below any usable water to surface with a surface casing order #133,891-C, which applies to the KCC District.	et. seq. surface pipe shall be set ecessary prior to plugging; hin 120 DAYS of spud date. 3 area, alternate II cementing
 s agreed that the following minimum requirement Notify the appropriate district office <i>prior</i> to s A copy of the approved notice of intent to dril The minimum amount of surface pipe as spe through all unconsolidated materials plus a n If the well is dry hole, an agreement between The appropriate district office will be notified If an ALTERNATE II COMPLETION, producti Or pursuant to Appendix "B" - Eastern Kansa must be completed within 30 days of the spu 	AFFIDAVIT Inpletion and eventual plugging of this well will comply with K.S.A. 55 of will be met: Budding of well; Install be posted on each drilling rig; Iffied below shall be set by circulating cement to the top; in all cases in imium of 20 feet into the underlying formation. If the operator and the district office on plug length and placement is not before well is either plugged or production casing is cemented in; in pipe shall be cemented from below any usable water to surface with a surface casing order #133,891-C, which applies to the KCC District.	et. seq. surface pipe shall be set ecessary prior to plugging; hin 120 DAYS of spud date. 3 area, alternate II cementing
 s agreed that the following minimum requirement Notify the appropriate district office <i>prior</i> to s A copy of the approved notice of intent to dril The minimum amount of surface pipe as spe through all unconsolidated materials plus a n If the well is dry hole, an agreement between The appropriate district office will be notified If an ALTERNATE II COMPLETION, producti Or pursuant to Appendix "B" - Eastern Kansa must be completed within 30 days of the spu 	AFFIDAVIT Inpletion and eventual plugging of this well will comply with K.S.A. 55 of will be met: Budding of well; Install be posted on each drilling rig; Iffied below shall be set by circulating cement to the top; in all cases in imium of 20 feet into the underlying formation. If the operator and the district office on plug length and placement is not before well is either plugged or production casing is cemented in; in pipe shall be cemented from below any usable water to surface with a surface casing order #133,891-C, which applies to the KCC District.	et. seq. surface pipe shall be set ecessary prior to plugging; hin 120 DAYS of spud date. 3 area, alternate II cementing
 s agreed that the following minimum requirement Notify the appropriate district office <i>prior</i> to s A copy of the approved notice of intent to dril The minimum amount of surface pipe as spe through all unconsolidated materials plus a n If the well is dry hole, an agreement between The appropriate district office will be notified If an ALTERNATE II COMPLETION, producti Or pursuant to Appendix "B" - Eastern Kansa must be completed within 30 days of the spu 	AFFIDAVIT Inpletion and eventual plugging of this well will comply with K.S.A. 55 of will be met: Solution and eventual plugging of this well will comply with K.S.A. 55 of will be met: Solution of well; Shall be posted on each drilling rig; Iffied below shall be set by circulating cement to the top; in all cases of this inimum of 20 feet into the underlying formation. If the operator and the district office on plug length and placement is not before well is either plugged or production casing is cemented in; In pipe shall be cemented from below any usable water to surface with a surface casing order #133,891-C, which applies to the KCC District of the date or the well shall be plugged. In all cases, NOTIFY district office.	surface pipe shall be set ecessary prior to plugging; hin 120 DAYS of spud date. 3 area, alternate II cementing ice prior to any cementing.
1. Notify the appropriate district office <i>prior</i> to s 2. A copy of the approved notice of intent to dril 3. The minimum amount of surface pipe as spe through all unconsolidated materials plus a n 4. If the well is dry hole, an agreement between 5. The appropriate district office will be notified 6. If an ALTERNATE II COMPLETION, producti Or pursuant to Appendix "B" - Eastern Kansa must be completed within 30 days of the spu	AFFIDAVIT Inpletion and eventual plugging of this well will comply with K.S.A. 55 of will be met: Soudding of well; Shall be posted on each drilling rig; iffied below shall be set by circulating cement to the top; in all cases in imum of 20 feet into the underlying formation. The operator and the district office on plug length and placement is not before well is either plugged or production casing is cemented in; in pipe shall be cemented from below any usable water to surface with a surface casing order #133,891-C, which applies to the KCC District of date or the well shall be plugged. In all cases, NOTIFY district office. Remember to: - File Certification of Compliance with the Kall.	surface pipe shall be set ecessary prior to plugging; hin 120 DAYS of spud date. 3 area, alternate II cementing ice prior to any cementing.
1. Notify the appropriate district office <i>prior</i> to s 2. A copy of the approved notice of intent to dril 3. The minimum amount of surface pipe as spe through all unconsolidated materials plus a n 4. If the well is dry hole, an agreement between 5. The appropriate district office will be notified 6. If an ALTERNATE II COMPLETION, producti Or pursuant to Appendix "B" - Eastern Kansa must be completed within 30 days of the spu	AFFIDAVIT Inpletion and eventual plugging of this well will comply with K.S.A. 55 of will be met: Solution and eventual plugging of this well will comply with K.S.A. 55 of will be met: Solution and eventual plugging of this well will comply with K.S.A. 55 of will be met: Solution and eventual plugging of this well will comply with K.S.A. 55 of will be met: Solution and eventual plugging of this well will comply with K.S.A. 55 of will be plugged of will comply with K.S.A. 55 of will be plugged of will comply with K.S.A. 55 of will be plugged in the top; in all cases with the case of will be plugged or production casing is cemented in; on pipe shall be cemented from below any usable water to surface with a surface casing order #133,891-C, which applies to the KCC District of date or the well shall be plugged. In all cases, NOTIFY district office of the certification of Compliance with the Kanack (KSONA-1) with Intent to Drill; Solution and eventual plugging of this well will comply with K.S.A. 55 of will be met. Remember to: - File Certification of Compliance with the Kanack (KSONA-1) with Intent to Drill;	surface pipe shall be set ecessary prior to plugging; thin 120 DAYS of spud date. 3 area, alternate II cementing ice prior to any cementing.
1. Notify the appropriate district office <i>prior</i> to s 2. A copy of the approved notice of intent to dril 3. The minimum amount of surface pipe as spe through all unconsolidated materials plus a n 4. If the well is dry hole, an agreement between 5. The appropriate district office will be notified 6. If an ALTERNATE II COMPLETION, producti Or pursuant to Appendix "B" - Eastern Kansa must be completed within 30 days of the spu	AFFIDAVIT Inpletion and eventual plugging of this well will comply with K.S.A. 55 of a will be met: Soudding of well; Is hall be posted on each drilling rig; Iffied below shall be set by circulating cement to the top; in all cases in inimum of 20 feet into the underlying formation. If the operator and the district office on plug length and placement is not before well is either plugged or production casing is cemented in; in pipe shall be cemented from below any usable water to surface with a surface casing order #133,891-C, which applies to the KCC District date or the well shall be plugged. In all cases, NOTIFY district office of the certification of Compliance with the Kanada (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with intent to Drill; File Completion Form ACO-1 within 120 dates.	surface pipe shall be set ecessary prior to plugging; hin 120 DAYS of spud date. 3 area, alternate II cementing ice prior to any cementing.
1. Notify the appropriate district office <i>prior</i> to s 2. A copy of the approved notice of intent to dril 3. The minimum amount of surface pipe as spe through all unconsolidated materials plus a n 4. If the well is dry hole, an agreement between 5. The appropriate district office will be notified 6. If an ALTERNATE II COMPLETION, producti Or pursuant to Appendix "B" - Eastern Kansa must be completed within 30 days of the spu	AFFIDAVIT Inpletion and eventual plugging of this well will comply with K.S.A. 55 of a will be met: Soudding of well; Is hall be posted on each drilling rig; Iffied below shall be set by circulating cement to the top; in all cases in inimum of 20 feet into the underlying formation. If the operator and the district office on plug length and placement is not before well is either plugged or production casing is cemented in; in pipe shall be cemented from below any usable water to surface with a surface casing order #133,891-C, which applies to the KCC District date or the well shall be plugged. In all cases, NOTIFY district office of the certification of Compliance with the Kanada (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with intent to Drill; File Completion Form ACO-1 within 120 dates.	surface pipe shall be set ecessary prior to plugging; hin 120 DAYS of spud date. 3 area, alternate II cementing ice prior to any cementing.
t is agreed that the following minimum requirement 1. Notify the appropriate district office <i>prior</i> to s 2. A copy of the approved notice of intent to dril 3. The minimum amount of surface pipe as spe through all unconsolidated materials plus a n 4. If the well is dry hole, an agreement between 5. The appropriate district office will be notified 6. If an ALTERNATE II COMPLETION, producti Or pursuant to Appendix "B" - Eastern Kansamust be completed within 30 days of the spu ubmitted Electronically For KCC Use ONLY API # 15	AFFIDAVIT Inpletion and eventual plugging of this well will comply with K.S.A. 55 of a will be met: Sudding of well; Shall be posted on each drilling rig; Iffied below shall be set by circulating cement to the top; in all cases in immum of 20 feet into the underlying formation. Ithe operator and the district office on plug length and placement is not before well is either plugged or production casing is cemented in; in pipe shall be cemented from below any usable water to surface with a surface casing order #133,891-C, which applies to the KCC District date or the well shall be plugged. In all cases, NOTIFY district office of the center of the cen	surface pipe shall be set ecessary prior to plugging; hin 120 DAYS of spud date. 3 area, alternate II cementing ice prior to any cementing. ensas Surface Owner Notification lintent to Drill; eys of spud date; eld proration orders;
It is agreed that the following minimum requirement 1. Notify the appropriate district office prior to s 2. A copy of the approved notice of intent to dril 3. The minimum amount of surface pipe as spe through all unconsolidated materials plus a n 4. If the well is dry hole, an agreement between 5. The appropriate district office will be notified 6. If an ALTERNATE II COMPLETION, producti Or pursuant to Appendix "B" - Eastern Kansamust be completed within 30 days of the spu ubmitted Electronically For KCC Use ONLY API # 15 - Conductor pipe required Minimum surface pipe required Approved by:	AFFIDAVIT Inpletion and eventual plugging of this well will comply with K.S.A. 55 of a will be met: Sudding of well; Shall be posted on each drilling rig; Iffied below shall be set by circulating cement to the top; in all cases in immum of 20 feet into the underlying formation. Ithe operator and the district office on plug length and placement is not before well is either plugged or production casing is cemented in; in pipe shall be cemented from below any usable water to surface with a surface casing order #133,891-C, which applies to the KCC District date or the well shall be plugged. In all cases, NOTIFY district office date or the well shall be plugged. In all cases, NOTIFY district office date or the well shall be plugged. In all cases, NOTIFY district office date or the well shall be plugged. In all cases, NOTIFY district office date or the well shall be plugged. In all cases, NOTIFY district office date or the well shall be plugged. In all cases, NOTIFY district office date or the well shall be plugged. In all cases, NOTIFY district office date or the well shall be plugged. In all cases, NOTIFY district office date or the well shall be plugged. In all cases, NOTIFY district office date or the well shall be plugged. In all cases, NOTIFY district office date or the well shall be plugged date or the well shall be plugged. In all cases, NOTIFY district office date or the well shall be plugged date or the top; in all cases and th	surface pipe shall be set ecessary prior to plugging; hin 120 DAYS of spud date. 3 area, alternate II cementing ice prior to any cementing. ensas Surface Owner Notification intent to Drill; eys of spud date; eld proration orders; rior to workover or re-entry; eng is completed (within 60 days);
It is agreed that the following minimum requirement 1. Notify the appropriate district office <i>prior</i> to s 2. A copy of the approved notice of intent to dril 3. The minimum amount of surface pipe as spe through all unconsolidated materials plus a n 4. If the well is dry hole, an agreement between 5. The appropriate district office will be notified 6. If an ALTERNATE II COMPLETION, producti Or pursuant to Appendix "B" - Eastern Kansa must be completed within 30 days of the spu ubmitted Electronically For KCC Use ONLY API # 15 - Conductor pipe required Minimum surface pipe required	AFFIDAVIT Inpletion and eventual plugging of this well will comply with K.S.A. 55 of six will be met: Soudding of well; Inshall be posted on each drilling rig; Iffied below shall be set by circulating cement to the top; in all cases in immum of 20 feet into the underlying formation. Ithe operator and the district office on plug length and placement is not before well is either plugged or production casing is cemented in; in pipe shall be cemented from below any usable water to surface with a surface casing order #133,891-C, which applies to the KCC District date or the well shall be plugged. In all cases, NOTIFY district official date or the well shall be plugged. In all cases, NOTIFY district official feet in the feet in the feet in the feet in the feet plugging report (CP-4) after plugging of this will be plugging report (CP-4) after plugging of the interior of the feet in the feet plugging of the feet in the feet plugging report (CP-4) after plugging of the plugging report (CP-4) after plugging of the feet plugging report (CP-4) after plugging report (CP-4) after plugging report (CP-4) after plugging report (CP-4) after plugging plugging report (CP-4) after plugging report (surface pipe shall be set ecessary prior to plugging; hin 120 DAYS of spud date. 3 area, alternate II cementing ice prior to any cementing. Intent to Drill; eys of spud date; eld proration orders; rior to workover or re-entry; eg is completed (within 60 days); e injecting salt water.

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

Spud date: _

__ feet from

SEWARD CO. 3390' FEL

S Line of Section

Location of Well: County: __

For KCC Use ONLY	
API # 15	_

Operator: _

Lease: _

2310 ft.

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Well Number:	
Field:	Sec Twp S. R L E L W
Number of Acres attributable to well:	is section. Negulai of Integulai
	If Section is Irregular, locate well from nearest corner boundary.
	Section corner used: NE NW SE SW
	PLAT
	st lease or unit boundary line. Show the predicted locations of
	required by the Kansas Surface Owner Notice Act (House Bill 2032).
You may attach a	a separate plat if desired.
; ; ; ;	; ;
	LEGEND
	·
	O Well Location
	Tank Battery Location Pipeline Location
	: : : Electric Line Location
	Lease Road Location
	·
	EXAMPLE
31	
	: : : : : : : : : : : : : : : : : : :

200 ft. In plotting the proposed location of the well, *you must show*:

NOTE: In all cases locate the spot of the proposed drilling locaton.

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION 069751

Form CDP-1
May 2010
Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name:			License Number:
Operator Address:			
Contact Person:			Phone Number:
Lease Name & Well No.:			Pit Location (QQQQ):
Type of Pit: Emergency Pit Burn Pit Settling Pit Drilling Pit Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled) Is the pit located in a Sensitive Ground Water A	Pit is: Proposed If Existing, date con Pit capacity: Trea? Yes	Existing nstructed: (bbls)	SecTwp R East West Feet from North / South Line of Section Feet from East / West Line of Section County mg/l
Is the bottom below ground level?	Artificial Liner?	No	(For Emergency Pits and Settling Pits only) How is the pit lined if a plastic liner is not used?
Pit dimensions (all but working pits): Depth fro	Length (fee		
If the pit is lined give a brief description of the li material, thickness and installation procedure.	ner		dures for periodic maintenance and determining acluding any special monitoring.
		Depth to shallo Source of infor	west fresh water feet. nation:
feet Depth of water well	feet	measured	well owner electric log KDWR
Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Submitted Electronically		Type of materia Number of work Abandonment p Drill pits must b	over and Haul-Off Pits ONLY: all utilized in drilling/workover: king pits to be utilized: procedure: per closed within 365 days of spud date.
·			
KCC OFFICE USE ONLY Liner Steel Pit RFAC RFAS			
Date Received: Permit Num	ber:	Permi	t Date: Lease Inspection: Yes No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form KSONA-1 July 2010 Form Must Be Typed Form must be Signed

All blanks must be Filled

CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application). Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (C	Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)
OPERATOR: License #	Well Location:
Name:	SecTwpS. R
Address 1:	County:
Address 2:	Lease Name: Well #:
City: State: Zip:+	If filing a Form T-1 for multiple wells on a lease, enter the legal description of
Contact Person:	the lease below:
Phone: () Fax: ()	
Email Address:	
Surface Owner Information:	
Name:	When filing a Form T-1 involving multiple surface owners, attach an additional
Address 1:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the
Address 2:	county, and in the real estate property tax records of the county treasurer.
City: State: Zip:+	
the KCC with a plat showing the predicted locations of lease roads, tank	dic Protection Borehole Intent), you must supply the surface owners and a batteries, pipelines, and electrical lines. The locations shown on the plat in the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.
owner(s) of the land upon which the subject well is or will be lo	act (House Bill 2032), I have provided the following to the surface ocated: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form being filed is a Form C-1 or Form CB-1, the plat(s) required by this and email address.
	cknowledge that, because I have not provided this information, the vner(s). To mitigate the additional cost of the KCC performing this fee, payable to the KCC, which is enclosed with this form.
If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-	fee with this form. If the fee is not received with this form, the KSONA-1 will be returned.
Submitted Electronically	

Conservation Division Finney State Office Building 130 S. Market, Rm. 2078 Wichita, KS 67202-3802



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Mark Sievers, Chairman Ward Loyd, Commissioner Thomas E. Wright, Commissioner

December 07, 2011

Gil Messersmith SandRidge Exploration and Production LLC 123 ROBERT S. KERR AVE OKLAHOMA CITY, OK 73102-6406

Re: Drilling Pit Application API 15-007-23802-01-00 Roark 1-31H SW/4 Sec.31-34S-10W Barber County, Kansas

Dear Gil Messersmith:

District staff has inspected the location and has determined that an unsealed condition will present a pollution threat to water resources.

District staff has recommended that the reserve pit be lined. If a plastic liner is to be used it must have a minimum thickness of 20 mil. Integrity of the liner must be maintained at all times.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The free fluids in the reserve pit should be removed within 96 hours after drilling operations have ceased. The fluids should be taken to an authorized disposal well. Please call the District Office at (620) 225-8888 when the fluids have been removed. Please file form CDP-5 (August 2008), Exploration and Production Waste Transfer, through KOLAR within 30 days of fluid removal.

A copy of this letter should be posted in the doghouse along with the approved Intent to **Drill.** If you have any questions or concerns please feel free to contact the District Office at (620) 225-8888.

Summary of Changes

Lease Name and Number: Roark 1-31H

API/Permit #: 15-007-23802-01-00

Doc ID: 1069751

Correction Number: 1

Approved By: Rick Hestermann 12/07/2011

Field Name	Previous Value	New Value
Abandonment Procedure		remove free fluids, let dry; backfill
Artificial Liner?		No
Depth Of Water Well		25
Depth to Shallowest Fresh Water		5
Feet to Nearest Water Well Within One-Mile of		3200
Pit Fresh Water Information Source: KDWR	No	Yes
How Pit is Lined if Plastic Liner Not Used		Bentonite
Is Bottom Below Ground Level?		Yes
Is Pit Proposed or Existing		Proposed
KCC Only - Approved By	Rick Hestermann 11/01/2011	Rick Hestermann 12/07/2011

Summary of changes for correction 1 continued

Field Name	Previous Value	New Value
KCC Only - Approved Date	11/01/2011	12/07/2011
KCC Only - CDP1 Steel Pit	Yes	No
KCC Only - Date Received	10/31/2011	12/06/2011
KCC Only - Lease Inspection	No	Yes
Liner		Yes
Number of Working Pits to be Used		1
Pit Capacity BBLS		5343
Pit Deepest Depth		6
Pit Length		100
Pit Type		Drilling
Pit Width		50
Save Link	//kcc/detail/operatorE ditDetail.cfm?docID=10	//kcc/detail/operatorE ditDetail.cfm?docID=10
Steel Pit	61885 Yes	69751 No

Summary of changes for correction 1 continued

Field Name	Previous Value	New Value
Type of Material Used in Drilling / Workover		mud, cuttings

Summary of Attachments

Lease Name and Number: Roark 1-31H

API: 15-007-23802-01-00

Doc ID: 1069751

Correction Number: 1

Approved By: Rick Hestermann 12/07/2011

Attachment Name

10MIL