

Well will not be drilled or Permit Expired Date: _

Signature of Operator or Agent:

For KCC	Use:	
Effective	Date:	
District #		
SGA?	Yes No	

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 March 2010 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

	month	day	year	Spot Description:	
		,	,	Sec Twp	
PERATOR: License#				feet from	
ame:				feet from	n E / W Line of Sectio
ddress 1:				Is SECTION: Regular Irregular?	
ddress 2:				(Note: Locate well on the Section	Plat on reverse side)
ty:				County:	•
ntact Person:				Lease Name:	
none:				Field Name:	
ONTRACTOR: License#	ŧ			Is this a Prorated / Spaced Field?	Yes No
ame:				Target Formation(s):	
		_		Nearest Lease or unit boundary line (in footage	
Well Drilled For:	Well Class:	lype	Equipment:	Ground Surface Elevation:	
Oil Enh		=	Mud Rotary	Water well within one-quarter mile:	Yes N
Gas Stora			Air Rotary	Public water supply well within one mile:	Yes N
Dispo	\vdash		Cable	Depth to bottom of fresh water:	
Seismic ;#				Depth to bottom of iresh water: Depth to bottom of usable water:	
Other:					
If OWWO: old wel	I information as follow	vs:		Surface Pipe by Alternate: I III	
				Length of Surface Pipe Planned to be set:	
Operator:				Length of Conductor Pipe (if any):	
Well Name:				Projected Total Depth:	
Original Completion D	ate: C	riginal Total	Depth:		
irestianal Devistad er II.	2 معم طالامین امام معند م		□ Vaa □ Na	Water Source for Drilling Operations:	
Directional, Deviated or Ho Yes, true vertical depth: _			Yes No	Well Farm Pond Other:	
Rottom Hole Location:				DWR Permit #:	
(CC DKT #:				(Note: Apply for Permit wi	
				Will Cores be taken? If Yes, proposed zone:	Yes N
			ΔF	FIDAVIT	
he undersigned hereby	affirms that the dril	ling, comple			eq.
-		-	etion and eventual pl	ugging of this well will comply with K.S.A. 55 et. se	q.
t is agreed that the follow	wing minimum requi	rements wil	etion and eventual pl		q.
is agreed that the follow 1. Notify the appropri	wing minimum requi	rements wil	etion and eventual pl I be met: ding of well;	ugging of this well will comply with K.S.A. 55 et. se	q.
t is agreed that the follow 1. Notify the appropri 2. A copy of the appr	wing minimum requitate district office pi ctory	rements wil rior to spude t to drill sha	etion and eventual pl I be met: ding of well; all be posted on eac	ugging of this well will comply with K.S.A. 55 et. se	
t is agreed that the follow 1. Notify the appropri 2. A copy of the appr 3. The minimum amo	wing minimum requirate district office provoved notice of intendent of surface pipe	rements will rior to spude to drill sha as specified	etion and eventual pl I be met: ding of well; all be posted on each d below shall be see	ugging of this well will comply with K.S.A. 55 et. se	
t is agreed that the follow 1. Notify the appropri 2. A copy of the appr 3. The minimum amouthrough all uncons	wing minimum requi iate district office pi roved notice of inten- bunt of surface pipe solidated materials p	rements wil rior to spude t to drill sha as specified olus a minim	etion and eventual pl I be met: ding of well; all be posted on each d below shall be set num of 20 feet into th	ugging of this well will comply with K.S.A. 55 et. se th drilling rig; thy circulating cement to the top; in all cases surfa	ce pipe shall be set
 t is agreed that the follow Notify the appropri A copy of the appr The minimum amounthrough all uncons If the well is dry ho The appropriate di 	wing minimum requi iate district office pi roved notice of inten- bunt of surface pipe solidated materials pile, an agreement bi istrict office will be r	rements will rior to spuddent to drill sha as specified olus a minim etween the notified befo	etion and eventual pl I be met: ding of well; all be posted on each d below shall be set num of 20 feet into the operator and the dis re well is either plug	ugging of this well will comply with K.S.A. 55 et. se the drilling rig; the by circulating cement to the top; in all cases surfact office on plug length and placement is necessiged or production casing is cemented in;	ce pipe shall be set sary prior to plugging ;
 t is agreed that the follow Notify the appropri A copy of the appr The minimum amounthrough all uncons If the well is dry ho The appropriate di If an ALTERNATE 	wing minimum requi iate district office pi roved notice of inten- bunt of surface pipe solidated materials pile, an agreement bi istrict office will be r II COMPLETION, p	rements will rior to spude to drill she as specified oldus a minimetween the notified beforeduction p	etion and eventual pl I be met: ding of well; all be posted on each d below shall be set num of 20 feet into the operator and the dis re well is either plug ipe shall be cemente	ugging of this well will comply with K.S.A. 55 et. set h drilling rig; they circulating cement to the top; in all cases surface underlying formation. Strict office on plug length and placement is necessiged or production casing is cemented in; and from below any usable water to surface within 1	ce pipe shall be set sary prior to plugging; 20 DAYS of spud date.
Notify the appropriate is agreed that the follow Notify the appropriate is a copy of the appropriate in through all unconsections. If the well is dry how the appropriate different in the appropriate different in the appropriate	wing minimum requi iate district office pi oved notice of inten- ount of surface pipe solidated materials pile, an agreement bi istrict office will be r II COMPLETION, pipendix "B" - Eastern	rements will rior to spude to drill she as specified blus a minim etween the notified befor roduction p	etion and eventual pl I be met: ding of well; all be posted on each d below shall be set num of 20 feet into the operator and the dis re well is either plug ipe shall be cementer face casing order #	ugging of this well will comply with K.S.A. 55 et. set h drilling rig; they circulating cement to the top; in all cases surface underlying formation. Strict office on plug length and placement is necessiged or production casing is cemented in; and from below any usable water to surface within 1133,891-C, which applies to the KCC District 3 are	ce pipe shall be set sary prior to plugging; 20 DAYS of spud date. ea, alternate II cementing
 t is agreed that the follow Notify the appropri A copy of the appr The minimum amounthrough all uncons If the well is dry ho The appropriate di If an ALTERNATE Or pursuant to App 	wing minimum requi iate district office pi oved notice of inten- ount of surface pipe solidated materials pile, an agreement bi istrict office will be r II COMPLETION, pipendix "B" - Eastern	rements will rior to spude to drill she as specified blus a minim etween the notified befor roduction p	etion and eventual pl I be met: ding of well; all be posted on each d below shall be set num of 20 feet into the operator and the dis re well is either plug ipe shall be cementer face casing order #	ugging of this well will comply with K.S.A. 55 et. set h drilling rig; they circulating cement to the top; in all cases surface underlying formation. Strict office on plug length and placement is necessiged or production casing is cemented in; and from below any usable water to surface within 1	ce pipe shall be set sary prior to plugging; 20 DAYS of spud date. ea, alternate II cementing
 t is agreed that the follow Notify the appropri A copy of the appr The minimum amounthrough all uncons If the well is dry ho The appropriate di If an ALTERNATE Or pursuant to App 	wing minimum requi iate district office pi oved notice of inten- ount of surface pipe solidated materials pile, an agreement bi istrict office will be r II COMPLETION, pipendix "B" - Eastern	rements will rior to spude to drill she as specified blus a minim etween the notified befor roduction p	etion and eventual pl I be met: ding of well; all be posted on each d below shall be set num of 20 feet into the operator and the dis re well is either plug ipe shall be cementer face casing order #	ugging of this well will comply with K.S.A. 55 et. set h drilling rig; they circulating cement to the top; in all cases surface underlying formation. Strict office on plug length and placement is necessiged or production casing is cemented in; and from below any usable water to surface within 1133,891-C, which applies to the KCC District 3 are	ce pipe shall be set sary prior to plugging; 20 DAYS of spud date. ea, alternate II cementing
 is agreed that the follows Notify the approprise A copy of the apprecent of the appropriate of the appropriate of the appropriate of the appropriate of the apprecent of th	wing minimum requirate district office <i>pi</i> oved notice of intendent of surface pipe solidated materials pole, an agreement bistrict office will be rependix "B" - Eastern d within 30 days of the sitted of the surface	rements will rior to spude to drill she as specified blus a minim etween the notified befor roduction p	etion and eventual pl I be met: ding of well; all be posted on each d below shall be set num of 20 feet into the operator and the dis re well is either plug ipe shall be cementer face casing order #	ugging of this well will comply with K.S.A. 55 et. set h drilling rig; they circulating cement to the top; in all cases surface underlying formation. Strict office on plug length and placement is necessiged or production casing is cemented in; and from below any usable water to surface within 1133,891-C, which applies to the KCC District 3 are	ce pipe shall be set sary prior to plugging; 20 DAYS of spud date. ea, alternate II cementing
 is agreed that the follows Notify the approprise A copy of the apprecent of the appropriate of the appropriate of the appropriate of the appropriate of the apprecent of th	wing minimum requirate district office <i>pi</i> oved notice of intendent of surface pipe solidated materials pole, an agreement bistrict office will be rependix "B" - Eastern d within 30 days of the sitted of the surface	rements will rior to spude to drill she as specified blus a minim etween the notified befor roduction p	etion and eventual pl I be met: ding of well; all be posted on each d below shall be set num of 20 feet into the operator and the dis re well is either plug ipe shall be cementer face casing order #	ugging of this well will comply with K.S.A. 55 et. set h drilling rig; they circulating cement to the top; in all cases surface underlying formation. Strict office on plug length and placement is necessiged or production casing is cemented in; and from below any usable water to surface within 1133,891-C, which applies to the KCC District 3 are	ce pipe shall be set sary prior to plugging; 20 DAYS of spud date. ea, alternate II cementing
is agreed that the follow 1. Notify the appropri 2. A copy of the appr 3. The minimum amount through all uncons 4. If the well is dry ho 5. The appropriate di 6. If an ALTERNATE Or pursuant to Appropriate descriptions of the completed ubmitted Electro	wing minimum requirate district office <i>pi</i> oved notice of intendent of surface pipe solidated materials pole, an agreement bistrict office will be rependix "B" - Eastern d within 30 days of the sitted of the surface	rements will rior to spude to drill she as specified blus a minim etween the notified befor roduction p	etion and eventual pl I be met: ding of well; all be posted on each d below shall be set num of 20 feet into the operator and the dis re well is either plug ipe shall be cementer face casing order #	ugging of this well will comply with K.S.A. 55 et. set h drilling rig; they circulating cement to the top; in all cases surface underlying formation. Strict office on plug length and placement is necessiged or production casing is cemented in; and from below any usable water to surface within 1133,891-C, which applies to the KCC District 3 are	ce pipe shall be set sary prior to plugging; 20 DAYS of spud date. ea, alternate II cementing
 is agreed that the follows Notify the approprise A copy of the apprecent of the appropriate of the appropriate of the appropriate of the appropriate of the apprecent of th	wing minimum requirate district office <i>pi</i> oved notice of intendent of surface pipe solidated materials pole, an agreement bistrict office will be rependix "B" - Eastern d within 30 days of the sitted of the surface	rements will rior to spude to drill she as specified blus a minim etween the notified befor roduction p	etion and eventual pl I be met: ding of well; all be posted on each d below shall be set num of 20 feet into the operator and the dis re well is either plug ipe shall be cementer face casing order #	th drilling rig; If by circulating cement to the top; in all cases surface underlying formation. In this strict office on plug length and placement is necessed or production casing is cemented in; and from below any usable water to surface within 133,891-C, which applies to the KCC District 3 are a plugged. In all cases, NOTIFY district office p	ce pipe shall be set sary prior to plugging; 20 DAYS of spud date. ea, alternate II cementing rior to any cementing.
1. Notify the appropri 2. A copy of the appr 3. The minimum amode through all uncons 4. If the well is dry hours 5. The appropriate di 6. If an ALTERNATE Or pursuant to Appropriate de completed ubmitted Electro	wing minimum requirate district office <i>pi</i> oved notice of intendent of surface pipe solidated materials pole, an agreement bistrict office will be rependix "B" - Eastern d within 30 days of the sitted of the surface	rements will rior to spudd t to drill sha as specified as specified clus a minim etween the notified before roduction p t Kansas su the spud dat	etion and eventual pl I be met: ding of well; all be posted on each d below shall be set num of 20 feet into the operator and the dis re well is either plug ipe shall be cementer face casing order #	th drilling rig; If by circulating cement to the top; in all cases surface underlying formation. In strict office on plug length and placement is necessed or production casing is cemented in; and from below any usable water to surface within 133,891-C, which applies to the KCC District 3 are a plugged. In all cases, NOTIFY district office p	ce pipe shall be set sary prior to plugging; 20 DAYS of spud date. ea, alternate II cementing rior to any cementing.
1. Notify the appropri 2. A copy of the appr 3. The minimum amode through all uncons 4. If the well is dry ho 5. The appropriate di 6. If an ALTERNATE Or pursuant to Appropriate be completed. Ubmitted Electro For KCC Use ONLY API # 15 -	wing minimum requitate district office <i>pi</i> oved notice of intendent of surface pipe solidated materials pole, an agreement bistrict office will be reported within 30 days of the mically	rements will rior to spude to drill sha as specified as specified olus a minim etween the notified befound duction pure Kansas suche spud data	etion and eventual pl I be met: ding of well; all be posted on each d below shall be sen num of 20 feet into the operator and the dis re well is either plug ipe shall be cementer face casing order # te or the well shall be	th drilling rig; If by circulating cement to the top; in all cases surfate underlying formation. In strict office on plug length and placement is necessed or production casing is cemented in; and from below any usable water to surface within 133,891-C, which applies to the KCC District 3 are a plugged. In all cases, NOTIFY district office posterior. Remember to: File Certification of Compliance with the Kansas Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent	ce pipe shall be set sary prior to plugging; 20 DAYS of spud date. ea, alternate II cementing rior to any cementing. Surface Owner Notification to Drill;
is agreed that the follow 1. Notify the appropri 2. A copy of the appr 3. The minimum amount through all uncons 4. If the well is dry ho 5. The appropriate di 6. If an ALTERNATE Or pursuant to Appropriate to a pu	wing minimum requitate district office <i>pi</i> oved notice of interpount of surface pipe solidated materials pole, an agreement bistrict office will be rill COMPLETION, pipendix "B" - Easterrid within 30 days of the inically	rements will rior to spudd t to drill sha as specified blus a minim etween the notified befo roduction p i Kansas su he spud dar	etion and eventual pl I be met: ding of well; all be posted on each d below shall be set num of 20 feet into the operator and the dis re well is either plug ipe shall be cemente rface casing order # te or the well shall be	th drilling rig; If by circulating cement to the top; in all cases surfate underlying formation. In strict office on plug length and placement is necessed or production casing is cemented in; and from below any usable water to surface within 133,891-C, which applies to the KCC District 3 are a plugged. In all cases, NOTIFY district office posterior. Remember to: File Certification of Compliance with the Kansas Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent or File Completion Form ACO-1 within 120 days of	ce pipe shall be set sary prior to plugging; 20 DAYS of spud date. ea, alternate II cementing rior to any cementing. Surface Owner Notification at to Drill; spud date;
1. Notify the appropri 2. A copy of the appr 3. The minimum amounthrough all uncons 4. If the well is dry ho 5. The appropriate di 6. If an ALTERNATE Or pursuant to Appropriate to a completed Ubmitted Electro For KCC Use ONLY API # 15 - Conductor pipe required Minimum surface pipe re-	wing minimum requitate district office proved notice of intendent of surface pipe solidated materials pole, an agreement bistrict office will be reported within 30 days of the nically	rements will rior to spudd t to drill sha as specified as specified clus a minim etween the notified befo roduction p t Kansas su the spud dat	etion and eventual pl I be met: ding of well; all be posted on each d below shall be set num of 20 feet into th operator and the dis re well is either plug ipe shall be cement rface casing order # te or the well shall b	th drilling rig; If by circulating cement to the top; in all cases surfate underlying formation. In strict office on plug length and placement is necessed or production casing is cemented in; and from below any usable water to surface within 133,891-C, which applies to the KCC District 3 are a plugged. In all cases, NOTIFY district office posterior. Remember to: File Certification of Compliance with the Kansas Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent File Completion Form ACO-1 within 120 days of File acreage attribution plat according to field pr	ce pipe shall be set sary prior to plugging; 20 DAYS of spud date. ea, alternate II cementing rior to any cementing. Surface Owner Notification at to Drill; spud date; oration orders;
1. Notify the appropri 2. A copy of the appr 3. The minimum and through all uncons 4. If the well is dry ho 5. The appropriate di 6. If an ALTERNATE Or pursuant to Appr must be completed Jubmitted Electro For KCC Use ONLY API # 15 - Conductor pipe required	wing minimum requitate district office proved notice of intendent of surface pipe solidated materials pole, an agreement bistrict office will be reported within 30 days of the nically	rements will rior to spudd t to drill sha as specified as specified clus a minim etween the notified befo roduction p t Kansas su the spud dat	etion and eventual pl I be met: ding of well; all be posted on each d below shall be set num of 20 feet into th operator and the dis re well is either plug ipe shall be cement rface casing order # te or the well shall b	th drilling rig; If by circulating cement to the top; in all cases surfate underlying formation. In strict office on plug length and placement is necessed or production casing is cemented in; and from below any usable water to surface within 133,891-C, which applies to the KCC District 3 are a plugged. In all cases, NOTIFY district office posterior of Compliance with the Kansas Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent File Completion Form ACO-1 within 120 days of File acreage attribution plat according to field presented.	ce pipe shall be set sary prior to plugging; 20 DAYS of spud date. ea, alternate II cementing rior to any cementing. Surface Owner Notification at to Drill; spud date; oration orders; oworkover or re-entry;
1. Notify the appropri 2. A copy of the appr 3. The minimum amode through all uncons 4. If the well is dry ho 5. The appropriate di 6. If an ALTERNATE Or pursuant to Approved by: Conductor pipe required Minimum surface pipe re Approved by: This authorization expire	wing minimum requitate district office proved notice of intendent of surface pipe solidated materials pole, an agreement bistrict office will be rependix "B" - Easterned within 30 days of the inically	rements will rior to spude t to drill sha as specified as specified before the notified before roduction p t Kansas su he spud dat	etion and eventual pl I be met: ding of well; all be posted on each d below shall be senum of 20 feet into th operator and the dis re well is either plug ipe shall be cemente rface casing order # te or the well shall b	th drilling rig; If by circulating cement to the top; in all cases surfate underlying formation. Strict office on plug length and placement is necessed or production casing is cemented in; and from below any usable water to surface within 133,891-C, which applies to the KCC District 3 are a plugged. In all cases, NOTIFY district office posterior of Compliance with the Kansas Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent File Completion Form ACO-1 within 120 days of File acreage attribution plat according to field provided in Notify appropriate district office 48 hours prior to Submit plugging report (CP-4) after plugging is a	ce pipe shall be set sary prior to plugging; 20 DAYS of spud date. ea, alternate II cementing rior to any cementing. Surface Owner Notification at to Drill; spud date; oration orders; oworkover or re-entry; completed (within 60 days);
1. Notify the appropri 2. A copy of the appr 3. The minimum amode through all uncons 4. If the well is dry hof 5. The appropriate di 6. If an ALTERNATE Or pursuant to Approved by the completed Districted Electro For KCC Use ONLY API # 15 - Conductor pipe required Minimum surface pipe re- Approved by:	wing minimum requitate district office proved notice of intendent of surface pipe solidated materials pole, an agreement bistrict office will be rependix "B" - Easterned within 30 days of the inically	rements will rior to spude t to drill sha as specified as specified before the notified before roduction p t Kansas su he spud dat	etion and eventual pl I be met: ding of well; all be posted on each d below shall be senum of 20 feet into th operator and the dis re well is either plug ipe shall be cemente rface casing order # te or the well shall b	th drilling rig; If by circulating cement to the top; in all cases surfate underlying formation. In strict office on plug length and placement is necessed or production casing is cemented in; and from below any usable water to surface within 133,891-C, which applies to the KCC District 3 are a plugged. In all cases, NOTIFY district office posterior of Compliance with the Kansas Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent File Completion Form ACO-1 within 120 days of File acreage attribution plat according to field presented.	ce pipe shall be set sary prior to plugging; 20 DAYS of spud date. ea, alternate II cementing rior to any cementing. Surface Owner Notification at to Drill; spud date; oration orders; o workover or re-entry; completed (within 60 days); cting salt water.

For KCC Use ONLY	
API # 15	_

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW


In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator:	Location of Well: County:
Lease:	feet from N / S Line of Section
Well Number:	feet from E / W Line of Section
Field:	Sec Twp S. R
Number of Acres attributable to well:	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT

Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032).

You may attach a separate plat if desired.



NOTE: In all cases locate the spot of the proposed drilling locaton.

3960 ft.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION 1070116

Form CDP-1
May 2010
Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name:			License Number:	
Operator Address:				
Contact Person:			Phone Number:	
Lease Name & Well No.:			Pit Location (QQQQ):	
Type of Pit: Emergency Pit Burn Pit Settling Pit Drilling Pit Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)	Pit is: Proposed Existing If Existing, date constructed: Pit capacity: (bbls)		SecTwp R East WestFeet from North / South Line of SectionFeet from East / West Line of Section County	
Is the pit located in a Sensitive Ground Water A	rea? Yes	No	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)	
Is the bottom below ground level?	Artificial Liner?	No	How is the pit lined if a plastic liner is not used?	
Pit dimensions (all but working pits):	Length (fee	et)	Width (feet) N/A: Steel Pits	
If the pit is lined give a brief description of the li material, thickness and installation procedure.	om ground level to dee	Describe proce	dures for periodic maintenance and determining any special monitoring.	
Distance to nearest water well within one-mile of	of pit:	Depth to shallo Source of infor	west fresh water feet. mation:	
feet Depth of water wellfeet		measured	well owner electric log KDWR	
Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all s flow into the pit? Yes No Submitted Electronically		Type of materia Number of work Abandonment p Drill pits must b	over and Haul-Off Pits ONLY: all utilized in drilling/workover: king pits to be utilized: procedure: de closed within 365 days of spud date.	
KCC OFFICE USE ONLY				
Date Received: Permit Num	ber:		Liner Steel Pit RFAC RFAS t Date: Lease Inspection: Yes No	

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form KSONA-1 July 2010 Form Must Be Typed Form must be Signed All blanks must be Filled

CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application). Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (CB-1)	Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)		
OPERATOR: License #	Well Location:		
Name:	SecTwpS. R East		
Address 1:	County:		
Address 2:	Lease Name: Well #:		
City: State: Zip:+	If filing a Form T-1 for multiple wells on a lease, enter the legal description of the lease below:		
Contact Person:			
Phone: () Fax: ()			
Email Address:			
Surface Owner Information:			
Name:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the		
Address 1:			
Address 2:			
City:			
the KCC with a plat showing the predicted locations of lease roads, tank	dic Protection Borehole Intent), you must supply the surface owners and k batteries, pipelines, and electrical lines. The locations shown on the plat in the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.		
☐ I certify that, pursuant to the Kansas Surface Owner Notice A owner(s) of the land upon which the subject well is or will be to CP-1 that I am filing in connection with this form; 2) if the form to form; and 3) my operator name, address, phone number, fax, at ☐ I have not provided this information to the surface owner(s). I at KCC will be required to send this information to the surface owner(s).	cknowledge that, because I have not provided this information, the vner(s). To mitigate the additional cost of the KCC performing this		
task, I acknowledge that I am being charged a \$30.00 handling If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-	fee with this form. If the fee is not received with this form, the KSONA-1		
Submitted Electronically			



BOX 8604 - PRATT, KS 67124 (620) 672-6491

129112 INVOICE NO.

US OPERATING CO LLC OPERATOR	4 NO.	Molz FARM	
ber 1 35s 12w		. & 1485' FEL of Sec.	
LOTUS OPERATING CO LLC		LOCATION	1417' GR
100 S Main, Ste 420 Wichita, KS 67202			
ORIZED BY: Tim Hellman		indiagnasistation with state to	1.1
SCAL	E: 1" = 1000"		
Set 5' iron rod and wood stake.	The Land	eask 1485	
Slight slope pastured wneat field.	+ -4		
	*	TAKE STAKE	
	*	\under \u	Lead Imes
	1		
	3960	TANK BATTE	-
· -	+		
	### ### ### ##########################		281
	į		

Conservation Division Finney State Office Building 130 S. Market, Rm. 2078 Wichita, KS 67202-3802



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Mark Sievers, Chairman Ward Loyd, Commissioner Thomas E. Wright, Commissioner

December 14, 2011

Tim Hellman Lotus Operating Company, L.L.C. 100 S. Main, Ste 420 Wichita, KS 67202-3737

Re: Drilling Pit Application API 15-007-23693-00-00 Molz 'L' 4 NE/4 Sec.01-35S-12W Barber County, Kansas

Dear Tim Hellman:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed <u>without slots</u>, the bottom shall be flat and reasonably level and the free fluids must be removed. The fluids are to be removed from the reserve pit as soon as the Hutchinson Salt section has been drilled through and displacement of the fluids into the reserve pit has occurred. The fluids should be removed again within 96 hours after drilling operations have ceased.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (620) 225-8888 when the fluids have been removed. Please file form CDP-5 (August 2008), Exploration and Production Waste Transfer, through KOLAR within 30 days of fluid removal.

A copy of this letter should be posted in the doghouse along with the approved Intent to Drill. If you have any questions or concerns please feel free to contact the District Office at (620) 225-8888.

Summary of Changes

Lease Name and Number: Molz 'L' 4 API/Permit #: 15-007-23693-00-00

Doc ID: 1070116

Correction Number: 1

Approved By: Rick Hestermann 12/14/2011

Field Name	Previous Value	New Value
Elevation Source	Estimated	Surveyed
ElevationPDF	1414 Estimated	1417 Surveyed
Feet to Nearest Water Well Within One-Mile of	3737	3633
Pit Ground Surface Elevation	1414	1417
KCC Only - Approved By	Rick Hestermann 04/19/2011	Rick Hestermann 12/14/2011
KCC Only - Approved Date	04/19/2011	12/14/2011
KCC Only - Date Received	04/08/2011	12/14/2011
KCC Only - Regular Section Quarter Calls	SE NW NE	E2 E2 W2 NE
LocationInfoLink	https://solar.kgs.ku.edu/kcc/detail/locationInform	https://solar.kgs.ku.edu/kcc/detail/locationInform
Number of Feet East or West From Section Line	ation.cfm?section=1&to 1650	ation.cfm?section=1&to 1485

Summary of changes for correction 1 continued

Field Name	Previous Value	New Value
Number of Feet East or West From Section Line	1650	1485
Number of Feet North or South From Section Line	4290	3960
Number of Feet North or South From Section	4290	3960
Line Quarter Call 2	NW	W2
Quarter Call 2	NW	W2
Quarter Call 3	SE	E2
Quarter Call 3	SE	E2
Quarter Call 4 - Smallest		E2
Quarter Call 4 - Smallest		E2
Save Link	//kcc/detail/operatorE ditDetail.cfm?docID=10 53629	//kcc/detail/operatorE ditDetail.cfm?docID=10 70116

Summary of Attachments

Lease Name and Number: Molz 'L' 4

API: 15-007-23693-00-00

Doc ID: 1070116

Correction Number: 1

Approved By: Rick Hestermann 12/14/2011

Attachment Name

#4 marked staking plat - 12-2011

Fluids 72hrs