

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1070152

Form ACO-1 June 2009 Form Must Be Typed Form must be Signed All blanks must be Filled

WELL COMPLETION FORM

WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #		API No. 15	
Name:		Spot Description:	
Address 1:			est
Address 2:		Feet from North / South Line of Sect	tion
City: Sta	ite: Zip:+	Feet from Feast / West Line of Sect	tion
		Footages Calculated from Nearest Outside Section Corner:	
		County:	
		Lease Name: Well #:	
		Field Name:	
3			
		Producing Formation:	
Designate Type of Completion:		Elevation: Ground: Kelly Bushing:	
New Well Re-E	Entry Workover	Total Depth: Plug Back Total Depth:	
		Amount of Surface Pipe Set and Cemented at: F	eet
Gas D&A	ENHR SIGW	Multiple Stage Cementing Collar Used? Yes No	
OG	GSW Temp. Abd.	If yes, show depth set: F	eet
CM (Coal Bed Methane)		If Alternate II completion, cement circulated from:	
Cathodic Other (Core,	Expl., etc.):	feet depth to:w/sx c	cmt.
If Workover/Re-entry: Old Well Info	as follows:		
Operator:		Drilling Fluid Management Plan	
Well Name:		(Data must be collected from the Reserve Pit)	
Original Comp. Date:	Original Total Depth:	Chloride content:ppm Fluid volume:b	hle
Deepening Re-perf.	Conv. to ENHR Conv. to SWD		1013
	Conv. to GSW	Dewatering method used:	
Plug Back:	Plug Back Total Depth	Location of fluid disposal if hauled offsite:	
Commingled	Permit #:	Operator Name:	
Dual Completion	Permit #:	Lease Name: License #:	
SWD	Permit #:		
ENHR	Permit #:	Quarter Sec TwpS. R East W	
GSW	Permit #:	County: Permit #:	
Spud Date or Date Read Recompletion Date	ched TD Completion Date or Recompletion Date		

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY
Letter of Confidentiality Received
Confidential Release Date:
Wireline Log Received Geologist Report Received
UIC Distribution
ALT I II III Approved by: Date:

	Side Two	
Operator Name:	Lease Name:	Well #:
Sec TwpS. R East _ West	County:	

INSTRUCTIONS: Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach complete copy of all Electric Wire-line Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken (Attach Additional She	eets)	Yes	No		og Formatio	n (Top), Depth an	d Datum	Sample
Samples Sent to Geolog		Yes	No	Nam	ie		Тор	Datum
Cores Taken Electric Log Run Electric Log Submitted E (If no, Submit Copy)	Electronically	☐ Yes ☐ Yes ☐ Yes	│ No │ No │ No					
List All E. Logs Run:								
		Report al		RECORD N	ew Used ermediate, producti	ion, etc.		
Purpose of String	Size Hole Drilled	Size Ca Set (In	asing	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives

ADDITIONAL CEMENTING / SQUEEZE RECORD

Purpose: Perforate	Depth Top Bottom	Type of Cement	# Sacks Used	Type and Percent Additives
Protect Casing Plug Back TD				
Plug Off Zone				

Shots Per Foot		PERFORATION Specify Fo		RD - Bridge F Each Interval		e			ement Squeeze Record I of Material Used)	Depth
TUBING RECORD:	Siz	ze:	Set At:		Packer	At:	Liner R	un:	No	
Date of First, Resumed P	roduct	on, SWD or ENH	ર .	Producing N		oing	Gas Lift	Other (Explain)		
Estimated Production Per 24 Hours		Oil Bb	ls.	Gas	Mcf	Wate	ər	Bbls.	Gas-Oil Ratio	Gravity
									1	
DISPOSITION	N OF C	BAS:		METHOD OF COMPLE			TION:		PRODUCTION INTER	RVAL:
Vented Sold		Jsed on Lease		Open Hole	Perf.	Uually (Submit)		Commingled (Submit ACO-4)		
(If vented, Subm	nit ACC	-18.)		Other (Specify)					

Form	ACO1 - Well Completion
Operator	Kenneth & Regina Laymon, LLC
Well Name	Nusz 27-11
Doc ID	1070152

Tops

Name	Тор	Datum
Soil & Clay	0	19
Lime & shale	19	984
Lime 5'	984	990
Shale	990	1034
Cap Rock	1034	1038
Sand	1038	1046
Shale	1046	1100
TD	1100	

THE NEW KLEIN LUMBER COMPANY 201 W. MADISON P.O. BOX 805 IOLA, KS 66749 PHONE: (620) 365-2201

CUSTOMER NO. JOB NO. PURCHASE ORDER NO. *5 S O L ASH **** D T O			REFERENCE S H LAYNON OIL P T O		TERMS CLERK CASH/CHECK/BANKCARD BE DEL. DATE: 9/ 6/11 TERM# 1 TAX : 001 IOLAL IOLA		
SHIPPED	ORDERED 200	um sku Ea PC	Description PORTLANI) CEMENT	LOCATION	UNITS	PRICE/PER	EXTENSION
		Nusz	27128- 10 ca			9.45 /EA	1,890.00
	RECEIVED	-	ORDER ** ORDER ** ORDER ** ORDER ** DEPOSIT AMOUNT ** ** BALANCE DUE ** ** PAYMENT RECEIVED **			Taxable Non-taxable Subtotal Tax amount Total amount	1890.00 0.00 1890.00 161.60 2051.60

PAGE NO 1

802 N. Industrial Rd. P.O. Box 664 Iola, Kansas 66749 Phone: (620) 365-5588

小巷

KRAAI

Payless Concrete Products, J.L.C.

KR12/21

CONDITIONS Concrete to be delivered to the nearest accessible point over passable road, under truck's own power. Due to delivery at owner's or intermediary's direction, seller assumes no responsibility for damages in any manner to sidewalks, roadways, driveways, buildings, trees, shrubbery, etc., which are at customer's risk. The maximum allotted time for unloading trucks is 5 minutes per yard. A charge will be made for holding trucks longer. This concrete contains correct water contents for strength or mix indicated. We do not assume responsibility for strength test when water is added at guistomer's request. strength test when water is added at customer's request. NOTICE TO OWNER

Failure of this contractor to pay those persons supplying material or services to complete this contract can result in the filing of a mechanic's lien on the property which is the subject of this contract.

K & R OIL K & R OIL 1998 SQUIRREL RD. S4 W TO WILLOW N TO 180TH W NEOSHO FALLS KS SMI TO ROCK S 1/2 MI E SD NEOSHO FALLS KS WELL # NUSZ 27 66758 YATES CENTER, KS 66783 TIME FORMULA LOAD SIZE YARDS ORDERED DATE LOAD # YARDS DEL BATCH# WATER TRIM SLUMP	SACTION #			
S MI TO ROCK S 1/2 MI E SD NEOSHO FALLS KS WELL # NUSZ 27 66758 YATES CENTER, KS 66783 TIME FORMULA LOAD SIZE YARDS ORDERED DRIVER/TRUCK PLANT/TRAV 02:19:56p VELL 15.00 yd 15.00 yd 0.00 35 0.00 WOOCO	SACTION #			
NEOSHO FALLS KS WELL # NUSZ 27 KECK KS 66758 YATES CENTER, KS 66783 TIME FORMULA LOAD SIZE YARDS ORDERED DRIVER/TRUCK PLANT/TRAP Ø2:19:56p VELL 15.00 yd 15.00 yd 0.00 35 0.00 WOOCO	SACTION #			
66758 YATES CENTER, KS 66783 TIME FORMULA LOAD SIZE YARDS ORDERED DRIVER/TRUCK PLANT/TRAF 02:19:56p VELL 15.00 yd 15.00 yd 0.00 35 0.00 WOOCO	SACTION #			
TIME FORMULA LOAD SIZE YARDS ORDERED DRIVER/TRUCK PLANT/TRAT 02:19:56p WELL 15.00 yd 15.00 yd 0.00 35 0.00 WOOCO	SACTION #			
Ø2:19:56p WELL M 15.00 yd 15.00 yd 0.00 35 0.00 WDOCO	SACTION #			
02:19:56p WELL / 15.00 yd 15.00 yd 0.00 35 0.00 WOOCO				
DATE LOAD # VADDO DEL DATCH# WATED TOM SHIND TICKET				
DATE LOAD # YARDS DEL. BATCH# WATER TRIM SLUMP I IGKE I	JMBER			
To Date 5 46.00 vd				
11-01-11 Today 1 15.00 vd 19096 G/yd -70.0 4.00 in 3	1642			
PROPERTY DAMAGE RELEASE Excessive Water is Detrimental to Concrete Performa	ce			
WARNING IRRITATING TO THE SKIN AND EYES PROPERTY DAMAGE RELEASE (TO BE SIGNED IP DELIVERY TO BE MADE INSIDE CURB LINE) Dear Customer/The driver of this truck in presenting this RELEASE to H20 Added By Request/Authorized By				
Contains Portland Cement. Wear Rubber Boots and Gloves. PROLONGED CONTACT MAY CAUSE BURNS. Avoid Contact With Eyes and Prolonged Contact With Skin. In Case of truck may possibly cause damage to the premises and/or adjacent				
Contact With Skin or Eyes, Flush Thoroughly With Water, If Imitation Persists, Get Medical Attention. KEEP CHILDREN AWAY.				
CONCRETE is a PERISHABLE COMMODITY and BECOMES the PROPERTY of the PURCHASER UPON to the previses and/or adjusted provide by blockality from any damage that may occur to the previses and/or adjusted provide by blockality.				
CONCRETE is a PERISHABLE COMMODITY and BECOMES the PROPERTY of the PURCHASER UPON LEAVING the PLANT. ANY CHANGES OR CANCELLATION of ORIGINAL INSTRUCTIONS MUST be TELEPHONED to the OFFICE BEFORE LOADING STARTS.				
The undersigned promises to pay all costs, including reasonable atomeys' fees, incurred in collecting any sums oved. Notice: MY SIGNATURE BELOW INDICATES THAT I HAVE READ THE HEALT ton, the undersigned agrees to indemnify and hold harmises the driver	WARNING			
All accounts not paid within 30 days of delivery will bear interest at the rate of 24% per annum. of this truck and this supplier for any and all damage to the premises and/or adjacent property which may be claimed by anyone to have when DELIVERING INSIDE CURB LINE.	NOTICE MY SIGNATURE BELOW INDICATES THAT I HAVE READ THE HEALTH WARNING NOTICE AND SUPPLIER WILL NOT BE RESPONSIBLE FOR ANY DAMAGE CAUSED WHEN DELIVERING INSIDE CURB LINE.			
Not Responsible for Reactive Aggregate or Color Quality. No Claim Allowed Unless Made at Time arisin out of delivery of this order. Material is Delivered. LOAD RECEIVED BY:				
A \$25 Service Charge and Loss of the Cash Discount will be collected on all Returned Checks.				
	PRICE			
QUANTITY CODE DESCRIPTION UNIT PRICE EXTENDED	THICL			
15.00 WELL WELL (10 SACKS PER UNIT) / 15.00 76.00 114	8.00			
	50			
Tructing charge ()				
A REAL AND A				
A construction of the second of the				
	and the second			
RETURNED TO PLANT LEFT JOB FINISH UNLOADING DELAY EXPLANATION/CYLINDER TEST TAKEN TIME ALLOWED UN Otal \$ 144	h-dille-			
1. JOB NOT READY 2. SLOW POUR OR PUMP 2. SLOW POUR OR PUMP 7. ACCIDENT Tax ¥ 7.300 1.144				
1. JOB NOT READY 2. SLOW POUR OR PUMP 3. TRUCK AHEAD ON JOB 4. CONTRACTOR BROKE DOWN 9. OTHER TAX 7. 3010 1. JOB NOT READY 1. JOB NOT READY 1. JOB NOT READY 1. JOB NOT READY 2. SLOW POUR OR PUMP 3. TRUCK BROKE DOWN 9. OTHER TIME DUE 1. JOB NOT READY 1. JOB NOT READY				
1. JOB NOT READY 2. SLOW POUR OR PUMP 3. SLOW POUR OR PUMP 7. ACCIDENT 8. CITATON 8. CTATON 1. JOB NOT READY 7. ACCIDENT 8. CTATON				
3.46 3.23 1. JOB NOT READY 6. TRUCK BROKE DOWN 2. SLOW POUR OR PUMP 6. TRUCK BROKE DOWN 3. TRUCK AHEAD ON JOB 5. ADDED WATER MLEFT PLANT ARRIVED JOB START UNLOADING 1. JOB NOT READY 6. TRUCK BROKE DOWN 5. ADDED WATER 5. ADDED WATER	Anna Anna			
3.45 3.23 1. JOB NOT READY 6. TRUCK BROKE DOWN 7. ACCIDENT 1.44 3. HEFT PLANT ARRIVED JOB START UNLOADING 1. JOB NOT READY 6. TRUCK BROKE DOWN 7. ACCIDENT 1.44 3. TRUCK AHEAD ON JOB 3. TRUCK AHEAD ON JOB 8. CTATION 8. CTATION 1.44 87.78 1.44 3. TRUCK AHEAD ON JOB 3. TRUCK AHEAD ON JOB 8. OTHER 1.44 87.78 1.44 3. TRUCK AHEAD ON JOB 5. ADDED WATER 9. OTHER 1.44 87.78 1.44 3. TRUCK AHEAD ON JOB 5. ADDED WATER 9. OTHER 1.44 87.78 1.44 3. TRUCK AHEAD ON JOB 5. ADDED WATER 9. OTHER 1.44 87.78 1.44 3. ADDED WATER 5. ADDED WATER 9. OTHER 1.44 87.78 1.44 4. CONTRACTOR BROKE DOWN 5. ADDED WATER 9. OTHER 1.44 87.78 1.44 5. ADDED WATER 5. ADDED WATER 9. OTHER 1.44 87.78 1.44 5. ADDED WATER 5. ADDED WATER 9. OTHER 1.44 1.44 1.44	Anna Alban Anna Alban			
3.46 3.23 1. JOB NOT READY 6. TRUCK BROKE DOWN 2. SLOW POUR OR PUMP 6. TRUCK BROKE DOWN 3. TRUCK AHEAD ON JOB 5. ADDED WATER MLEFT PLANT ARRIVED JOB START UNLOADING 1. JOB NOT READY 6. TRUCK BROKE DOWN 5. ADDED WATER 5. ADDED WATER	Anna Anna Anna Anna Anna Anna Anna Anna			