

Well will not be drilled or Permit Expired Date: _

Signature of Operator or Agent:

For KCC	Use:	
Effective	Date:	
District #		
SGA?	Yes No	

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 March 2010 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

	month day		Spot Description:
	monui day	year	Sec Twp S. R 🔲 E
PERATOR: License#			feet from N / S Line of Se
ame:			feet from E / W Line of Sec
ddress 1:			Is SECTION: Regular Irregular?
			(Note: Locate well on the Section Plat on reverse side)
	State: Zip:		County:
Contact Person:			Lease Name: Well #:
hone:			Field Name:
ONTRACTOR: License#			Is this a Prorated / Spaced Field?
ame:			Target Formation(s):
			Nearest Lease or unit boundary line (in footage):
Well Drilled For:	Well Class: Type	Equipment:	Ground Surface Elevation:feet I
Oil Enh Rec	Infield	Mud Rotary	Water well within one-quarter mile:
Gas Storage	Pool Ext.	Air Rotary	
Disposal		Cable	
Seismic ;# of Ho			Depth to bottom of fresh water:
Other:			Depth to bottom of usable water:
If OWWO: old well info	ormation as follows:		Surface Pipe by Alternate: I II
			Length of Surface Pipe Planned to be set:
-			Length of Conductor Pipe (if any):
			Projected Total Depth:
Original Completion Date:	Original Total	Depth:	Formation at Total Depth:
irestianal Davietad er Herine	٥ مع ما المدين المغمر	□ Voo □ No	Water Source for Drilling Operations:
Directional, Deviated or Horizo f Yes, true vertical depth:		Yes No	Well Farm Pond Other:
Bottom Hole Location:			DWR Permit #:
(CC DKT #:			(Note: Apply for Permit with DWR)
<u></u>			Will Cores be taken? Yes
			If Yes, proposed zone:
		A E	FIDAVIT
		AF	
he undersigned hereby affir	rms that the drilling, comple		ugging of this well will comply with K.S.A. 55 et. seq.
-		etion and eventual pl	ugging of this well will comply with K.S.A. 55 et. seq.
t is agreed that the following	minimum requirements will	etion and eventual plu I be met:	ugging of this well will comply with K.S.A. 55 et. seq.
is agreed that the following 1. Notify the appropriate		etion and eventual plo I be met: ding of well;	
t is agreed that the following 1. Notify the appropriate 2. A copy of the approved 3. The minimum amount	minimum requirements will district office <i>prior</i> to spude d notice of intent to drill <i>sha</i> of surface pipe as specified	etion and eventual plants I be met: ding of well; all be posted on each d below shall be set	n drilling rig; by circulating cement to the top; in all cases surface pipe shall be set
 agreed that the following Notify the appropriate A copy of the approved The minimum amount through all unconsolidate 	minimum requirements will district office <i>prior</i> to spude d notice of intent to drill <i>sha</i> of surface pipe as specified lated materials plus a minim	etion and eventual plants I be met: ding of well; all be posted on each d below shall be set below of 20 feet into the	n drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation.
 agreed that the following Notify the appropriate A copy of the approved The minimum amount through all unconsolided If the well is dry hole, a 	minimum requirements will district office <i>prior</i> to spude d notice of intent to drill <i>sha</i> of surface pipe as specified ated materials plus a miniman agreement between the	etion and eventual plants I be met: ding of well; all be posted on each dibelow shall be set num of 20 feet into th operator and the dis	n drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. crict office on plug length and placement is necessary prior to plugging ;
 is agreed that the following Notify the appropriate A copy of the approved The minimum amount through all unconsolided If the well is dry hole, as The appropriate district 	minimum requirements will district office <i>prior</i> to spude d notice of intent to drill <i>sha</i> of surface pipe as specified ated materials plus a miniman agreement between the ct office will be notified before	etion and eventual plants of well; all be posted on each disclose below shall be set on the operator and the discrete well is either plugger.	n drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. crict office on plug length and placement is necessary prior to plugging ; ged or production casing is cemented in;
 agreed that the following Notify the appropriate A copy of the approved The minimum amount through all unconsolided If the well is dry hole, as The appropriate distriction If an ALTERNATE II Comments 	minimum requirements will district office <i>prior</i> to spude d notice of intent to drill <i>sha</i> of surface pipe as specified ated materials plus a miniman agreement between the ct office will be notified befor OMPLETION, production pi	etion and eventual plants of well; all be posted on each disclose below shall be set on the operator and the discrete well is either pluggipe shall be cemented.	by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. The control of the control
 is agreed that the following Notify the appropriate A copy of the approved The minimum amount through all unconsolide If the well is dry hole, a The appropriate district If an ALTERNATE II Corpursuant to Append 	district office <i>prior</i> to spude d notice of intent to drill <i>sha</i> of surface pipe as specified lated materials plus a miniman agreement between the ct office will be notified befor OMPLETION, production pidix "B" - Eastern Kansas sur	etion and eventual plants of well; all be posted on each delay be posted on each delow shall be set our of 20 feet into the operator and the discrete well is either pluggipe shall be cementer face casing order #	n drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. crict office on plug length and placement is necessary prior to plugging ; ged or production casing is cemented in;
 s agreed that the following Notify the appropriate A copy of the approved The minimum amount through all unconsolide If the well is dry hole, a The appropriate district If an ALTERNATE II CO Or pursuant to Append 	district office <i>prior</i> to spude d notice of intent to drill <i>sha</i> of surface pipe as specified lated materials plus a miniman agreement between the ct office will be notified befor OMPLETION, production pidix "B" - Eastern Kansas sur	etion and eventual plants of well; all be posted on each delay be posted on each delow shall be set our of 20 feet into the operator and the discrete well is either pluggipe shall be cementer face casing order #	by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. The control of the control
 agreed that the following Notify the appropriate A copy of the approved The minimum amount through all unconsolided If the well is dry hole, at the appropriate distriction If an ALTERNATE II Computer or pursuant to Appendix 	district office <i>prior</i> to spude d notice of intent to drill <i>sha</i> of surface pipe as specified lated materials plus a miniman agreement between the ct office will be notified befor OMPLETION, production pidix "B" - Eastern Kansas sur	etion and eventual plants of well; all be posted on each delay be posted on each delow shall be set our of 20 feet into the operator and the discrete well is either pluggipe shall be cementer face casing order #	by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. The control of the control
 agreed that the following Notify the appropriate A copy of the approved The minimum amount through all unconsolide If the well is dry hole, a The appropriate district If an ALTERNATE II CO Or pursuant to Appendents to Expense of the completed with 	minimum requirements will district office <i>prior</i> to spude d notice of intent to drill <i>sha</i> of surface pipe as specified lated materials plus a miniman agreement between the ct office will be notified befor OMPLETION, production pidix "B" - Eastern Kansas surthin 30 days of the spud dat	etion and eventual plants of well; all be posted on each delay be posted on each delow shall be set our of 20 feet into the operator and the discrete well is either pluggipe shall be cementer face casing order #	by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. The control of the control
 agreed that the following Notify the appropriate A copy of the approved The minimum amount through all unconsolide If the well is dry hole, a The appropriate district If an ALTERNATE II CO Or pursuant to Appendents to Expense of the completed with 	minimum requirements will district office <i>prior</i> to spude d notice of intent to drill <i>sha</i> of surface pipe as specified lated materials plus a miniman agreement between the ct office will be notified befor OMPLETION, production pidix "B" - Eastern Kansas surthin 30 days of the spud dat	etion and eventual plants of well; all be posted on each discount of 20 feet into the operator and the discret well is either pluggipe shall be cementer face casing order #	by circulating cement to the top; in all cases surface pipe <i>shall be set</i> e underlying formation. In this production casing is cemented in; defrom below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing.
1. Notify the appropriate 2. A copy of the approved 3. The minimum amount through all unconsolide 4. If the well is dry hole, a 5. The appropriate districe 6. If an ALTERNATE II CO Or pursuant to Appendents to Expendents of the completed with the complete of the comple	minimum requirements will district office <i>prior</i> to spude d notice of intent to drill <i>sha</i> of surface pipe as specified lated materials plus a miniman agreement between the ct office will be notified befor OMPLETION, production pidix "B" - Eastern Kansas surthin 30 days of the spud dat	etion and eventual plants of well; all be posted on each discount of 20 feet into the operator and the discret well is either pluggipe shall be cementer face casing order #	In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set be underlying formation. It is to effice on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; deform below any usable water to surface within 120 DAYS of spud date. Is 33,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing. Remember to:
1. Notify the appropriate 2. A copy of the approved 3. The minimum amount through all unconsolide 4. If the well is dry hole, a 5. The appropriate districe 6. If an ALTERNATE II Co Or pursuant to Appendents to Expense of the completed with the completed with the complete of the comple	minimum requirements will district office <i>prior</i> to spude d notice of intent to drill <i>sha</i> of surface pipe as specified lated materials plus a miniman agreement between the ct office will be notified befor OMPLETION, production pidix "B" - Eastern Kansas surthin 30 days of the spud data	etion and eventual plants of well; all be posted on each discount of 20 feet into the operator and the discret well is either pluggipe shall be cementer face casing order #	In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set be underlying formation. It is to effice on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification
is agreed that the following 1. Notify the appropriate 2. A copy of the approved 3. The minimum amount through all unconsolida 4. If the well is dry hole, a 5. The appropriate distric 6. If an ALTERNATE II CO Or pursuant to Appendent of the completed with the complete completed with the complete	minimum requirements will district office <i>prior</i> to spude d notice of intent to drill <i>sha</i> of surface pipe as specified lated materials plus a miniman agreement between the ct office will be notified befor OMPLETION, production pidix "B" - Eastern Kansas suithin 30 days of the spud date.	etion and eventual plants of well; all be met: ding of well; all be posted on each discount be set aum of 20 feet into the operator and the discret well is either pluggipe shall be cementer face casing order # te or the well shall be	In drilling rig; It is by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating formation. It is office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. It is a plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;
is agreed that the following 1. Notify the appropriate 2. A copy of the approved 3. The minimum amount through all unconsolide 4. If the well is dry hole, a 5. The appropriate distric 6. If an ALTERNATE II Co Or pursuant to Appendent of the completed with the completed with the completed with the complete of the com	district office <i>prior</i> to spude d notice of intent to drill <i>sha</i> of surface pipe as specified ated materials plus a miniman agreement between the ct office will be notified befor OMPLETION, production pidix "B" - Eastern Kansas surthin 30 days of the spud date cally	etion and eventual plants of well; all be met: ding of well; all be posted on each of below shall be set on the operator and the discrete well is either pluggipe shall be cemented face casing order # te or the well shall be on the well s	In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating formation. It is considered in the constant of the cases of t
is agreed that the following 1. Notify the appropriate 2. A copy of the approved 3. The minimum amount through all unconsolide 4. If the well is dry hole, a 5. The appropriate distric 6. If an ALTERNATE II Co Or pursuant to Appendent of the completed with the completed with the completed with the complete of the com	district office <i>prior</i> to spude d notice of intent to drill <i>sha</i> of surface pipe as specified ated materials plus a miniman agreement between the ct office will be notified befor OMPLETION, production pidix "B" - Eastern Kansas surthin 30 days of the spud date cally	etion and eventual plants of well; all be met: ding of well; all be posted on each of below shall be set on the operator and the discrete well is either pluggipe shall be cemented face casing order # te or the well shall be on the well s	In drilling rig; It is by circulating cement to the top; in all cases surface pipe shall be set by circulating cement to the top; in all cases surface pipe shall be set by circulating formation. It is office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. It is a plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;
is agreed that the following 1. Notify the appropriate 2. A copy of the approved 3. The minimum amount through all unconsolide 4. If the well is dry hole, a 5. The appropriate districe 6. If an ALTERNATE II Co. Or pursuant to Appendent to appendent to the completed with the complete completed with the complete complete completed with the complete com	minimum requirements will district office <i>prior</i> to spude d notice of intent to drill <i>sha</i> of surface pipe as specified lated materials plus a miniman agreement between the ct office will be notified befor OMPLETION, production pidix "B" - Eastern Kansas suithin 30 days of the spud date.	etion and eventual place libe met: ding of well; all be posted on each discovered below shall be set num of 20 feet into the operator and the discrete well is either pluggipe shall be cementerface casing order # te or the well shall be determined before the well shall be determined by the per ALT.	In drilling rig; In drilling rig; It is by circulating cement to the top; in all cases surface pipe shall be set to underlying formation. It is office on plug length and placement is necessary prior to plugging; It is office on plug length and placement is necessary prior to plugging; It is office on plug length and placement is necessary prior to plugging; It is office on plug length and placement is necessary prior to plugging; It is office on plug length and placement in plugging; It is office on plug length and placement in plugging; It is office on plug length and placement is necessary prior to plugging; It is office on plug length and placement is necessary prior to plugging; It is office on plug length and placement is necessary prior to plugging; It is office on plug length and placement is necessary prior to plugging; It is office on plug length and placement is necessary prior to plugging; It is office on plug length and placement is necessary prior to plugging; It is office on plug length and placement is necessary prior to plugging; It is office on plug length and placement is necessary prior to plugging; It is office on plug length and placement is necessary prior to plugging; It is office on plug length and placement is necessary prior to plugging; It is office on plug length and placement is necessary prior to plugging; It is office on plug length and plug l
1. Notify the appropriate 2. A copy of the approved 3. The minimum amount through all unconsolid 4. If the well is dry hole, a 5. The appropriate district 6. If an ALTERNATE II CO Or pursuant to Appendent of the completed with the complete completed with the complete completed with the complete completed with the complete c	minimum requirements will district office <i>prior</i> to spudd notice of intent to drill <i>sha</i> of surface pipe as specified lated materials plus a miniman agreement between the ct office will be notified befor OMPLETION, production pidix "B" - Eastern Kansas surthin 30 days of the spud date. Cally	etion and eventual place libe met: ding of well; all be posted on each discovered below shall be set num of 20 feet into the operator and the discrete well is either pluggipe shall be cementerface casing order # te or the well shall be determined before the well shall be determined by the per ALT.	n drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing e plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days);
1. Notify the appropriate 2. A copy of the approved 3. The minimum amount through all unconsolids 4. If the well is dry hole, a 5. The appropriate district 6. If an ALTERNATE II CO Or pursuant to Appendent to Approved by: This authorization expires: This authorization expires:	minimum requirements will district office <i>prior</i> to spudd notice of intent to drill <i>sha</i> of surface pipe as specified lated materials plus a miniman agreement between the ct office will be notified befor OMPLETION, production pidix "B" - Eastern Kansas surthin 30 days of the spud date. Cally	etion and eventual place of the per ALT. I be met: ding of well; all be posted on each of the per ALT. I III	n drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing e plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry;

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

Spud date: _

Side Two



For KCC Use ONLY	
API # 15	-

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

erator:						_ Lo	cation of W	ell: Cou	nty:				
se:									fe	et from	N /	S Line	of Section
l Number:									fe	et from	E /	W Line	of Section
d:						_ Se	c	Twp		S. R		E	W
mber of Acres att						− is a	Section:	Regu	ular or	Irregular			
						If S	Section is ction corne	_		NW		rner boun	dary.
				d electrica You m	al lines, as ay attach a	required b		as Surfa		oredicted lo Notice Act (
	:	:	:	1026 	π.	:	:						
	:		:				:			LEGE	ND		
••••	:	:	:	<u> </u>	:	:	:	- 252	O 5 ft.	Tank E	ocation Battery L		
••••	:	:	:	•••••	:	:	•			Electri	ie Locati c Line Li Road Lo	ocation	
••••	·	·	· :	••••	·	·							
	<u>:</u>	<u>:</u>	<u>:</u>		:	<u>:</u>	:		EXAMPL:	E :		:	
	:	:	1	2	:	:	: : :		:			:	
	:	:	:			:						:	
			:				: : :		:	:		:	
	:	:	······································	••••	:	:	:			?			1980' FSL
			:		:							· :	
	:	:			:	:						: :	
	:	:	:		:	:	:		SEWARD CO.	3390' FEL			

NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.



KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

070209

Form CDP-1
May 2010
Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name:		License Number:		
Operator Address:				
Contact Person:		Phone Number:		
Lease Name & Well No.:			Pit Location (QQQQ):	
Type of Pit: Emergency Pit Burn Pit Settling Pit Drilling Pit Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled) Is the pit located in a Sensitive Ground Water A	Pit is: Proposed Existing If Existing, date constructed: Pit capacity: (bbls)		SecTwp R East West Feet from North / South Line of Section Feet from East / West Line of Section County mg/l	
Is the bottom below ground level?	Artificial Liner?	No	(For Emergency Pits and Settling Pits only) How is the pit lined if a plastic liner is not used?	
Pit dimensions (all but working pits): Depth fro	Length (fee			
If the pit is lined give a brief description of the li material, thickness and installation procedure.	ner		dures for periodic maintenance and determining acluding any special monitoring.	
Distance to nearest water well within one-mile of	of pit:	Depth to shallo Source of infor	west fresh water feet. nation:	
feet Depth of water well	feet	measured	well owner electric log KDWR	
Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all s flow into the pit? Yes No Submitted Electronically		Type of materia Number of work Abandonment p Drill pits must b	over and Haul-Off Pits ONLY: all utilized in drilling/workover: king pits to be utilized: procedure: per closed within 365 days of spud date.	
KCC OFFICE USE ONLY Liner Steel Pit RFAC RFAS				
Date Received: Permit Num	ber:	Permi	t Date: Lease Inspection: Yes No	



Kansas Corporation Commission Oil & Gas Conservation Division

1070209

Form KSONA-1
July 2010
Form Must Be Typed
Form must be Signed
All blanks must be Filled

CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (C	Cathodic Protection Borehole Intent)				
OPERATOR: License #	Well Location:				
Name:					
Address 1:					
Address 2:					
City: State: Zip:+					
Contact Person:					
Phone: () Fax: ()					
Email Address:					
Surface Owner Information:					
Name:	When filing a Form T-1 involving multiple surface owners, attach an additional				
Address 1:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the				
Address 2:	county, and in the real estate property tax records of the county treasurer.				
City: State: Zip:+					
the KCC with a plat showing the predicted locations of lease roads, tank	dic Protection Borehole Intent), you must supply the surface owners and batteries, pipelines, and electrical lines. The locations shown on the plat in the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.				
I certify that, pursuant to the Kansas Surface Owner Notice Adowner(s) of the land upon which the subject well is or will be lo CP-1 that I am filing in connection with this form; 2) if the form b form; and 3) my operator name, address, phone number, fax, are	ct (House Bill 2032), I have provided the following to the surface potential: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form the being filed is a Form C-1 or Form CB-1, the plat(s) required by this end email address. 1) cknowledge that, because I have not provided this information, the				
KCC will be required to send this information to the surface ow	ner(s). To mitigate the additional cost of the KCC performing this fee, payable to the KCC, which is enclosed with this form.				
If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-1	fee with this form. If the fee is not received with this form, the KSONA-1 1 will be returned.				
Submitted Electronically					

For KCC Use ONLY	
API # 15	

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW


In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator: Luyne Energy LLC Lease: Westfall 2N-12 Well Number: Field: Un Known	Location of Well: County: /o26 feet from N / S Line of Section 2525 feet from E / W Line of Section Sec. 12 Twp. 31 S. R. / 3 E W
Number of Acres attributable to well: QTR/QTR/QTR/QTR of acreage: 5W - 5W - NW - NE	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT

Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032).

You may attach a separate plat if desired.



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

Conservation Division Finney State Office Building 130 S. Market, Rm. 2078 Wichita, KS 67202-3802



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Mark Sievers, Chairman Ward Loyd, Commissioner Thomas E. Wright, Commissioner

December 13, 2011

Victor H. Dyal Layne Energy Operating, LLC P O Box 160 Sycamore, KS 67363

Re: Drilling Pit Application API 15-125-32074-00-00 Westfall 2N-12 NE/4 Sec.12-31S-13E Montgomery County, Kansas

Dear Victor H. Dyal:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed <u>without slots</u>, the bottom shall be flat and reasonably level, and the free fluids must be removed. The fluids are to be removed from the reserve pit as soon as practical after drilling operations have ceased.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (620) 432-2300 when the fluids have been removed. Please file form CDP-5 (August 2008), Exploration and Production Waste Transfer, through KOLAR within 30 days of fluid removal.

A copy of this letter should be posted in the doghouse along with the approved Intent to **Drill**. If you have any questions or concerns please feel free to contact the District Office at (620) 432-2300.