

3000

50

3100

50

3200

Sh: grey

LS: tan - brn, md xln, v fess,
pss. fr oint geg sh

Sh: grey

LS: Stoney ALA, tang wht,
fm and xln, fr oint fess,


pss

Sh: grey

LS: wht, fm and xln, few smt
fess, mostly subsh - chalky

TRAVELER
3100-3200





LS: white, fine xln, v. dms. Sh: gy	LS: white, fine and xln, mostly dms. Scat. w/ fr. Ant. ex. w/ gd. sfx.	Sh: lt. gy w/ brn, gummy	LS: white, fine and xln, sfx. sfx. fmg dms & tite. Scat. brn sfx in pr. intx. + ppx. rare sfx. No Od.	Sh: gy	LS: white - lt. tan, fine and xln. foss. fr. intx. w/ all emb. v. g. felt brn sfx. w/ sp. d. sfx.	LS: tan, med. crs. xln, oal w/ foss. Fr. gd. int. oal w/ gd. v. g. sfx. Scat. gd. sfx. fr. sfx. fat. No Od.	Sh: gy	LS: tan, fine and xln, sub. xln in pr. foss. ppx. lt. sfx. NIS. N. N. N.	LS: Tan, white, fine v. f. xln, per. w/ scat. foss. fr. dms. w/ No Shew.	Sh: dk. gy	Sh: gy - lt. gy, sfx. gummy	LS: white, fine xln, few small foss, sfx. dms. pr. intx. + ppx. Scat. fr. brn sfx. w/ sp. d. sfx. fat. Od. Tite.	LS: Tan, white w/ No viss, scat. foss.	Sh: gy	LS: white, fine and xln, lt. brn sfx. in pr. fr. intx. rare sfx, lt. Od.	LS: white - tan, v. foss. mostly tite w/ scat. fr. v. g. fr. gd. sfx. w/ blk. oil filled. w/ sfx. sfx. fr. Od. Free oil on cup.	LS: white, total fr. gd. sfx. fr. Ant. sfx. ex. fr. Ant. oal. ex. w/ gd. sfx. + scat. w/ fr. gd. sfx. many barren ex. fr. gd. Od. Slt. fr. Ant. on cup.	LS: white, fine v. f. xln, scat. oal. All ppx. NS.	Sh: gy	LS: white, fine v. f. xln, few siml. foss. + oal. All v. dms. w/ No viss. NS.	Sh: red. brn	LS: tan. white, med. xln, sfx. w/ sfx. w/ d. Sh: brn. red.
--	---	--------------------------	--	--------	---	---	--------	---	---	------------	-----------------------------	---	--	--------	--	---	---	--	--------	---	--------------	--

057 #2

057 #3

3500

3600

50

3700

F.F. - 1 1/2" blow
I.F.F. 20-25
F.F. 29-34
S.I.P. 94-865
H.P. 1736-1712
Rec:
45' VSOCM 1 1/2" oil
BHT: 104'

Vis: 48 wt: 89
OST #3
3573-3656
90-45-45-45
Total d. of water stand
I.F.F. 6" blow
F.F. - 5" blow
I.F.F. 19-75
F.F.P. 90-103
S.I.P. 671-647
H.P. 1754-1749

Rec:
60' VSOCM 2 1/2" oil
120' MIN 50% W
BHT: 107' Chlor: 13K

