

Date	10/27/11	Sec.		Twp.		Range		County	Russell	State	KS	On Location		Finish	5:00 PM
Client	Steinle		Well No.	A#2		Location Milberger, 1E, Stw into									
Tractor	Express Well Service								Owner						
Job	Squeeze								To Quality Oilwell Cementing, Inc. You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as listed.						
Size	5 1/2"		T.D.		Depth		Charge To Russell Oil								
Size	2 5/8"		Depth		Depth		Street								
			Depth		City		State								
ment Left in Csg.			Shoe Joint		The above was done to satisfaction and supervision of owner agent or contractor.										
is Line			Displace		Cement Amount Ordered 200sx Com 2% CC										
EQUIPMENT															
iptrk	9	No.	Cementer		Common 95										
			Helper		Paul										
trk	3	No.	Driver		Poz. Mix										
			Driver		Matt										
trk	PV	No.	Driver		Gel.										
			Driver		Brain										
JOB SERVICES & REMARKS															
arks:	Calcium 3														
Hole	Hulls														
se Hole	Salt														
ralizers	Flowseal														
ets	Kol-Seal														
or Port Collar	Mud CLR 48														
Plug at 5290'	CFL-117 or CD110 CAF 38														
270' Test Tools 1500#	Sand 2 80#														
270' - Spot 2 Sand	Handling 200 205														
erfs 3203' - 06'	Mileage														
3213' - 15'	FLOAT EQUIPMENT														
3225' - 28'	Guide Shoe														
Nix 95 sx Squeeze to 1500#	Centralizer														
Wash down to 3140'	Baskets														
Thank You!!	AFU Inserts														
	Float Shoe														
	Latch Down														
	Pumptrk Charge Squeeze														
	Mileage 13														
ature	Todd Brown														Tax
															Discount
															Total Charge

All charges arising out of or in connection with this report shall be paid by BES, or its assigns or royalty owners.

Customer RUSSELL OIL INC.		Lease No.		Date	
Lease STEINLE		Well # 2-32 TD 7		10-13-2011	
Field Order # 04869	Station PRATT, KS.	Casing 5 1/2"	Depth 34100'	County RUSSELL	State KS.
Type Job CNW-5 1/2" L.S.			Formation	Legal Description 32-15-14	

PIPE DATA		PERFORATING DATA		FLUID USED		TREATMENT RESUME		
Casing Size 5 1/2 x 15.5	Tubing Size	Shots/Ft	CMT-	Acid	25SK SCAVENGER	RATE	PRESS	ISIP
Depth 3459'	Depth	From	To	Pre Pad	@ 1.26 CUFT³	Max	MIXED CMT. w/ CITY H₂O	5 Min.
Volume 82.32 BBL	Volume	From	To	Pad	CMT- 125SK AA-2	Min		10 Min.
Max Press 1500	Max Press	From	To	Frac	@ 1.36 CUFT³	Avg		15 Min.
Well Connection P.C.	Annulus Vol.	From	To			HHP Used		Annulus Pressure
Plug Depth 3439.67'	Packer Depth	From	To	Flush	81.86 BBL @ 16 RECH₂O	Gas Volume		Total Load

Customer Representative TODD	Station Manager D. SCOTT	Treater K. LESLEY
-------------------------------------	---------------------------------	--------------------------

Service Units	37586	19889	19842	19832	21010				
Driver Names	LESLEY	LAURENCE	—	MCKASKEY					

Time	Casing Pressure	Tubing Pressure	Bbls. Pumped	Rate	Service Log
11:30 PM	10-12-2011				ON LOCATION - SAFETY MEETING
3:30 AM	10-13-2011				RUN 5 1/2 x 15.5# CSG. = 83 JTS.
					SJ = 19.33' INSERT @ 3439.67'
					TURBO-2,3,4,6,8,9,10,12,13,15,64,70,76,81
5:50 AM					CSG. ON BOTTOM
6:00 AM - 6:30 AM					HOOK UP TO CSG. / BREAK CIRC. W/ RIG
8:00 AM	250		5	6	H₂O AHEAD
8:01 AM	250		24	6	SUPERFLUSH II
8:05 AM	200		5	6	H₂O SPACER
8:06 AM	200		6	6	MIX 25SK SCAVENGER @ 14.4 PPG
8:07 AM	150		30	6	MIX 125SK AA-2 @ 15.3 PPG
8:15 AM					SHUT DOWN - CLEAR PUMP & LINE
8:20 AM	150		0	7	DROP PLUG - START DISPLACEMENT
8:30 AM	250		59	6	LIFT PRESSURE
8:54 AM	500		72	5	SLOW RATE / STOP ROTATING CSG.
9:00 AM	1500		82	4	PLUG DOWN - HELD
					CIRC. THRU JOB
			6		PLUG R.H.
					JOB COMPLETE,
					THANKS -
					KEVEN LESLEY

QUALITY OILWELL CEMENTING, INC.

Federal Tax I.D.# 20-2886107

Phone 785-483-2025
Cell 785-324-1041

Home Office P.O. Box 32 Russell, KS 67665

No. 5216

Date	10/5/11	Sec.	32	Twp.	15	Range	14	County	Russell	State	KS	On Location		Finish	12:45 AM		
Lease	Steinle	Well No.	2-32		Location Milberger, 1/2 E, S; into												
Contractor	Southwind Drilling Rig #6				Owner												
Type Job	Surface				To Quality Oilwell Cementing, Inc. You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as listed.												
Hole Size	12 1/4"		T.D.		940'		Charge To									Russell Oil, Inc.	
Csg.	8 5/8 23#		Depth		937'		Street										
Tbg. Size			Depth				City									State	
Tool			Depth				City									State	
Cement Left in Csg.	42'		Shoe Joint		42'		The above was done to satisfaction and supervision of owner agent or contractor.										
Meas Line			Displace		57 Bbls.		Cement Amount Ordered									375 sx (on 3% cc 2% gel)	
EQUIPMENT																	
Pumptrk	9	No.	Cementer	Paul		Common											
Bulktrk	13	No.	Driver	Matt		Poz. Mix											
Bulktrk	PV	No.	Driver	Cory		Gel.											
JOB SERVICES & REMARKS																	
Remarks:	Hulls																
Rat Hole	Salt																
Mouse Hole	Flowseal																
Centralizers	Kol-Seal																
Baskets	Mud CLR 48																
D/V or Port Collar	CFL-117 or CD110 CAF 38																
Est. Circ.	Sand																
Mix 375 sx	Handling																
Displace	Mileage																
Land Plug	2 5/8"																
Cement Circulated	FLOAT EQUIPMENT																
	Guide Shoe																
	Centralizer																
	Baskets																
	AFU Inserts																
	Float Shoe																
	Latch Down																
	Head + Manifold Baffle Plate + Rubber Plug																
	Pumptrk Charge																
	Mileage																
	Tax																
	Discount																
	Total Charge																
X Signature	[Handwritten Signature]																

Thank You!!