


1700

2900

50

3000

50



TOPPENNA - 1961
LOG - 1961

3100

50

3200

50

3300

NECESSES - 1201
LOG - 1204

WARRON - 1221
LOG - 1224

LKC - 1249
LOG - 1249

SH BLU CARB

SH OR GRAY - 9 MY

LS tan - alk. fr. - m. s. u. c. x y f u
pr - fr / - 2 p. c. s. fr. s. pt. brn
STU m. s. b. no od. fring v. fring h.

205 p. p. n. s.
w/gray sh
mic. x y f u brn dms LS MS.

SH RO BRN GRAY

LS. fine. v. fr. x y f u. just dms. pr. l. z.
p. s. s. p. d. s. c. h. brn. s. m. v. h. b. s. l. z.
od. fring m. r. dms. WARRON

SH GRAY BRN

CHKY tan LS. s. m. fr. x y f u DMS LS MS.

gray sh

LS. tan. gray. fr. - m. s. u. c. x y f u. s. m.
od. dms. fr. - fr. fring m. r. dms. s. l. z.
brn. s. p. d. s. c. h. fr. x y f u. s. l. z. g. d. s. c. h. s. m. r. dms.

PROFIT INC. 2115 S. 10th St., Oklahoma City, Oklahoma
Reports w/ logs, tool planes & mud
Bar. STM exp. trace oil.

2600
210 3126
170 3126
50

2600
210 3126
170 3126
50

2600
210 3126
170 3126
50

2600
210 3126
170 3126
50

2600
210 3126
170 3126
50

2600
210 3126
170 3126
50

2600
210 3126
170 3126
50


2600
210 3126
170 3126
50

2600
210 3126
170 3126
50

2600
210 3126
170 3126
50

2600
210 3126
170 3126
50

2600
210 3126
170 3126
50



DRILLING TIME Minutes/Foot
Rate of Penetration Decreases

LITHOLOGY

SAMPLE DESCRIPTIONS

SHOWS

REMARKS

OPERATOR DNOGI
LEASE SCHMIAT B #8
ELEVATION 2029 KB RTD 3635'
LOCATION 2235' ENL 4 1830' FEL
SEC 3 TWP 135 RNG 17W
COUNTY ELLIS STATE KANSAS