

Well will not be drilled or Permit Expired Date: _

Signature of Operator or Agent:

For KCC	Use:	
Effective	Date:	
District #	=	
SGA?	Yes No	

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1073290

Form C-1

March 2010

Form must be Typed

Form must be Signed

All blanks must be Filled

NOTICE OF INTENT TO DRILL

			Spot Description:
	month da	ay year	Sec Twp S. R E
DPERATOR: License#			feet from N / S Line of Section
			feet from E / W Line of Secti
			Is SECTION: Regular Irregular?
			(Note: Locate well on the Section Plat on reverse side)
		Zip: +	County:
Contact Person:			Lease Name: Well #:
hone:			Field Name:
CONTRACTOR: License#	¥		Is this a Prorated / Spaced Field?
lame:			Target Formation(s):
W " D " " . T	14/ 11/01	.	Nearest Lease or unit boundary line (in footage):
Well Drilled For:	Well Class:	Type Equipment:	Ground Surface Elevation:feet MS
Oil Enh	Rec Infield	Mud Rotary	Water well within one-quarter mile:
Gas Stora	• =	Air Rotary	Public water supply well within one mile:
Dispo		Cable	Depth to bottom of fresh water:
Seismic ;#			Depth to bottom of usable water:
Other:			Surface Pipe by Alternate:
If OWWO: old well	Il information as follows:		Length of Surface Pipe Planned to be set:
_			
•			Projected Total Depth:
	Origin	al Total Depth:	
Original Completion D	ate Origin	ai iotai Deptii	Water Source for Drilling Operations:
Directional, Deviated or Ho	orizontal wellbore?	Yes No	Well Farm Pond Other:
f Yes, true vertical depth:			DWR Permit #:
Bottom Hole Location:			(Note: Apply for Permit with DWR)
KCC DKT #:			
			If Yes, proposed zone:
The second and second be as been	- (C (b (b		FIDAVIT
	•		ugging of this well will comply with K.S.A. 55 et. seq.
t is agreed that the follow	wing minimum requireme	ents will be met:	
	iate district office <i>prior</i> to		
	roved notice of intent to a	•	h drilling rig; t by circulating cement to the top; in all cases surface pipe shall be set
A copy of the appr			
2. A copy of the appr3. The minimum amount	ount of surface pipe as s	•	, , , , , , , , , , , , , , , , , , , ,
 A copy of the appr The minimum amount through all uncons 	ount of surface pipe as s solidated materials plus a	a minimum of 20 feet into th	ne underlying formation.
 A copy of the appr The minimum amounthrough all uncons If the well is dry ho 	ount of surface pipe as s solidated materials plus a ole, an agreement betwe	a minimum of 20 feet into the een the operator and the dis	, , , , , , , , , , , , , , , , , , , ,
 A copy of the appr The minimum amouthrough all uncons If the well is dry ho The appropriate di If an ALTERNATE 	ount of surface pipe as s solidated materials plus a ole, an agreement betwe istrict office will be notified II COMPLETION, produ	a minimum of 20 feet into the een the operator and the dis ed before well is either plug uction pipe shall be cemente	ne underlying formation. Strict office on plug length and placement is necessary <i>prior to plugging;</i> ged or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spud date.
 A copy of the appr The minimum amouthrough all uncons If the well is dry ho The appropriate di If an ALTERNATE Or pursuant to App 	ount of surface pipe as s solidated materials plus a ole, an agreement betwe istrict office will be notific II COMPLETION, produ pendix "B" - Eastern Kar	a minimum of 20 feet into the een the operator and the dis ed before well is either plug action pipe shall be cemente hsas surface casing order #	ne underlying formation. Strict office on plug length and placement is necessary <i>prior to plugging;</i> ged or production casing is cemented in; ed from below any usable water to surface within <i>120 DAYS</i> of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing
 A copy of the appr The minimum amouthrough all uncons If the well is dry ho The appropriate di If an ALTERNATE Or pursuant to App 	ount of surface pipe as s solidated materials plus a ole, an agreement betwe istrict office will be notific II COMPLETION, produ pendix "B" - Eastern Kar	a minimum of 20 feet into the een the operator and the dis ed before well is either plug action pipe shall be cemente hsas surface casing order #	ne underlying formation. Strict office on plug length and placement is necessary <i>prior to plugging;</i> ged or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spud date.
 A copy of the appr The minimum amouthrough all uncons If the well is dry ho The appropriate di If an ALTERNATE Or pursuant to App 	ount of surface pipe as s solidated materials plus a ole, an agreement betwe istrict office will be notifie II COMPLETION, produ pendix "B" - Eastern Kar	a minimum of 20 feet into the een the operator and the dis ed before well is either plug action pipe shall be cemente hsas surface casing order #	ne underlying formation. Strict office on plug length and placement is necessary <i>prior to plugging;</i> ged or production casing is cemented in; ed from below any usable water to surface within <i>120 DAYS</i> of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing
 A copy of the appr The minimum amouthrough all uncons If the well is dry ho The appropriate di If an ALTERNATE Or pursuant to Appmust be completed 	ount of surface pipe as s solidated materials plus a ole, an agreement betwe istrict office will be notified II COMPLETION, produ pendix "B" - Eastern Kar d within 30 days of the s	a minimum of 20 feet into the een the operator and the dis ed before well is either plug action pipe shall be cemente hsas surface casing order #	ne underlying formation. Strict office on plug length and placement is necessary <i>prior to plugging;</i> ged or production casing is cemented in; ed from below any usable water to surface within <i>120 DAYS</i> of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing
 A copy of the appr The minimum amouthrough all uncons If the well is dry ho The appropriate di If an ALTERNATE Or pursuant to Appmust be completed 	ount of surface pipe as s solidated materials plus a ole, an agreement betwe istrict office will be notified II COMPLETION, produ pendix "B" - Eastern Kar d within 30 days of the s	a minimum of 20 feet into the een the operator and the dis ed before well is either plug action pipe shall be cemente hsas surface casing order #	ne underlying formation. Strict office on plug length and placement is necessary <i>prior to plugging;</i> ged or production casing is cemented in; ed from below any usable water to surface within <i>120 DAYS</i> of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing e plugged. <i>In all cases, NOTIFY district office</i> prior to any cementing.
 A copy of the appr The minimum amouthrough all uncons If the well is dry ho The appropriate di If an ALTERNATE Or pursuant to Appmust be completed 	ount of surface pipe as s solidated materials plus a ole, an agreement betwe istrict office will be notified II COMPLETION, produ pendix "B" - Eastern Kar d within 30 days of the s	a minimum of 20 feet into the een the operator and the dis ed before well is either plug action pipe shall be cemente hsas surface casing order #	ne underlying formation. Strict office on plug length and placement is necessary <i>prior to plugging</i> ; ged or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing e plugged. In all cases, NOTIFY district office prior to any cementing. Remember to:
A copy of the appr The minimum amouthrough all uncons If the well is dry ho The appropriate di If an ALTERNATE Or pursuant to Approve the completed ubmitted Electro For KCC Use ONLY	count of surface pipe as solidated materials plus a cole, an agreement betwee istrict office will be notifice. II COMPLETION, produpendix "B" - Eastern Kard within 30 days of the solically	a minimum of 20 feet into the en the operator and the dised before well is either pluguction pipe shall be cementensas surface casing order #spud date or the well shall be	ne underlying formation. Strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing e plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification
2. A copy of the appr 3. The minimum amouthrough all uncons 4. If the well is dry ho 5. The appropriate di 6. If an ALTERNATE Or pursuant to Appende to the complete of the c	count of surface pipe as solidated materials plus a cole, an agreement betwee istrict office will be notifice. If COMPLETION, produpendix "B" - Eastern Kard within 30 days of the sonically	a minimum of 20 feet into the een the operator and the dised before well is either pluguction pipe shall be cementensas surface casing order #spud date or the well shall be	ne underlying formation. Strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing e plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;
A copy of the appr The minimum amouthrough all uncons If the well is dry ho The appropriate di If an ALTERNATE Or pursuant to Appendent be completed Ubmitted Electro For KCC Use ONLY API # 15 -	count of surface pipe as solidated materials plus a cole, an agreement betwee istrict office will be notifice. II COMPLETION, produpendix "B" - Eastern Kard within 30 days of the solically	a minimum of 20 feet into the een the operator and the dised before well is either pluguction pipe shall be cementensas surface casing order #spud date or the well shall be	Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill;
2. A copy of the appr 3. The minimum amouthrough all uncons 4. If the well is dry ho 5. The appropriate di 6. If an ALTERNATE Or pursuant to Approved by the completed Ubmitted Electro For KCC Use ONLY API # 15 - Conductor pipe required	count of surface pipe as solidated materials plus a cole, an agreement betwee istrict office will be notifice. If COMPLETION, produpendix "B" - Eastern Kard within 30 days of the sonically	a minimum of 20 feet into the en the operator and the dised before well is either pluguction pipe shall be cementensas surface casing order # spud date or the well shall be the manual of the well shall be	ne underlying formation. Strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing e plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;
 A copy of the appr The minimum amouthrough all uncons If the well is dry ho The appropriate di If an ALTERNATE Or pursuant to Appendix be completed Ubmitted Electro For KCC Use ONLY API # 15 - Conductor pipe required Minimum surface pipe re 	count of surface pipe as so solidated materials plus a cole, an agreement betwee istrict office will be notifice. If COMPLETION, produpendix "B" - Eastern Kard within 30 days of the sonically	a minimum of 20 feet into the een the operator and the dised before well is either pluguction pipe shall be cementensas surface casing order #spud date or the well shall befeetfeetfeet per ALT I II	Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date;
2. A copy of the appr 3. The minimum amouthrough all uncons 4. If the well is dry ho 5. The appropriate di 6. If an ALTERNATE Or pursuant to Approve be completed ubmitted Electro For KCC Use ONLY API # 15 - Conductor pipe required Minimum surface pipe re Approved by:	count of surface pipe as so solidated materials plus a cole, an agreement betwee istrict office will be notifice. If COMPLETION, produpendix "B" - Eastern Kard within 30 days of the sonically	a minimum of 20 feet into the een the operator and the dised before well is either pluguction pipe shall be cementensas surface casing order #spud date or the well shall befeetfeetfeet per ALT I II	Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File Careage attribution plat according to field proration orders;
2. A copy of the appr 3. The minimum amouthrough all uncons 4. If the well is dry ho 5. The appropriate di 6. If an ALTERNATE Or pursuant to Approve be completed Ubmitted Electro For KCC Use ONLY API # 15 - Conductor pipe required Minimum surface pipe re Approved by: This authorization expire	count of surface pipe as so solidated materials plus a cole, an agreement betwee istrict office will be notifice. If COMPLETION, produpendix "B" - Eastern Kard within 30 days of the sonically	a minimum of 20 feet into the een the operator and the dised before well is either pluguction pipe shall be cementensas surface casing order #spud date or the well shall be feet feet per ALT I II	Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; Notify appropriate district office 48 hours prior to workover or re-entry;

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

Spud date: _

For KCC Use ONLY	
API # 15	_

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW


In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator:	Location of Well: County:
Lease:	feet from N / S Line of Section
Well Number:	feet from E / W Line of Section
Field:	Sec Twp S. R
Number of Acres attributable to well:	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT

Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032).

You may attach a separate plat if desired.



NOTE: In all cases locate the spot of the proposed drilling locaton.

1300 ft.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 May 2010 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name:			License Number:		
Operator Address:					
Contact Person:			Phone Number:		
Lease Name & Well No.:			Pit Location (QQQQ):		
Type of Pit: Emergency Pit Burn Pit Settling Pit Drilling Pit Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)	Pit is: Proposed Existing If Existing, date constructed: Pit capacity:		SecTwp R East West Feet from North / South Line of Section Feet from East / West Line of Section		
		(bbls)	County		
Is the pit located in a Sensitive Ground Water A	Area? Yes	No	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)		
Is the bottom below ground level?	Artificial Liner?	No	How is the pit lined if a plastic liner is not used?		
Pit dimensions (all but working pits):	Length (fe	et)	Width (feet) N/A: Steel Pits		
Depth fro	om ground level to dee	epest point:	(feet) No Pit		
If the pit is lined give a brief description of the li material, thickness and installation procedure.			dures for periodic maintenance and determining ncluding any special monitoring.		
Distance to nearest water well within one-mile of pit:		Depth to shallo Source of infor	west fresh water feet. mation:		
feet Depth of water well	feet	measured	well owner electric log KDWR		
Emergency, Settling and Burn Pits ONLY:		Drilling, Work	over and Haul-Off Pits ONLY:		
Producing Formation:		Type of material utilized in drilling/workover:			
Number of producing wells on lease:		Number of working pits to be utilized:			
Barrels of fluid produced daily:		Abandonment procedure:			
Does the slope from the tank battery allow all s flow into the pit? Yes No	spilled fluids to	Drill pits must be closed within 365 days of spud date.			
Submitted Electronically					
KCC OFFICE USE ONLY					
Date Received: Permit Num	ber:	Permi	Liner Steel Pit RFAC RFAS it Date: Lease Inspection: Yes No		

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form KSONA-1 July 2010 Form Must Be Typed Form must be Signed All blanks must be Filled

CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application). Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (C	Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)				
OPERATOR: License #	Well Location:				
Name:	SecTwpS. R East West				
Address 1:	County:				
Address 2:	Lease Name: Well #:				
City: State: Zip:+	If filing a Form T-1 for multiple wells on a lease, enter the legal description of				
Contact Person:	the lease below:				
Phone: () Fax: ()					
Email Address:					
Surface Owner Information:					
Name:	When filing a Form T-1 involving multiple surface owners, attach an additional				
Address 1:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the				
Address 2:	county, and in the real estate property tax records of the county treasurer.				
City: State: Zip:+					
the KCC with a plat showing the predicted locations of lease roads, tank are preliminary non-binding estimates. The locations may be entered or Select one of the following: \[\] I certify that, pursuant to the Kansas Surface Owner Notice A	dic Protection Borehole Intent), you must supply the surface owners and a batteries, pipelines, and electrical lines. The locations shown on the plat in the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted. act (House Bill 2032), I have provided the following to the surface pocated: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form				
	being filed is a Form C-1 or Form CB-1, the plat(s) required by this				
	cknowledge that, because I have not provided this information, the vner(s). To mitigate the additional cost of the KCC performing this fee, payable to the KCC, which is enclosed with this form.				
If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-	fee with this form. If the fee is not received with this form, the KSONA-1 will be returned.				
Submitted Electronically					

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.


API No. 15	
Operator: Laymon Oll II	Location of Well: County: Allen
Lease: Rice	
Well Number: 4-12	1,300 feet from N / X S Line of Section 2,540 Feet from X E / W Line of Section
Field:	Sec. 11 Twp. 24 S. R. 17 X E W
Number of Acres attributable to well:	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

					· ·······	· 	
			,				
	Ĵ	3 4		11	3		
			D	K,			
1		:		= ⊕			
			HET PROTECTION OF THE PERSON	Allerian research			
			· · · · · · · · · · · · · · · · · · ·				



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

Conservation Division Finney State Office Building 130 S. Market, Rm. 2078 Wichita, KS 67202-3802



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Mark Sievers, Chairman Ward Loyd, Commissioner Thomas E. Wright, Commissioner

February 01, 2012

Michael Laymon Laymon Oil II, LLC 1998 SQUIRREL RD NEOSHO FALLS, KS 66758-7124

Re: Drilling Pit Application API 15-001-30307-00-00 Rice 4-12 SE/4 Sec.11-24S-17E Allen County, Kansas

Dear Michael Laymon:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed **without slots**, the bottom shall be flat and reasonably level, and the free fluids must be removed. The fluids are to be removed from the reserve pit as soon as practical after drilling operations have ceased.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (620) 432-2300 when the fluids have been removed. Please file form CDP-5 (August 2008), Exploration and Production Waste Transfer, through KOLAR within 30 days of fluid removal.

A copy of this letter should be posted in the doghouse along with the approved Intent to **Drill**. If you have any questions or concerns please feel free to contact the District Office at (620) 432-2300.

Summary of Changes

Lease Name and Number: Rice 4-12 API/Permit #: 15-001-30307-00-00

Doc ID: 1073290

Correction Number: 1

Approved By: Rick Hestermann 02/01/2012

Field Name	Previous Value	New Value
ElevationPDF	1003 Estimated	1002 Estimated
Ground Surface Elevation	1003	1002
KCC Only - Approved By	Rick Hestermann 01/18/2012	Rick Hestermann 02/01/2012
KCC Only - Approved Date	01/18/2012	02/01/2012
KCC Only - Date Received	01/16/2012	02/01/2012
KCC Only - Regular Section Quarter Calls	NW SW SW SE	NW NW SW SE
LocationInfoLink	https://solar.kgs.ku.edu/kcc/detail/locationInform	https://solar.kgs.ku.edu/kcc/detail/locationInform
Nearest Lease Or Unit Boundary	ation.cfm?section=11&t 500	ation.cfm?section=11&t 1300
Number of Feet North or South From Section	500	1300
Line Number of Feet North or South From Section Line	500	1300

Summary of changes for correction 1 continued

Field Name	Previous Value	New Value
Quarter Call 3	SW	NW
Quarter Call 3	SW	NW
Save Link	//kcc/detail/operatorE ditDetail.cfm?docID=10 72006	//kcc/detail/operatorE ditDetail.cfm?docID=10 73290

Summary of Attachments

Lease Name and Number: Rice 4-12

API: 15-001-30307-00-00

Doc ID: 1073290

Correction Number: 1

Approved By: Rick Hestermann 02/01/2012

Attachment Name

plat map

Fluid