

Well will not be drilled or Permit Expired Date: _

Signature of Operator or Agent:

| For KC | C Use: | | | |
|------------|--------|----|--|--|
| Effective | Date: | | | |
| District # | # | | | |
| SGA? | Yes | No | | |

SGA?

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 March 2010 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

| Expected Spud Date: | Spot Description: |
|---|--|
| month day year | |
| OPERATOR: License# | feet from N / S Line of Section |
| Name: | feet from E / W Line of Section |
| Address 1: | Is SECTION: Regular Irregular? |
| Address 2: | (Note: Locate well on the Section Plat on reverse side) |
| City: | County: |
| Contact Person: | Lease Name: Well #: |
| Phone: | Field Name: |
| CONTRACTOR: License# | Is this a Prorated / Spaced Field? |
| Name: | Target Formation(s): |
| Well Drilled For: Well Class: Type Equipment: | Nearest Lease or unit boundary line (in footage): |
| Oil Enh Rec Infield Mud Rotary | Ground Surface Elevation:feet MS |
| Gas Storage Pool Ext. Air Rotary | Water well within one-quarter mile: |
| Disposal Wildcat Cable | Public water supply well within one mile: |
| Seismic ;# of Holes Other | Depth to bottom of fresh water: |
| Other: | Depth to bottom of usable water: |
| | Surface Pipe by Alternate: I II |
| If OWWO: old well information as follows: | Length of Surface Pipe Planned to be set: |
| Operator: | Length of Conductor Pipe (if any): |
| Well Name: | Projected Total Depth: |
| Original Completion Date: Original Total Depth: | Formation at Total Depth: |
| | Water Source for Drilling Operations: |
| Directional, Deviated or Horizontal wellbore? Yes No | Well Farm Pond Other: |
| f Yes, true vertical depth: | DWR Permit #: |
| Bottom Hole Location: | (Note: Apply for Permit with DWR) |
| (CC DKT #: | Will Cores be taken? |
| | If Yes, proposed zone: |
| | 11 163, proposed 2016. |
| AEE | |
| | IDAVIT |
| The undersigned hereby affirms that the drilling, completion and eventual plug | IDAVIT |
| The undersigned hereby affirms that the drilling, completion and eventual plug t is agreed that the following minimum requirements will be met: | IDAVIT |
| The undersigned hereby affirms that the drilling, completion and eventual plug t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; | IDAVIT gging of this well will comply with K.S.A. 55 et. seq. |
| The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each | IDAVIT gging of this well will comply with K.S.A. 55 et. seq. drilling rig; |
| The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by | IDAVIT gging of this well will comply with K.S.A. 55 et. seq. drilling rig; by circulating cement to the top; in all cases surface pipe shall be set |
| The undersigned hereby affirms that the drilling, completion and eventual plug t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the | IDAVIT gging of this well will comply with K.S.A. 55 et. seq. drilling rig; by circulating cement to the top; in all cases surface pipe shall be set underlying formation. |
| The undersigned hereby affirms that the drilling, completion and eventual plug t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by | IDAVIT gging of this well will comply with K.S.A. 55 et. seq. drilling rig; by circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging; |
| The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distr | IDAVIT gging of this well will comply with K.S.A. 55 et. seq. drilling rig; by circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; |
| The undersigned hereby affirms that the drilling, completion and eventual plug t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distrest. The appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 | drilling rig; by circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing |
| The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distress. The appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented. | drilling rig; by circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing |
| The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distrest. The appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 | drilling rig; by circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing |
| The undersigned hereby affirms that the drilling, completion and eventual plug t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distr 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be | drilling rig; by circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing |
| The undersigned hereby affirms that the drilling, completion and eventual plug t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distr 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be | drilling rig; by circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing |
| The undersigned hereby affirms that the drilling, completion and eventual plug t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distrection of the specific to the district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be submitted Electronically | drilling rig; by circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing |
| The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distrection of the distrection | drilling rig; by circulating cement to the top; in all cases surface pipe <i>shall be set</i> underlying formation. ict office on plug length and placement is necessary <i>prior to plugging;</i> ed or production casing is cemented in; I from below any usable water to surface within <i>120 DAYS</i> of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. <i>In all cases, NOTIFY district office</i> prior to any cementing. |
| The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distrection of the surface of the properties of the properties of the specific will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be submitted Electronically | drilling rig; by circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; |
| The undersigned hereby affirms that the drilling, completion and eventual plug t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distrection of the surface of the specific of the set of t | drilling rig; by circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; |
| The undersigned hereby affirms that the drilling, completion and eventual plug t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distrection of the surface of the specific of the well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be **Ubmitted Electronically** For KCC Use ONLY API # 15 | drilling rig; by circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; |
| The undersigned hereby affirms that the drilling, completion and eventual plug t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distrection of the distrection | drilling rig; by circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; |
| The undersigned hereby affirms that the drilling, completion and eventual plug t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distrection of 5. The appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be appropriate to the well shall be considered. **The appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be appropriated. **The appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be understood to the well shall be appropriated. **The appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented to the well shall be appropriated. If an ALTERNATE II COMPLETION, production pipe shall be cemented to the well shall be appropriated. If an ALTERNATE II COMPLETION, production pipe shall be cemented to the well shall be appropriated. If an ALTERNATE II COMPLETION, production pipe shall be cemented to the well shall be appropriated to the product of the well shall be appropriated to the product | drilling rig; by circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; |
| The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distrection of the surface well is either pluggers. The appropriate district office will be notified before well is either pluggers. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be submitted Electronically For KCC Use ONLY API # 15 | drilling rig; by circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); |
| The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be ubmitted Electronically For KCC Use ONLY API # 15 Conductor pipe required feet Minimum surface pipe required feet per ALT I II III Approved by: | drilling rig; by circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; |

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202 Side Two



| For KCC Use ONLY | |
|------------------|--|
| API # 15 | |

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

| Operator: | Location of Well: County: |
|---------------------------------------|--|
| ease: | feet from N / S Line of Section |
| Vell Number: | feet from E / W Line of Section |
| ield: | Sec Twp S. R |
| Number of Acres attributable to well: | Is Section: Regular or Irregular |
| and the the transfer of acteage. | |
| | If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW |
| | |
| | |
| Pl | _AT |
| | ease or unit boundary line. Show the predicted locations of |
| | uired by the Kansas Surface Owner Notice Act (House Bill 2032). eparate plat if desired. |
| 100 may allach a 30 | 013 ft. |
| | <u> </u> |
| | LEGEND |
| | O Well Location |
| <u></u> | 1337 ft. Tank Battery Location |
| · · · · · · · · · · · · · · · · · · · | Pipeline Location |
| | Electric Line Location |
| | Lease Road Location |
| | ······································ |
| | EXAMPLE : : |
| | EXAMPLE |
| 6 | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | SEWARD CO. 3390' FEL |

NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.



KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

073372

Form CDP-1 May 2010 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

| Operator Name: | | License Number: | | |
|--|-------------------------|--|---|--|
| Operator Address: | | | | |
| Contact Person: | | | Phone Number: | |
| Lease Name & Well No.: | | | Pit Location (QQQQ): | |
| Type of Pit: Emergency Pit Burn Pit | Pit is: | Existing | SecTwp R | |
| Settling Pit Drilling Pit | If Existing, date con | | Feet from North / South Line of Section | |
| Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled) | Pit capacity: | (bbls) | Feet from East / West Line of Section County | |
| Is the pit located in a Sensitive Ground Water A | rea? Yes N | No | Chloride concentration: mg/l (For Emergency Pits and Settling Pits only) | |
| Is the bottom below ground level? Yes No | Artificial Liner? | 0 | How is the pit lined if a plastic liner is not used? | |
| Pit dimensions (all but working pits): | Length (fee | t) | Width (feet) N/A: Steel Pits | |
| Depth fro | om ground level to deep | pest point: | (feet) No Pit | |
| If the pit is lined give a brief description of the line material, thickness and installation procedure. | itei | | dures for periodic maintenance and determining ncluding any special monitoring. | |
| Distance to nearest water well within one-mile of pit: | | Depth to shallo | west fresh water feet. mation: | |
| feet Depth of water wellfeet | | measured | well owner electric log KDWR | |
| Emergency, Settling and Burn Pits ONLY: | | Drilling, Worko | over and Haul-Off Pits ONLY: | |
| Producing Formation: | | Type of materia | al utilized in drilling/workover: | |
| Number of producing wells on lease: | | Number of working pits to be utilized: | | |
| Barrels of fluid produced daily: | | Abandonment p | procedure: | |
| Does the slope from the tank battery allow all spilled fluids to flow into the pit? | | Drill pits must b | pe closed within 365 days of spud date. | |
| Submitted Electronically | | | | |
| KCC OFFICE USE ONLY Liner Steel Pit RFAC RFAS | | | | |
| Date Received: Permit Numb | ber: | Permi | t Date: Lease Inspection: Yes No | |



Kansas Corporation Commission Oil & Gas Conservation Division

1073372

Form KSONA-1
July 2010
Form Must Be Typed
Form must be Signed
All blanks must be Filled

CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

| Select the corresponding form being filed: C-1 (Intent) CB-1 (C | Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application) |
|---|--|
| OPERATOR: License # | Well Location: |
| Name: | SecTwpS. R 🔲 East 🗌 West |
| Address 1: | County: |
| Address 2: | Lease Name: Well #: |
| City: | If filing a Form T-1 for multiple wells on a lease, enter the legal description of |
| Contact Person: | the lease below: |
| Phone: () Fax: () | |
| Email Address: | |
| Surface Owner Information: | |
| Name: | When filing a Form T-1 involving multiple surface owners, attach an additional |
| Address 1: | sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the |
| Address 2: | county, and in the real estate property tax records of the county treasurer. |
| City: | |
| the KCC with a plat showing the predicted locations of lease roads, tank | dic Protection Borehole Intent), you must supply the surface owners and a batteries, pipelines, and electrical lines. The locations shown on the plat in the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted. |
| Select one of the following: | |
| owner(s) of the land upon which the subject well is or will be loce CP-1 that I am filing in connection with this form; 2) if the form the form; and 3) my operator name, address, phone number, fax, and I have not provided this information to the surface owner(s). I an KCC will be required to send this information to the surface owner(s). | cknowledge that, because I have not provided this information, the ner(s). To mitigate the additional cost of the KCC performing this |
| task, I acknowledge that I am being charged a \$30.00 handling If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CP- | fee with this form. If the fee is not received with this form, the KSONA-1 |
| Submitted Electronically | |

VAN BLARICUM #1-6(NE) 1013' FNL & 1337' FEL SECTION 6-28S-30W, GRAY COUNTY, KANSAS

KENNETH R & ANNETTE VAN BLARICUM 415 BELMONT RD, PRATT KANSAS 67124

GALEN R & KAREN VAN BLARICUM 2012 CARMEL DR, LAWRENCE, KS 66047

FRANCIA K & ERIC BIRD 825 TEE COURT, ELDORADO, KS 67042

BETTY A. GROGAN 6101 DEL CAMPO PLACE NE ALBUQUERQUE, NM 87109



BOX 8604 - PRATT, KS 67124 (620) 672-6491

126123 INVOICE NO.

| FALCON EXPLORATION INC OPERATOR | 1-6 (NE) Van Blaricum |
|---|-----------------------------------|
| Gray 6 28s 30w COUNTY S T R | 1013' FNL & 1337' FEL LOCATION |
| FALCON EXPLORATION INC. 125 N Market St., Ste. 1252 Wichita KS 67202 | elevation: 2824 GR |
| • | |
| THORIZED BY: Leon Kuhn | |
| SCA | ALE: 1" = 1000' |
| Set 5' wood stake & 1' rebar. Level circle irrigation corn stubble ± 25' S-SE to wheel track. | |
| PRELIMINARY NON-BI ROADS/LEADLINES/TA | INDING LOCATION OF ANK BATTERY |
| | |

Conservation Division Finney State Office Building 130 S. Market, Rm. 2078 Wichita, KS 67202-3802



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Mark Sievers, Chairman Ward Loyd, Commissioner Thomas E. Wright, Commissioner

February 06, 2012

CYNDE WOLF Falcon Exploration, Inc. 125 N MARKET STE 1252 WICHITA, KS 67202-1719

Re: Drilling Pit Application VAN BLARICUM 1-6(NE) NE/4 Sec.06-28S-30W Gray County, Kansas

Dear CYNDE WOLF:

According to the drilling pit application referenced above, no earthen pits will be used at this location. Steel pits will be used. Please inform the Commission in writing as to which disposal well you utilized to dispose of the contents in the steel pits and the amount of fluid that was disposed. Please file form CDP-5 (August 2008), Exploration and Production Waste Transfer, within 30 days of fluid removal.

Should a haul-off pit be necessary please file form CDP-1 (April 2004), Application for Surface Pit, through KOLAR. This location will have to be inspected prior to approval of the haul-off pit application.

A copy of this letter should be posted in the doghouse along with the approved Intent to **Drill**. If you have any questions or concerns please feel free to contact the District Office at (620) 225-8888.

Conservation Division Finney State Office Building 130 S. Market, Rm. 2078 Wichita, KS 67202-3802



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Mark Sievers, Chairman Ward Loyd, Commissioner Thomas E. Wright, Commissioner

82-3-607.

HAUL-OFF PIT APPLICATION FILING REQUIREMENTS

DISPOSAL OF DIKE AND PIT CONTENTS.

| (a) | Each operator shall perform one of the following when disposing of dike or |
|-------|---|
| pit | |
| (1) | contents: Remove the liquid contents to a disposal well or other oil and gas operation approved by the commission or to road maintenance or construction locations approved by the department; |
| (2) | dispose of reserve pit waste down the annular space of a well completed according to the alternate I requirements of K.A.R. 82-3-106, if the waste to be disposed of was generated during the drilling and completion of the well; |
| or | |
| (3) | dispose of the remaining solid contents in any manner required by the commission. The requirements may include any of the following: (A) Burial in place, in accordance with the grading and restoration requirements in K.A.R. 82-3-602 (f); (B) removal and placement of the contents in an on-site disposal area approved by the commission; (C) removal and placement of the contents in an off-site disposal area |
| on | |
| lease | acreage owned by the same landowner or to another producing |
| | or unit operated by the same operator, if prior written permission |
| from | the landowner has been obtained; or |

| | (D) | removal of the contents to a permitted off-site disposal area |
|----------|-----------|---|
| approved | | |
| | | by the department. |
| (b) | Each | violation of this regulation shall be punishable by the following: |
| (1 |) A \$1,0 | 000 penalty for the first violation; |
| (2 | a \$2,5 | 00 penalty for the second violation; and |
| (3 | a \$5,0 | 000 penalty and an operator license review for the third violation. |

File Haul-Off Pit Application in KOLAR. Review the information below and attach all required documents to the pit application when submitting through KOLAR. This form will automatically generate and fill in from questions asked in KOLAR.

| Haul-off pit will be located in an on-site disposal area:YesNo | |
|--|---|
| Haul-off pit is located in an off-site disposal area on acreage owned by the same landowner: YesNo If yes, written permission from the land owner must be obtained. Attach written permission to haul-off pit application. | |
| Haul-off pit is located in an off-site disposal area on another producing lease or unit operated by the same operator:YesNo If yes, written permission from the land owner must be obtained. Attach permission and a copy of the lease assignment that covers the acreage whe the haul-off pit is to be located, to the haul-off pit application. | Э |