For KCC Use:

Effective	Date:

E	tt	e	ct	İ٧	е	Date:	
_							

District #		
SGA?	Yes	No

Form

CORRECTION #1

1073618

KANSAS CORPORATION COMMISSION **OIL & GAS CONSERVATION DIVISION**

March 2010 Form must be Typed Form must be Signed All blanks must be Filled

Form C-1

Must be approved by KCC five (5) days prior to commencing well

KCONA 4 Constitutions of C	a man lia maa uuisi	the Kenese	Curface Ourser Matific	ation Ast MUCT he ave	h maissa al unish shia farma
KSONA-1, Certification of C	omoliance with	i the Kansas	Surface Owner Notific	ation Act. WUST be su	ominea with this torm

Expected Spud Date:	Spot Description:
month day year	(<u>a/a/a/a)</u> Sec Twp S. R E W
OPERATOR: License#	feet from N / S Line of Section
Name:	feet from L E / W Line of Section
Address 1:	Is SECTION: Regular Irregular?
Address 2:	(Note: Locate well on the Section Plat on reverse side)
City: State: Zip: +	County:
Contact Person:	Lease Name: Well #:
Phone:	Field Name:
CONTRACTOR: License#	Is this a Prorated / Spaced Field?
Name:	Target Formation(s):
Well Drilled For: Well Class: Type Equipment: Oil Enh Rec Infield Mud Rotary Gas Storage Pool Ext. Air Rotary Disposal Wildcat Cable Seismic ; # of Holes Other If OWWO: old well information as follows: Operator: Well Name:	Nearest Lease or unit boundary line (in footage): Ground Surface Elevation:
Original Completion Date: Original Total Depth:	Formation at Total Depth:
Directional, Deviated or Horizontal wellbore? Yes No If Yes, true vertical depth: Bottom Hole Location:	Water Source for Drilling Operations: Well Farm Pond Other: DWR Permit #: (Note: Apply for Permit with DWR)
KCC DKT #:	Will Cores be taken?
	If Yes, proposed zone:

AFFIDAVIT

The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq.

It is agreed that the following minimum requirements will be met:

- 1. Notify the appropriate district office *prior* to spudding of well;
- 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig;
- 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.
- 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging;
- 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in;
- 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.

For KCC Use ONLY	
API # 15	
Conductor pipe required	feet
Minimum surface pipe required	feet per ALT.
Approved by:	
This authorization expires:	
Spud date: Agent:	

Remember to:

- File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;
- File Drill Pit Application (form CDP-1) with Intent to Drill;
- File Completion Form ACO-1 within 120 days of spud date;
- File acreage attribution plat according to field proration orders;
- Notify appropriate district office 48 hours prior to workover or re-entry;
- Submit plugging report (CP-4) after plugging is completed (within 60 days);
- Obtain written approval before disposing or injecting salt water.
- If well will not be drilled or permit has expired (See: authorized expiration date) please check the box below and return to the address below.

ш

Well will not be drilled or Permit Expired Date: _ Signature of Operator or Agent:

For KCC Use ONLY

API # 15 - ____


IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator:	Location of Well: County:
Lease:	feet from N / S Line of Section
Well Number:	feet from E / W Line of Section
Field:	Sec Twp S. R E 📃 W
Number of Acres attributable to well: QTR/QTR/QTR/QTR of acreage:	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary.
	Section corner used: NE NW SE SW

PLAT

Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032). You may attach a separate plat if desired.



In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.



1073618

CORRECTION #1

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 May 2010 Form must be Typed

APPLICATION FOR SURFACE PIT

Operator Name: License Number; Operator Address:		Su	bmit in Duplicat	e	
Cartact Person: Phone Number: Lease Name & Well No: Pit Location (QQQQ): Type of Pit: Pit is: Emergency Pit Burn Pit Emergency Pit Ditiling Pit If Existing, date constructed: Feet from North / South Line of Section If Workower Pit Hauk-Off Pit If Workower Pit Hauk-Off Pit If Wer Supply API Na. or Ward Differg Pit capacity: If work and the pit located in a Sensitive Ground Water Area? Yes Is the bottom below ground level? Artificial Liner? How is the pit lined if a plastic liner is not used? Work Steel Pits Depth from ground level? Artificial Liner? How is the pit lined if a plastic liner is not used? No Pit dimensions (all but working pits): Length (feet) Work freesh water If the pit is lined give a brief description of the liner No Pit No Pit Destring Formation: Depth for material thickness and installation procedure. Depth to shallowest fresh water feet. Surver of moduling and Burn Pits ONLY: Type of material utilized in ditling/workover: Number of working pits to be utilized: Number of working pits to be utilized: Abando	Operator Name:			License Number:	
Lease Name & Well No: Pit Leastion (QQQQ): Type of Pit: Pit is: i: Proposed istating i: Setting Pit is: i: Proposed istating i: Katsing, data constructed: i: Precention (DQQQ): i: Free from (Least / West Line of Section (QQQ): i: Mathematical training in the preceding is the pit located in a Sensitive Ground Water Area? i: Artificial Liner? i: Artificial Liner? i: Artificial Liner? i: Leagth (feed) i: West No: Prid i: Despit to shallowest fresh water i: I: : Des	Operator Address:				
Type of Pit: Pit is: Secting Pit Burn Pit Betting Pit Dilling Pit H Existing, date constructed: Feet from North Gouth Line of Section (If WP Scapity API No. or North Oracl Direct D	Contact Person:			Phone Number:	
Energency Pit Burn Pit Setting Pit Dilling Pit Workover Pit Haul-Off Pit (I'WP 2000/ API No. or tear Dallad) If Existing, date constructed: Pit damention Pit existing, date constructed: Pit damentions (all but working pits): Artificial Liner? Workover or nearest water well within one-mile of pit: Obscribe procedures for periodic maintenance and determining If the pit is lined give a brief description of the liner measured It et a plating and Burn Pits ONLY: Depth to shallowest fresh water feet. Source of Information: Type of measured Number of producing wells on lease: Number of working pits on bases: Number of producing wells on lease: Number of working pits on bases: Number of producing wells on lease: Number of working pits on bases dailed fluids to floor daily: Does the slope from teak battery allow all spilled fluids to floor daily: Abandomment procedure: Dest the pit [] Yes] No Drill pits must be closed within 386 days of spud date.	Lease Name & Well No.:			Pit Location (QQQQ):	
Setting Pit Dniling Pit If Existing, date constructed:					
Workover Pit Haul-Off Pit (I'W Supply API No. or Veer Dnilled) Pit capacity:					
(I'WP Supply API No. or Year Omled) Pit capacity:		If Existing, date co	nstructed:	Feet from North / South Line of Section	
Is the pit located in a Sensitive Ground Water Area? Yes No Chloride concentration: mg/l Is the bottom below ground level? Artificial Liner? How is the pit lined if a plastic liner is not used? Pit dimensions (all but working pits): Length (feet) Width (feet) N/A: Steel Pits Depth from ground level to deepest point:		Pit capacity:		Feet from East / West Line of Section	
Image: control level? Artificial Liner? How is the pit lined if a plastic liner is not used? Image: control level is in the pit line in the pit line in the pit line in the pit line in the pit is line diverse in the liner Image: control level is line diverse in the pit line in the pit is line diverse in the liner Pit dimensions (all but working pits):			(bbls)	County	
res No Pit dimensions (all but working pits): Length (feet) Depth from ground level to deepest point: (feet) If the pit is lined give a brief description of the liner material, thickness and installation procedure. Distance to nearest water well within one-mile of pit: feet Depth of water well feet Depth of water well feet Depth of water well feet producing Formation: Number of producing wells on lease: Number of well well so hallowest by the shallowest within 365 days of spud date. KCOEFFCE USE ONLY Liner Stell Pit REAC REAS	Is the pit located in a Sensitive Ground Water A	rea? Yes	No		
Pit dimensions (all but working pits):				How is the pit lined if a plastic liner is not used?	
Depth from ground level to deepest point:		res r	NO		
If the pit is lined give a brief description of the liner material, thickness and installation procedure. Describe procedures for periodic maintenance and determining liner integrity, including any special monitoring. Distance to nearest water well within one-mile of pit: Depth to shallowest fresh water feet. Source of information: feetfeetfeetfeetfeet Depth to shallowest fresh waterfeet. Source of information: feetfeetfeetfeet Drilling, Workover and Haul-Off Pits ONLY: Producing Pormation:	Pit dimensions (all but working pits):	Length (fe	et)		
material, thickness and installation procedure. liner integrity, including any special monitoring. Distance to nearest water well within one-mile of pit: Depth to shallowest fresh water feet. Source of information: feet feet Depth of water well feet feet Depth of water and Haul-Off Pits ONLY: Number of producing wells on lease:	Depth fro	m ground level to dee	epest point:	(feet) No Pit	
Source of information: feet Depth of water well feet measured well owner electric log KDWR Producing And Burn Pits ONLY: Producing Formation: Type of material utilized in drilling/workover: Number of producing wells on lease: Number of working pits to be utilized: Abandonment procedure: Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pits must be closed within 365 days of spud date. KCC OFFICE USE ONLY Liner Steel Pit RFAS	material, thickness and installation procedure.				
Emergency, Settling and Burn Pits ONLY: Producing Formation: Mumber of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No KCC OFFICE USE ONLY Liner Steel Pit RFAS					
Producing Formation:	feet Depth of water well			well owner electric log KDWR	
Number of producing wells on lease:	Emergency, Settling and Burn Pits ONLY:		Drilling, Worko	ver and Haul-Off Pits ONLY:	
Barrels of fluid produced daily: Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pits must be closed within 365 days of spud date. Submitted Electronically KCC OFFICE USE ONLY Liner Steel Pit RFAS	Producing Formation:		Type of materia	aterial utilized in drilling/workover:	
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pits must be closed within 365 days of spud date. Submitted Electronically KCC OFFICE USE ONLY Liner Steel Pit RFAS	Number of producing wells on lease:		Number of working pits to be utilized:		
flow into the pit? Yes Drill pits must be closed within 365 days of spud date. Submitted Electronically KCC OFFICE USE ONLY Liner Steel Pit RFAS	Barrels of fluid produced daily: Abandon			procedure:	
Submitted Electronically KCC OFFICE USE ONLY Liner Steel Pit RFAC RFAS				e closed within 365 days of spud date.	
Liner Steel Pit RFAC RFAS					
		КСС	OFFICE USE O		
	Date Received: Permit Numl	oer:	Permi		

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

73618

CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

Form KSONA-1 July 2010 Form Must Be Typed Form must be Signed All blanks must be Filled

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application). Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)

OPERATOR: License #	Well Location:
Name:	Sec TwpS. R East West County: Lease Name: Well #: If filing a Form T-1 for multiple wells on a lease, enter the legal description of the lease below:
Surface Owner Information: Name: Address 1: Address 2: City: State: Zip: +	When filing a Form T-1 involving multiple surface owners, attach an additional sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the county, and in the real estate property tax records of the county treasurer.

If this form is being submitted with a Form C-1 (Intent) or CB-1 (Cathodic Protection Borehole Intent), you must supply the surface owners and the KCC with a plat showing the predicted locations of lease roads, tank batteries, pipelines, and electrical lines. The locations shown on the plat are preliminary non-binding estimates. The locations may be entered on the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.

Select one of the following:

- I certify that, pursuant to the Kansas Surface Owner Notice Act (House Bill 2032), I have provided the following to the surface owner(s) of the land upon which the subject well is or will be located: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form CP-1 that I am filing in connection with this form; 2) if the form being filed is a Form C-1 or Form CB-1, the plat(s) required by this form; and 3) my operator name, address, phone number, fax, and email address.
- □ I have not provided this information to the surface owner(s). I acknowledge that, because I have not provided this information, the KCC will be required to send this information to the surface owner(s). To mitigate the additional cost of the KCC performing this task, I acknowledge that I am being charged a \$30.00 handling fee, payable to the KCC, which is enclosed with this form.

If choosing the second option, submit payment of the \$30.00 handling fee with this form. If the fee is not received with this form, the KSONA-1 form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-1 will be returned.

Submitted Electronically

I

I

Side Two

For	KCC	Use	ONLY	
API	# 15	-		

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.


Operator:hayne Energy_	Location of Well: County:E1K
Lease: +uque	1852 feet from N / K S Line of Section
Well Number:9-36	feet from X E / W Line of Section
Field: Unknown	Sec. <u>36</u> Twp. <u>28</u> S. R. <u>9</u> 🛛 E 🗌 W
Number of Acres attributable to well:	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary.

Section corner used: NE NW SE

SW

PLAT

Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032). You may attach a separate plat if desired.



1852' FSL

In plotting the proposed location of the well, you must show:

1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.

2. The distance of the proposed drilling location from the south / north and east / west outside section lines.

3. The distance to the nearest lease or unit boundary line (in footage).

 If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

Conservation Division Finney State Office Building 130 S. Market, Rm. 2078 Wichita, KS 67202-3802



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Mark Sievers, Chairman Ward Loyd, Commissioner Thomas E. Wright, Commissioner Sam Brownback, Governor

February 07, 2012

Victor H Dyal Layne Energy Operating, LLC PO BOX 160 SYCAMORE, KS 67363

Re: Drilling Pit Application API 15-049-22559-00-00 Fuqua 9-36 SE/4 Sec.36-28S-09E Elk County, Kansas

Dear Victor H Dyal:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed **without slots**, the bottom shall be flat and reasonably level, and the free fluids must be removed. The fluids are to be removed from the reserve pit as soon as practical after drilling operations have ceased.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (620) 432-2300 when the fluids have been removed. Please file form CDP-5 (August 2008), Exploration and Production Waste Transfer, through KOLAR within 30 days of fluid removal.

A copy of this letter should be posted in the doghouse along with the approved Intent to Drill. If you have any questions or concerns please feel free to contact the District Office at (620) 432-2300.

Summary of Changes

Lease Name and Number: Fuqua 9-36

API/Permit #: 15-049-22559-00-00

Doc ID: 1073618

Correction Number: 1

Approved By: Rick Hestermann 02/07/2012

Field Name	Previous Value	New Value
Feet to Nearest Water Well Within One-Mile of Pit	N/A	NA
KCC Only - Approved By	Rick Hestermann 12/14/2011	Rick Hestermann 02/07/2012
KCC Only - Approved Date	12/14/2011	02/07/2012
KCC Only - Date Received	12/14/2011	02/07/2012
KCC Only - Lease Inspection	No	Yes
KCC Only - Regular Section Quarter Calls	S2 N2 SE	N2 S2 N2 SE
LocationInfoLink	https://solar.kgs.ku.edu/ kcc/detail/locationInform ation.cfm?section=36&t	https://solar.kgs.ku.edu/ kcc/detail/locationInform ation.cfm?section=36&t
Number of Feet North or South From Section Line	1650	1852
Number of Feet North or South From Section	1650	1852
Line Quarter Call 4 - Smallest		N2

Summary of changes for correction 1 continued

Field Name	Previous Value	New Value
Quarter Call 4 - Smallest		N2
RFAC		Yes
Save Link	//kcc/detail/operatorE ditDetail.cfm?docID=10 70263	//kcc/detail/operatorE ditDetail.cfm?docID=10 73618

Summary of Attachments

Lease Name and Number: Fuqua 9-36 API: 15-049-22559-00-00 Doc ID: 1073618 Correction Number: 1 Approved By: Rick Hestermann 02/07/2012

Attachment Name

Fuqua 9-36 Plat

Fluid