



**WELL COMPLETION FORM**  
**WELL HISTORY - DESCRIPTION OF WELL & LEASE**

OPERATOR: License # \_\_\_\_\_

Name: \_\_\_\_\_

Address 1: \_\_\_\_\_

Address 2: \_\_\_\_\_

City: \_\_\_\_\_ State: \_\_\_\_\_ Zip: \_\_\_\_\_ + \_\_\_\_\_

Contact Person: \_\_\_\_\_

Phone: ( \_\_\_\_\_ ) \_\_\_\_\_

CONTRACTOR: License # \_\_\_\_\_

Name: \_\_\_\_\_

Wellsite Geologist: \_\_\_\_\_

Purchaser: \_\_\_\_\_

Designate Type of Completion:

- New Well       Re-Entry       Workover
- Oil       WSW       SWD       SIOW
- Gas       D&A       ENHR       SIGW
- OG       GSW       Temp. Abd.
- CM (Coal Bed Methane)
- Cathodic       Other (Core, Expl., etc.): \_\_\_\_\_

If Workover/Re-entry: Old Well Info as follows:

Operator: \_\_\_\_\_

Well Name: \_\_\_\_\_

Original Comp. Date: \_\_\_\_\_ Original Total Depth: \_\_\_\_\_

- Deepening       Re-perf.       Conv. to ENHR       Conv. to SWD
- Conv. to GSW
- Plug Back: \_\_\_\_\_ Plug Back Total Depth \_\_\_\_\_
- Commingled      Permit #: \_\_\_\_\_
- Dual Completion      Permit #: \_\_\_\_\_
- SWD      Permit #: \_\_\_\_\_
- ENHR      Permit #: \_\_\_\_\_
- GSW      Permit #: \_\_\_\_\_

Spud Date or Recompletion Date      Date Reached TD      Completion Date or Recompletion Date

API No. 15 - \_\_\_\_\_

Spot Description: \_\_\_\_\_

\_\_\_\_\_ - \_\_\_\_\_ - \_\_\_\_\_ Sec. \_\_\_\_\_ Twp. \_\_\_\_\_ S. R. \_\_\_\_\_  East  West

\_\_\_\_\_ Feet from  North /  South Line of Section

\_\_\_\_\_ Feet from  East /  West Line of Section

Footages Calculated from Nearest Outside Section Corner:

- NE       NW       SE       SW

County: \_\_\_\_\_

Lease Name: \_\_\_\_\_ Well #: \_\_\_\_\_

Field Name: \_\_\_\_\_

Producing Formation: \_\_\_\_\_

Elevation: Ground: \_\_\_\_\_ Kelly Bushing: \_\_\_\_\_

Total Depth: \_\_\_\_\_ Plug Back Total Depth: \_\_\_\_\_

Amount of Surface Pipe Set and Cemented at: \_\_\_\_\_ Feet

Multiple Stage Cementing Collar Used?  Yes  No

If yes, show depth set: \_\_\_\_\_ Feet

If Alternate II completion, cement circulated from: \_\_\_\_\_

feet depth to: \_\_\_\_\_ w/ \_\_\_\_\_ sx cmt.

**Drilling Fluid Management Plan**

(Data must be collected from the Reserve Pit)

Chloride content: \_\_\_\_\_ ppm Fluid volume: \_\_\_\_\_ bbls

Dewatering method used: \_\_\_\_\_

Location of fluid disposal if hauled offsite: \_\_\_\_\_

Operator Name: \_\_\_\_\_

Lease Name: \_\_\_\_\_ License #: \_\_\_\_\_

Quarter \_\_\_\_\_ Sec. \_\_\_\_\_ Twp. \_\_\_\_\_ S. R. \_\_\_\_\_  East  West

County: \_\_\_\_\_ Permit #: \_\_\_\_\_

**AFFIDAVIT**

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

**KCC Office Use ONLY**

- Letter of Confidentiality Received  
Date: \_\_\_\_\_
- Confidential Release Date: \_\_\_\_\_
- Wireline Log Received
- Geologist Report Received
- UIC Distribution
- ALT  I  II  III Approved by: \_\_\_\_\_ Date: \_\_\_\_\_



1074243

Operator Name: \_\_\_\_\_ Lease Name: \_\_\_\_\_ Well #: \_\_\_\_\_

Sec. \_\_\_\_\_ Twp. \_\_\_\_\_ S. R. \_\_\_\_\_  East  West County: \_\_\_\_\_

**INSTRUCTIONS:** Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach complete copy of all Electric Wire-line Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken <input type="checkbox"/> Yes <input type="checkbox"/> No <i>(Attach Additional Sheets)</i>  Samples Sent to Geological Survey <input type="checkbox"/> Yes <input type="checkbox"/> No  Cores Taken <input type="checkbox"/> Yes <input type="checkbox"/> No Electric Log Run <input type="checkbox"/> Yes <input type="checkbox"/> No Electric Log Submitted Electronically <input type="checkbox"/> Yes <input type="checkbox"/> No <i>(If no, Submit Copy)</i>  List All E. Logs Run:	<input type="checkbox"/> Log Formation (Top), Depth and Datum <input type="checkbox"/> Sample  Name Top Datum
---	---

CASING RECORD <input type="checkbox"/> New <input type="checkbox"/> Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives

ADDITIONAL CEMENTING / SQUEEZE RECORD				
Purpose:	Depth Top Bottom	Type of Cement	# Sacks Used	Type and Percent Additives
_____ Perforate _____ Protect Casing _____ Plug Back TD _____ Plug Off Zone				

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record <i>(Amount and Kind of Material Used)</i>	Depth

TUBING RECORD:      Size: \_\_\_\_\_ Set At: \_\_\_\_\_ Packer At: \_\_\_\_\_ Liner Run:  Yes  No

Date of First, Resumed Production, SWD or ENHR. \_\_\_\_\_ Producing Method:  Flowing  Pumping  Gas Lift  Other (Explain) \_\_\_\_\_

Estimated Production Per 24 Hours	Oil Bbls.	Gas Mcf	Water Bbls.	Gas-Oil Ratio	Gravity
-----------------------------------	-----------	---------	-------------	---------------	---------

DISPOSITION OF GAS: <input type="checkbox"/> Vented <input type="checkbox"/> Sold <input type="checkbox"/> Used on Lease <i>(If vented, Submit ACO-18.)</i>	METHOD OF COMPLETION: <input type="checkbox"/> Open Hole <input type="checkbox"/> Perf. <input type="checkbox"/> Dually Comp. <input type="checkbox"/> Commingled <i>(Submit ACO-5) (Submit ACO-4)</i> <input type="checkbox"/> Other (Specify) _____	PRODUCTION INTERVAL: _____ _____
---	--	--

# QUALITY OILWELL CEMENTING, INC.

Federal Tax I.D.# 20-2886107

Phone 785-483-2025  
Cell 785-324-1041

Home Office P.O. Box 32 Russell, KS 67665

No. 5060

Date	Sec.	Twp.	Range	County	State	On Location	Finish																																						
7-27-11				Ellis	Kansas		5:00 PM																																						
Lease <i>CM Hadley</i>	Well No. <i>7 0000</i>		Location <i>Tendon Rd N to Open Range 2</i>																																										
Contractor <i>Rapid Drilling Rig</i>				Owner																																									
Type Job <i>Plug</i>				To Quality Oilwell Cementing, Inc. You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as listed.																																									
Hole Size <i>7 7/8</i>		T.D.		Charge To <i>Clare-Mac Oil Co</i>																																									
Csg.		Depth		Street <i>PO Box 1197</i>																																									
Tbg. Size		Depth		City <i>Olays</i> State <i>Ks 67601-1197</i>																																									
Tool		Depth		City <i>Olays</i> State <i>Ks 67601-1197</i>																																									
Cement Left in Csg.		Shoe Joint		The above was done to satisfaction and supervision of owner agent or contractor.																																									
Meas Line		Displace		Cement Amount Ordered <i>225 cubic ft</i>																																									
<b>EQUIPMENT</b>				<table border="1"> <tr> <td>Pumptrk <i>5</i></td> <td>No.</td> <td>Cementerc</td> <td></td> <td><i>5 lb Flo-Seal</i></td> <td></td> </tr> <tr> <td></td> <td></td> <td>Helper</td> <td><i>2 ave</i></td> <td>Common</td> <td><i>135</i></td> </tr> <tr> <td>Bulktrk <i>10</i></td> <td>No.</td> <td>Driver</td> <td><i>2</i></td> <td>Poz. Mix</td> <td><i>90</i></td> </tr> <tr> <td></td> <td></td> <td>Driver</td> <td><i>2</i></td> <td>Gel.</td> <td><i>8</i></td> </tr> <tr> <td>Bulktrk</td> <td>No.</td> <td>Driver</td> <td><i>2</i></td> <td></td> <td></td> </tr> <tr> <td></td> <td></td> <td>Driver</td> <td><i>2</i></td> <td></td> <td></td> </tr> </table>				Pumptrk <i>5</i>	No.	Cementerc		<i>5 lb Flo-Seal</i>				Helper	<i>2 ave</i>	Common	<i>135</i>	Bulktrk <i>10</i>	No.	Driver	<i>2</i>	Poz. Mix	<i>90</i>			Driver	<i>2</i>	Gel.	<i>8</i>	Bulktrk	No.	Driver	<i>2</i>					Driver	<i>2</i>				
Pumptrk <i>5</i>	No.	Cementerc		<i>5 lb Flo-Seal</i>																																									
		Helper	<i>2 ave</i>	Common	<i>135</i>																																								
Bulktrk <i>10</i>	No.	Driver	<i>2</i>	Poz. Mix	<i>90</i>																																								
		Driver	<i>2</i>	Gel.	<i>8</i>																																								
Bulktrk	No.	Driver	<i>2</i>																																										
		Driver	<i>2</i>																																										
<b>JOB SERVICES &amp; REMARKS</b>				<table border="1"> <tr> <td>Remarks:</td> <td>Hulls</td> </tr> <tr> <td>Rat Hole <i>30 ex</i></td> <td>Salt</td> </tr> <tr> <td>Mouse Hole <i>15 ex</i></td> <td>Flowseal <i>56 #</i></td> </tr> <tr> <td>Centralizers</td> <td>Kol-Seal</td> </tr> <tr> <td>Baskets</td> <td>Mud CLR 48</td> </tr> <tr> <td>D/V or Port Collar</td> <td>CFL-117 or CD110 CAF 38</td> </tr> <tr> <td><i>1st Plug Co 1295 50 ex</i></td> <td>Sand</td> </tr> <tr> <td><i>2nd " " 725 80 ex</i></td> <td>Handling <i>233</i></td> </tr> <tr> <td><i>3rd " " 250 40 ex</i></td> <td>Mileage</td> </tr> <tr> <td><i>4th " " 40 10 ex</i></td> <td style="text-align: center;"><b>FLOAT EQUIPMENT</b></td> </tr> <tr> <td><i>Root Hole 30 ex</i></td> <td>Guide Shoe</td> </tr> <tr> <td><i>Mouse Hole 15 ex</i></td> <td>Centralizer</td> </tr> <tr> <td></td> <td>Baskets</td> </tr> <tr> <td></td> <td>AFU Inserts</td> </tr> <tr> <td></td> <td>Float Shoe</td> </tr> <tr> <td></td> <td>Latch Down</td> </tr> <tr> <td></td> <td><i>88 Plug</i></td> </tr> <tr> <td></td> <td>Pumptrk Charge</td> </tr> <tr> <td></td> <td>Mileage <i>13</i></td> </tr> </table>				Remarks:	Hulls	Rat Hole <i>30 ex</i>	Salt	Mouse Hole <i>15 ex</i>	Flowseal <i>56 #</i>	Centralizers	Kol-Seal	Baskets	Mud CLR 48	D/V or Port Collar	CFL-117 or CD110 CAF 38	<i>1st Plug Co 1295 50 ex</i>	Sand	<i>2nd " " 725 80 ex</i>	Handling <i>233</i>	<i>3rd " " 250 40 ex</i>	Mileage	<i>4th " " 40 10 ex</i>	<b>FLOAT EQUIPMENT</b>	<i>Root Hole 30 ex</i>	Guide Shoe	<i>Mouse Hole 15 ex</i>	Centralizer		Baskets		AFU Inserts		Float Shoe		Latch Down		<i>88 Plug</i>		Pumptrk Charge		Mileage <i>13</i>
Remarks:	Hulls																																												
Rat Hole <i>30 ex</i>	Salt																																												
Mouse Hole <i>15 ex</i>	Flowseal <i>56 #</i>																																												
Centralizers	Kol-Seal																																												
Baskets	Mud CLR 48																																												
D/V or Port Collar	CFL-117 or CD110 CAF 38																																												
<i>1st Plug Co 1295 50 ex</i>	Sand																																												
<i>2nd " " 725 80 ex</i>	Handling <i>233</i>																																												
<i>3rd " " 250 40 ex</i>	Mileage																																												
<i>4th " " 40 10 ex</i>	<b>FLOAT EQUIPMENT</b>																																												
<i>Root Hole 30 ex</i>	Guide Shoe																																												
<i>Mouse Hole 15 ex</i>	Centralizer																																												
	Baskets																																												
	AFU Inserts																																												
	Float Shoe																																												
	Latch Down																																												
	<i>88 Plug</i>																																												
	Pumptrk Charge																																												
	Mileage <i>13</i>																																												
X Signature <i>[Signature]</i>				Tax Discount Total Charge																																									