



**WELL COMPLETION FORM**  
**WELL HISTORY - DESCRIPTION OF WELL & LEASE**

OPERATOR: License # \_\_\_\_\_

Name: \_\_\_\_\_

Address 1: \_\_\_\_\_

Address 2: \_\_\_\_\_

City: \_\_\_\_\_ State: \_\_\_\_\_ Zip: \_\_\_\_\_ + \_\_\_\_\_

Contact Person: \_\_\_\_\_

Phone: ( \_\_\_\_\_ ) \_\_\_\_\_

CONTRACTOR: License # \_\_\_\_\_

Name: \_\_\_\_\_

Wellsite Geologist: \_\_\_\_\_

Purchaser: \_\_\_\_\_

Designate Type of Completion:

- New Well       Re-Entry       Workover
- Oil       WSW       SWD       SIOW
- Gas       D&A       ENHR       SIGW
- OG       GSW       Temp. Abd.
- CM (Coal Bed Methane)
- Cathodic       Other (Core, Expl., etc.): \_\_\_\_\_

If Workover/Re-entry: Old Well Info as follows:

Operator: \_\_\_\_\_

Well Name: \_\_\_\_\_

Original Comp. Date: \_\_\_\_\_ Original Total Depth: \_\_\_\_\_

- Deepening       Re-perf.       Conv. to ENHR       Conv. to SWD
- Conv. to GSW
- Plug Back: \_\_\_\_\_ Plug Back Total Depth \_\_\_\_\_
- Commingled      Permit #: \_\_\_\_\_
- Dual Completion      Permit #: \_\_\_\_\_
- SWD      Permit #: \_\_\_\_\_
- ENHR      Permit #: \_\_\_\_\_
- GSW      Permit #: \_\_\_\_\_

Spud Date or Recompletion Date      Date Reached TD      Completion Date or Recompletion Date

API No. 15 - \_\_\_\_\_

Spot Description: \_\_\_\_\_

\_\_\_\_\_-\_\_\_\_\_-\_\_\_\_\_- Sec. \_\_\_\_\_ Twp. \_\_\_\_\_ S. R. \_\_\_\_\_  East  West

\_\_\_\_\_ Feet from  North /  South Line of Section

\_\_\_\_\_ Feet from  East /  West Line of Section

Footages Calculated from Nearest Outside Section Corner:

- NE       NW       SE       SW

County: \_\_\_\_\_

Lease Name: \_\_\_\_\_ Well #: \_\_\_\_\_

Field Name: \_\_\_\_\_

Producing Formation: \_\_\_\_\_

Elevation: Ground: \_\_\_\_\_ Kelly Bushing: \_\_\_\_\_

Total Depth: \_\_\_\_\_ Plug Back Total Depth: \_\_\_\_\_

Amount of Surface Pipe Set and Cemented at: \_\_\_\_\_ Feet

Multiple Stage Cementing Collar Used?  Yes  No

If yes, show depth set: \_\_\_\_\_ Feet

If Alternate II completion, cement circulated from: \_\_\_\_\_

feet depth to: \_\_\_\_\_ w/ \_\_\_\_\_ sx cmt.

**Drilling Fluid Management Plan**

(Data must be collected from the Reserve Pit)

Chloride content: \_\_\_\_\_ ppm Fluid volume: \_\_\_\_\_ bbls

Dewatering method used: \_\_\_\_\_

Location of fluid disposal if hauled offsite: \_\_\_\_\_

Operator Name: \_\_\_\_\_

Lease Name: \_\_\_\_\_ License #: \_\_\_\_\_

Quarter \_\_\_\_\_ Sec. \_\_\_\_\_ Twp. \_\_\_\_\_ S. R. \_\_\_\_\_  East  West

County: \_\_\_\_\_ Permit #: \_\_\_\_\_

**AFFIDAVIT**

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

**KCC Office Use ONLY**

- Letter of Confidentiality Received  
Date: \_\_\_\_\_
- Confidential Release Date: \_\_\_\_\_
- Wireline Log Received
- Geologist Report Received
- UIC Distribution
- ALT  I  II  III Approved by: \_\_\_\_\_ Date: \_\_\_\_\_



1074266

Operator Name: \_\_\_\_\_ Lease Name: \_\_\_\_\_ Well #: \_\_\_\_\_

Sec. \_\_\_\_\_ Twp. \_\_\_\_\_ S. R. \_\_\_\_\_  East  West County: \_\_\_\_\_

**INSTRUCTIONS:** Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach complete copy of all Electric Wire-line Logs surveyed. Attach final geological well site report.

|   |   |
|---|---|
| Drill Stem Tests Taken <input type="checkbox"/> Yes <input type="checkbox"/> No<br><i>(Attach Additional Sheets)</i><br><br>Samples Sent to Geological Survey <input type="checkbox"/> Yes <input type="checkbox"/> No<br><br>Cores Taken <input type="checkbox"/> Yes <input type="checkbox"/> No<br>Electric Log Run <input type="checkbox"/> Yes <input type="checkbox"/> No<br>Electric Log Submitted Electronically <input type="checkbox"/> Yes <input type="checkbox"/> No<br><i>(If no, Submit Copy)</i><br><br>List All E. Logs Run: | <input type="checkbox"/> Log Formation (Top), Depth and Datum <input type="checkbox"/> Sample<br><br>Name Top Datum |
|---|---|

| CASING RECORD <input type="checkbox"/> New <input type="checkbox"/> Used  |                   |                           |                   |               |                |              |                            |
|---|-------------------|---------------------------|-------------------|---------------|----------------|--------------|----------------------------|
| Report all strings set-conductor, surface, intermediate, production, etc. |                   |                           |                   |               |                |              |                            |
| Purpose of String   | Size Hole Drilled | Size Casing Set (In O.D.) | Weight Lbs. / Ft. | Setting Depth | Type of Cement | # Sacks Used | Type and Percent Additives |
|   |                   |                           |                   |               |                |              |                            |
|   |                   |                           |                   |               |                |              |                            |
|   |                   |                           |                   |               |                |              |                            |

| ADDITIONAL CEMENTING / SQUEEZE RECORD  |                  |                |              |                            |
|--|------------------|----------------|--------------|----------------------------|
| Purpose:   | Depth Top Bottom | Type of Cement | # Sacks Used | Type and Percent Additives |
| _____ Perforate<br>_____ Protect Casing<br>_____ Plug Back TD<br>_____ Plug Off Zone |                  |                |              |                            |
|  |                  |                |              |                            |

| Shots Per Foot | PERFORATION RECORD - Bridge Plugs Set/Type<br>Specify Footage of Each Interval Perforated | Acid, Fracture, Shot, Cement Squeeze Record<br><i>(Amount and Kind of Material Used)</i> | Depth |
|----------------|---|--|-------|
|                |   |  |       |
|                |   |  |       |
|                |   |  |       |
|                |   |  |       |
|                |   |  |       |

TUBING RECORD:      Size: \_\_\_\_\_ Set At: \_\_\_\_\_ Packer At: \_\_\_\_\_ Liner Run:  Yes  No

Date of First, Resumed Production, SWD or ENHR. \_\_\_\_\_ Producing Method:  Flowing  Pumping  Gas Lift  Other *(Explain)* \_\_\_\_\_

|                                   |           |         |             |               |         |
|-----------------------------------|-----------|---------|-------------|---------------|---------|
| Estimated Production Per 24 Hours | Oil Bbls. | Gas Mcf | Water Bbls. | Gas-Oil Ratio | Gravity |
|-----------------------------------|-----------|---------|-------------|---------------|---------|

|   |  |  |
|---|--|--|
| DISPOSITION OF GAS:<br><input type="checkbox"/> Vented <input type="checkbox"/> Sold <input type="checkbox"/> Used on Lease<br><i>(If vented, Submit ACO-18.)</i> | METHOD OF COMPLETION:<br><input type="checkbox"/> Open Hole <input type="checkbox"/> Perf. <input type="checkbox"/> Dually Comp. <input type="checkbox"/> Commingled<br><i>(Submit ACO-5)</i> <input type="checkbox"/> Other <i>(Specify)</i> _____<br><input type="checkbox"/> Other <i>(Specify)</i> _____ | PRODUCTION INTERVAL:<br>_____<br>_____ |
|---|--|--|

|           |                        |
|-----------|------------------------|
| Form      | ACO1 - Well Completion |
| Operator  | Jo-Allyn Oil Co., Inc. |
| Well Name | JENNISON 1-3           |
| Doc ID    | 1074266                |

All Electric Logs Run

|                              |
|------------------------------|
|                              |
| ARRAY INDUCTION              |
| MICROESISTIVITY LOG          |
| DRILLING TIME AND SAMPLE LOG |
| COMPACT PHOTO DENSITY        |

# ALLIED CEMENTING CO., LLC. 040011

Federal Tax I.D.# 20-5975804

REMIT TO P.O. BOX 31  
RUSSELL, KANSAS 67665

SERVICE POINT:  
*Oakley, KS*

|                        |                   |                                      |                    |                 |                         |                         |                         |
|------------------------|-------------------|--------------------------------------|--------------------|-----------------|-------------------------|-------------------------|-------------------------|
| DATE <i>8/13/11</i>    | SEC. <i>1</i>     | TWP. <i>17</i>                       | RANGE <i>30</i>    | CALLED OUT      | ON LOCATION             | JOB START <i>12:30p</i> | JOB FINISH <i>1:00p</i> |
| LEASE <i>Tennissen</i> | WELL # <i>1-3</i> | LOCATION <i>Healy 2E 14 S W into</i> | COUNTY <i>Land</i> | STATE <i>KS</i> | OLD OR NEW (Circle one) |                         |                         |

CONTRACTOR *Land mark*  
 TYPE OF JOB *Surface*  
 HOLE SIZE *2 7/8* T.D. *307*  
 CASING SIZE *2 7/8* DEPTH *307*  
 TUBING SIZE DEPTH  
 DRILL PIPE DEPTH  
 TOOL DEPTH  
 PRES. MAX MINIMUM  
 MEAS. LINE SHOE JOINT  
 CEMENT LEFT IN CSG. *15'*  
 PERFS.  
 DISPLACEMENT *18.6*

OWNER *Same*  
 CEMENT AMOUNT ORDERED *185 Com 370cc 270gal.*  
 COMMON *185* @ *16.25* *3006.25*  
 POZMIX @ *21.25*  
 GEL *4* @ *21.25* *85.00*  
 CHLORIDE *7* @ *58.20* *407.40*  
 ASC @

EQUIPMENT

PUMP TRUCK CEMENTER *Alan*  
 # *472* HELPER *Wayne*  
 BULK TRUCK DRIVER *Chris*  
 # *404*  
 BULK TRUCK DRIVER

HANDLING *196 SK* @ *2.25* *441.00*  
 MILEAGE *114 SK/mile* @ *9.20* *1078.00*

TOTAL *5017.65*

REMARKS:

*Drill hole, Run csg completely, mix cement, Displace plug w/ 68L H<sub>2</sub>O*

SERVICE

DEPTH OF JOB *307*  
 PUMP TRUCK CHARGE *1125.00*  
 EXTRA FOOTAGE @ *7.00* *200.00*  
 MILEAGE *50 X 2* @ *4.00* *200.00*  
 MANIFOLD @ *2.00* *400.00*  
 Vehicle *50 X 2* @ *2.00*

TOTAL *2425.00*

PLUG & FLOAT EQUIPMENT

*2 7/8 wood Plug* @ *92.00*  
 @ *92.00*  
 @ *92.00*  
 @ *92.00*  
 @ *92.00*

TOTAL *92.00*

CHARGE TO: *JO-Allyn Oil Co Inc*  
 STREET  
 CITY STATE ZIP

To Allied Cementing Co., LLC.  
 You are hereby requested to rent cementing equipment and furnish cementer and helper(s) to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read and understand the "GENERAL TERMS AND CONDITIONS" listed on the reverse side.

PRINTED NAME *Wayne*  
 SIGNATURE \_\_\_\_\_

SALES TAX (If Any) \_\_\_\_\_  
 TOTAL CHARGES \_\_\_\_\_  
 DISCOUNT \_\_\_\_\_ IF PAID IN 30 DAYS

7/31/11 580-921-5824

# ALLIED CEMENTING CO., LLC. 037346

Federal Tax ID.# 20-5975804

REMIT TO P.O. BOX 31  
RUSSELL, KANSAS 67665

SERVICE POINT:  
Cement Rentals

|                         |                   |  |                    |                 |                       |                          |                           |
|-------------------------|-------------------|--|--------------------|-----------------|-----------------------|--------------------------|---------------------------|
| DATE <u>8-22-11</u>     | SEC. <u>1</u>     | TWP. <u>17</u>                           | RANGE <u>30</u>    | CALLED OUT      | ON LOCATION           | JOB START <u>4:30 PM</u> | JOB FINISH <u>8:00 PM</u> |
| LEASE <u>Jennison</u>   | WELL # <u>1-3</u> | LOCATION <u>Healy #5 1/2 East R into</u> | COUNTY <u>Lane</u> | STATE <u>Ks</u> | KSI-05 TAX 11<br>6.3% |                          |                           |
| OLD OR NEW (Circle one) |                   |  |                    |                 |                       |                          |                           |

CONTRACTOR Landmark Reg #2  
 TYPE OF JOB 22" Intake plug  
 HOLE SIZE 17 1/2 O.D. 46.30  
 CASING SIZE 9 5/8 DEPTH  
 TUBING SIZE DEPTH  
 DRILL PIPE 4 1/2 DEPTH 2320  
 TOOL DEPTH  
 PRES. MAX MINIMUM  
 MEAS. LINE SHOE JOINT  
 CEMENT LEFT IN CSG. all  
 PERFS.  
 DISPLACEMENT Fresh water / Reg mud  
 EQUIPMENT

OWNER Go-Allgas Oil Co. Inc.  
 CEMENT AMOUNT ORDERED 280 SA GO 1/4 4%  
gel 1/4 flo

PUMP TRUCK CEMENTER Bob @  
 # 398 HELPER Doug ?  
 BULK TRUCK  
 # 482-188 DRIVER Jacob  
 BULK TRUCK  
 # DRIVER

|                                   |            |                |                 |
|-----------------------------------|------------|----------------|-----------------|
| COMMON                            | <u>168</u> | @ <u>16.25</u> | <u>2730.00</u>  |
| POZ MIX                           | <u>117</u> | @ <u>8.50</u>  | <u>992.50</u>   |
| GEL                               | <u>10</u>  | @ <u>21.25</u> | <u>212.50</u>   |
| CHLORIDE                          |            | @              |                 |
| ASC                               |            | @              |                 |
| <u>70# Floreal</u>                |            | @ <u>2.70</u>  | <u>189.00</u>   |
| HANDLING                          | <u>293</u> | @ <u>2.25</u>  | <u>659.25</u>   |
| (MILEAGE <u>281 @ .50 x .11</u> ) |            |                | <u>1,611.25</u> |
|                                   |            |                | <u>32.23</u>    |
|                                   |            |                | <u>6,357.35</u> |

REMARKS:  
1st plug at 2320ft with 80sa  
2nd plug at 1450ft with 80sa  
3rd plug at 750ft with 80sa  
4th plug at 350ft with 80sa  
5th plug at 60ft with 80sa  
Root hole 2ft with 80sa

|                    |             |               |                |
|--------------------|-------------|---------------|----------------|
| DEPTH OF JOB       | <u>2320</u> |               |                |
| PUMP TRUCK CHARGE  |             |               | <u>1250.00</u> |
| EXTRA FOOTAGE      | @           |               |                |
| MILEAGE <u>Hum</u> | <u>100</u>  | @ <u>7.00</u> | <u>700.00</u>  |
| MANIFOLD           | @           |               |                |
| <u>Hum</u>         | <u>100</u>  | @ <u>4.00</u> | <u>400.00</u>  |
|                    |             |               | <u>70</u>      |

2711.50  
(1898.05)

5992.75  
(1198.55)

CHARGE TO: Go-Allgas Oil Co. Inc  
 STREET \_\_\_\_\_  
 CITY \_\_\_\_\_ STATE \_\_\_\_\_ ZIP \_\_\_\_\_

TOTAL 2350.00

PLUG & FLOAT EQUIPMENT

|  |   |  |  |
|--|---|--|--|
|  | @ |  |  |
|  | @ |  |  |
|  | @ |  |  |
|  | @ |  |  |
|  | @ |  |  |

TOTAL \_\_\_\_\_

SALES TAX (If Any) 548.36  
 TOTAL CHARGES 8704.25  
 DISCOUNT 30% 3,096.50  
5,607.75 IF PAID IN 30 DAYS


RECEIVED  
 SEP 01 PAID  
 BY: 6071

To Allied Cementing Co., LLC.  
 You are hereby requested to rent cementing equipment and furnish cementer and helper(s) to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read and understand the "GENERAL TERMS AND CONDITIONS" listed on the reverse side.

PRINTED NAME Rogelia Hdez

SIGNATURE Rogelia Hdez

Thank you



# ALLIED CEMENTING CO., LLC. 040011

Federal Tax I.D.# 20-5975804

REMIT TO P.O. BOX 31  
RUSSELL, KANSAS 67665

SERVICE POINT:  
*Oakley, KS*

|                     |                   |                                       |                    |                 |             |                         |                         |
|---------------------|-------------------|---------------------------------------|--------------------|-----------------|-------------|-------------------------|-------------------------|
| DATE <i>8/13/11</i> | SEC. <i>1</i>     | TWP. <i>17</i>                        | RANGE <i>30</i>    | CALLED OUT      | ON LOCATION | JOB START <i>12:30p</i> | JOB FINISH <i>1:00p</i> |
| LEASE <i>Tennis</i> | WELL # <i>1-3</i> | LOCATION <i>Healy 2E 1/4 S W into</i> | COUNTY <i>land</i> | STATE <i>KS</i> |             |                         |                         |

CONTRACTOR *Land mark*

TYPE OF JOB *Surface*

HOLE SIZE *8 5/8* T.D. *307*

CASING SIZE *8 5/8* DEPTH *307*

TUBING SIZE DEPTH

DRILL PIPE DEPTH

TOOL DEPTH

PRES. MAX MINIMUM

MEAS. LINE SHOE JOINT

CEMENT LEFT IN CSG. *15'*

PERFS.

DISPLACEMENT *18.6*

OWNER *Same*

CEMENT AMOUNT ORDERED *185 Com 370 cc*

*270 gal.*

EQUIPMENT

PUMP TRUCK CEMENTER *Alan*

# *432* HELPER *Wayne*

BULK TRUCK DRIVER *Chris*

# *404* DRIVER

|          |                    |                |                      |
|----------|--------------------|----------------|----------------------|
| COMMON   | <i>185</i>         | @ <i>16.25</i> | <i>3006.25</i>       |
| POZMIX   |                    | @ <i>21.25</i> |                      |
| GEL      | <i>4</i>           | @ <i>58.00</i> | <i>232.00</i>        |
| CHLORIDE | <i>7</i>           | @ <i>58.00</i> | <i>406.00</i>        |
| ASC      |                    | @              |                      |
| HANDLING | <i>196.5K</i>      | @ <i>2.25</i>  | <i>441.00</i>        |
| MILEAGE  | <i>114.5K/mile</i> | @ <i>1.00</i>  | <i>1145.00</i>       |
|          |                    |                | TOTAL <i>5017.65</i> |

REMARKS:

*Drill hole, Run casing completely, mix cement, Displace plug w/ 600 H<sub>2</sub>O*

SERVICE

|                      |               |                             |
|----------------------|---------------|-----------------------------|
| DEPTH OF JOB         | <i>307'</i>   |                             |
| PUMP TRUCK CHARGE    |               | <i>1125.00</i>              |
| EXTRA FOOTAGE        | @             |                             |
| MILEAGE              | <i>50 X 2</i> | @ <i>2.00</i> <i>200.00</i> |
| MANIFOLD             | @             | <i>200.00</i>               |
| W/ Vehicle           | <i>50 X 2</i> | @ <i>2.00</i> <i>400.00</i> |
| TOTAL <i>2425.00</i> |               |                             |

CHARGE TO: *JO-Allyn Oil Co Inc*

STREET

CITY STATE ZIP

PLUG & FLOAT EQUIPMENT

|                          |   |              |
|--------------------------|---|--------------|
| <i>8 5/8 wooden Plug</i> | @ | <i>92.00</i> |
| TOTAL <i>92.00</i>       |   |              |

To Allied Cementing Co., LLC.  
You are hereby requested to rent cementing equipment and furnish cementer and helper(s) to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read and understand the "GENERAL TERMS AND CONDITIONS" listed on the reverse side.

PRINTED NAME *[Signature]*

SIGNATURE

SALES TAX (If Any)

TOTAL CHARGES

DISCOUNT IF PAID IN 30 DAYS

7/31/11 580-921-5824

# ALLIED CEMENTING CO., LLC. 037346

Federal Tax ID.# 20-5975804

REMIT TO P.O. BOX 31  
RUSSELL, KANSAS 67665

SERVICE POINT:  
Cement Bunkers

|                         |            |          |                          |             |             |                   |                    |
|-------------------------|------------|----------|--------------------------|-------------|-------------|-------------------|--------------------|
| DATE 8-22-11            | SEC. 1     | TWP. 17  | RANGE 30                 | CALLED OUT  | ON LOCATION | JOB START 4:30 PM | JOB FINISH 8:00 PM |
| LEASE/Jennison          | WELL.# 1-3 | LOCATION | Hwy 25 1 1/2 East R into | COUNTY Lane | STATE KS    | KSI-05 TAX @ 6.3% |                    |
| OLD OR NEW (Circle one) |            |          |                          |             |             |                   |                    |

CONTRACTOR Landmark Rig #2

TYPE OF JOB Cement plug

HOLE SIZE 17 1/2 I.D. 4630

CASING SIZE 9 5/8 DEPTH

TUBING SIZE DEPTH

DRILL PIPE 4 1/2 DEPTH 2320

TOOL DEPTH

PRES. MAX MINIMUM

MEAS. LINE SHOE JOINT

CEMENT LEFT IN CSG. all

PERFS.

DISPLACEMENT Fresh water / Rig mud

EQUIPMENT

PUMP/TRUCK CEMENTER Bob @ 3

# 398 HELPER Doug ?

BULK TRUCK

# 492-188 DRIVER Jacob @ 3

BULK TRUCK DRIVER

OWNER Go-Allys Oil Co. Inc. 6.3%

CEMENT AMOUNT ORDERED 280 SA CO 142 4%

gel 1/4 Flo

|                          |                 |
|--------------------------|-----------------|
| COMMON 168 @ 16.25       | 2780.00         |
| POZMIX 117 @ 8.50        | 992.00          |
| GEL 10 @ 21.25           | 212.00          |
| CHLORIDE @               |                 |
| ASC @                    |                 |
| 70# Floreal @ 2.70       | 189.00          |
| SHANDLING 293 @ 2.25     | 659.25          |
| (MILEAGE 293 @ 50 x .11) | 1,611.25        |
| <b>TOTAL</b>             | <b>6,357.25</b> |

REMARKS:

1st plug at 2320ft with base

2nd plug at 1400ft with base

3rd plug at 750ft with base

4th plug at 350ft with base

5th plug at 60ft with base

Rod hole 21ft with base

4083.50

32.23 SERVICE TOTAL 6.35% 70

2711.50 (1898.05)

5992.75 (1198.55)

|                        |                |
|------------------------|----------------|
| DEPTH OF JOB 2320      |                |
| PUMP/TRUCK CHARGE      | 1250.00        |
| EXTRA FOOTAGE @        |                |
| MILEAGE Hum 100 @ 7.00 | 700.00         |
| MANIFOLD @             |                |
| Hum 100 @ 4.00         | 400.00         |
| <b>TOTAL</b>           | <b>2350.00</b> |

CHARGE TO: Go-Allys Oil Co. Inc

STREET \_\_\_\_\_

CITY \_\_\_\_\_ STATE \_\_\_\_\_ ZIP \_\_\_\_\_

PLUG & FLOAT EQUIPMENT

|              |   |  |
|--------------|---|--|
|              | @ |  |
|              | @ |  |
|              | @ |  |
|              | @ |  |
|              | @ |  |
| <b>TOTAL</b> |   |  |

RECEIVED  
SEP 01 PAID  
BY: 6071

To Allied Cementing Co., LLC.  
You are hereby requested to rent cementing equipment and furnish cementer and helper(s) to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read and understand the "GENERAL TERMS AND CONDITIONS" listed on the reverse side.

PRINTED NAME Rogella Hdez

SIGNATURE Rogella Hdez

Thank you!

SALES TAX (if Any) 548.36

TOTAL CHARGES 8704.25

DISCOUNT 30% 3,096.50

5,607.75 IF PAID IN 30 DAYS

