

please check the box below and return to the address below.

Well will not be drilled or Permit Expired Date: _

Signature of Operator or Agent:

For KCC	Use:	
Effective	Date:	
District #	<u> </u>	
SGA?	Yes No	

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 March 2010 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

OPERATOR: License#	Expected Spud Date:	month day		Spot Description:
SECTION: Regular feet from R / S Une conditions Section Regular feet from R / S Une conditions Section Regular Interpular?		month day	year	, Sec Twp S. R 🔲 E 🔲 W
Name:	OPERATOR: License#			feet from N / S Line of Section
Is SECTION: Regular Irregular?				feet from E / W Line of Section
Well Drillod For: State: Zip: + Country: Lease Name: Well #:				Is SECTION: Regular Irregular?
State: Zip: + Country: Lease Name: Well #r: Lease Name:				
Contact Person: Contact Pe				(Note: Escale well of the Section Flat of February
Field Name:				County
Is this a Protated Spaced Field? Stage S	Phone:			
Marrie: Well Drilled For: Well Class: Type Equipment: Target Formation(s): Nearest Lease or unit boundary line (in footage): Ground Surface Elevation: Water well within one mile: Yes Yes Sunday Wildcat Cable Public water supply well within one mile: Yes Yes Public water supply well within one mile: Yes	CONTRACTOR: License#			
Well Drilled For: Well Class: Type Equipment: Squipment: Squ				is the difference of passed field.
Ground Surface Elevation: Saismic Fan Rec	varrie.			
Gas Storage Pool Ext. Air Rotary Water well within one-quarter mile: Yes Yes Storage Pool Ext. Air Rotary Water well within one-quarter mile: Yes Yes Gasimic ; # of Holes Other	Well Drilled For:	Well Class:	Type Equipment:	
Gas Glorage Pool Ext. Air Rotary Water well within one-quarter mile: Yes Public water supply well within one mile: Depth to bottom of usable water: Depth to bottom of usable water: Depth to bottom of usable water: Depth to Defend on usable water Depth to Defend on usable Depth to Defend on usable water Depth to Defend on usable water Depth to Defend on usable Depth to Defend on usable water Depth to Defend on usable Depth to Defend on usable water Depth to Defend on usable Depth to Defend on usable Depth to Defend on usable Depth to Defend on usable water Depth to Defend on usable Depth	Oil Enh f	Rec Infield	Mud Rotary	
Disposal Wildcat Cable Public water supply well within one nile: Yes Depth to bottom of fresh water: Depth to bottom of veable water Depth to bottom of fresh water: Depth to bottom of fresh water: Depth to bottom of fresh water: Depth to bottom of veable water Depth to bottom of fresh water: Depth to bottom of veable water Depth to bottom of veable water: Depth to bottom of veable			= '	
Seismic;			_ ′	Public water supply well within one mile:
Other:				Depth to bottom of fresh water:
Length of Surface Pipe Planned to be set: Length of Surface Pipe Planned to be set: Length of Conductor Pipe (if any): Projected Total Depth: Water Source for Drilling Operations: Water Source				Depth to bottom of usable water:
Operator: Well Name: Original Completion Date: Original Total Depth: Well Name: Original Completion Date: Original Compl				Surface Pipe by Alternate: I III
Well Name: Original Completion Date: Original Total Depth: Original Completion Date: Original Co	If OWWO: old well	information as follows:		Length of Surface Pipe Planned to be set:
Well Name: Original Completion Date: Original Total Depth: Directional, Deviated or Horizontal wellbore? Yes, true vertical depth: Soltom Hole Location: CCC DKT #: Water Source for Drilling Operations: Well Farm Pond Other:	Operator:			Length of Conductor Pipe (if any):
Original Completion Date:	•			
Water Source for Drilling Operations: Water Source for Drilling Operations: Water Source for Drilling Operations: Well Farm Pond Other: DWR Permit #: DWR Permit with DWR) Will Cores be taken? If Yes, proposed zone: AFFIDAVIT The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementin must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. **Remember to:** - File Certification of Compliance with the Kansas Surface Owner Notificat Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry;				
Vest	ongman compression as	Ong	J.G. 2 0 p.m.	
Mote: Apply for Permit with DWR Settlem Hole Location: Will Cores be taken? Mote: Apply for Permit with DWR Settlem Hole Location: Will Cores be taken? Yes Mill Cores be taken? Yes	Directional, Deviated or Ho	rizontal wellbore?	Yes No	
AFFIDAVIT The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementin must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. **Remember to:** - File Certification of Compliance with the Kansas Surface Owner Notificat Act (KSONA-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File Completion Form ACO-1 within 120 days of spud date; - File Completion Form ACO-1 within 120 days of spud date; - File Completion Form ACO-1 within 120 days of spud date; - File Completion Form ACO-1 within 120 days of spud date; - File careage attribution pita according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry;	If Yes, true vertical depth:_			
AFFIDAVIT The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the appropriate of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementin must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. Will Cores be taken? If Yes API # 15 - Conductor pipe required feet Minimum surface pipe required feet per ALT. I I II Approved by: Notify appropriate district office 48 hours prior to workover or re-entry;	Bottom Hole Location:			
If Yes, proposed zone: AFFIDAVIT The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementin must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. Wemember to: - File Certification of Compliance with the Kansas Surface Owner Notificat Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File careage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry;	KCC DKT #:			
AFFIDAVIT The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementin must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. While the temperature feet feet feet feet prior feet per ALT. I like acreage attribution plat according to field proration orders; Approved by: - File Completion Form ACO-1 within 120 days of spud date; - File careage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry;				
The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementin must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. Wemember to: - File Certification of Compliance with the Kansas Surface Owner Notificat Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File Completion Form ACO-1 within 120 days of spud date; - File completion Form ACO-1 within 120 days of spud date; - File completion Form ACO-1 within 120 days of spud date; - File completion Form ACO-1 within 120 days of spud date; - File completion Form ACO-1 within 120 days of spud date; - File completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry;				11 100, proposed 2011c
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. Wemember to: File Certification of Compliance with the Kansas Surface Owner Notificat Act (KSONA-1) with Intent to Drill; File Circli Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;			AF	FIDAVIT
 Notify the appropriate district office prior to spudding of well; A copy of the approved notice of intent to drill shall be posted on each drilling rig; The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; The appropriate district office will be notified before well is either plugged or production casing is cemented in; If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementin must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. Wernember to: - File Certification of Compliance with the Kansas Surface Owner Notificat Act (KSONA-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry;	The undersigned hereby	affirms that the drilling, cor	npletion and eventual p	lugging of this well will comply with K.S.A. 55 et. seq.
 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each drilling rig; 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by circulating cement to the top; in all cases surface pipe <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary <i>prior to plugging</i>; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within <i>120 DAYS</i> of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. <i>In all cases, NOTIFY district office</i> prior to any cementing. 4. File Certification of Compliance with the Kansas Surface Owner Notificat Act (KSONA-1) with Intent to Drill; 5. File Completion Form ACO-1 within 120 days of spud date; 6. File acreage attribution plat according to field proration orders; 6. Notify appropriate district office 48 hours prior to workover or re-entry; 	t is agreed that the follow	ring minimum requirements	s will be met:	
 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each drilling rig; 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by circulating cement to the top; in all cases surface pipe <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary <i>prior to plugging</i>; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within <i>120 DAYS</i> of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. <i>In all cases, NOTIFY district office</i> prior to any cementing. Wemember to: - File Certification of Compliance with the Kansas Surface Owner Notificat Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; 	Notify the appropri	ate district office prior to si	oudding of well:	
3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementin must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. Wemember to: File Certification of Compliance with the Kansas Surface Owner Notificat Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;				th drilling rig:
through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementin must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. Wemember to: File Certification of Compliance with the Kansas Surface Owner Notificat Act (KSONA-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;	1,7			0 0,
5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementin must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. Which is a proving to the KCC District 3 area, alternate II cementing. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notificat Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry;				
6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementin must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. Which applies to the KCC District 3 area, alternate II cementin must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notificat Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry;	4. If the well is dry ho	le, an agreement between	the operator and the dis	strict office on plug length and placement is necessary prior to plugging;
Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementin must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. Which applies to the KCC District 3 area, alternate II cementing. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notificat Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry;				
must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. which is a prior to any cementing. Because of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notificat Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;				
wbmitted Electronically For KCC Use ONLY				
Remember to: For KCC Use ONLY API # 15	must be completed	within 30 days of the spuc	I date or the well shall b	e plugged. In all cases, NOTIFY district office prior to any cementing.
Remember to: For KCC Use ONLY API # 15				
For KCC Use ONLY API # 15				
For KCC Use ONLY API # 15	ubmitted Electro	nically		
API # 15				Remember to:
API # 15				
Conductor pipe requiredfeetfeetfeet per ALT. I I II II	For KCC Use ONLY			
Minimum surface pipe requiredfeet per ALTIIIIIIII = File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry;				ACT (KSONA-1) With Intent to Drill;
Approved by:	API # 15		foot	
	API # 15			- File Drill Pit Application (form CDP-1) with Intent to Drill;
	API # 15			File Drill Pit Application (form CDP-1) with Intent to Drill;File Completion Form ACO-1 within 120 days of spud date;
Inis authorization expires:	API # 15	quired	feet per ALT. I	 File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;
(This authorization void if drilling not started within 12 months of approval date.) - Obtain written approval before disposing or injecting salt water.	API # 15 Conductor pipe required . Minimum surface pipe red Approved by:	quired	feet per ALT. I	 File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days);

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

Spud date: _



For KCC Use ONLY	
API # 15	

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW


In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator:	Location of Well: County:			
Lease:	feet from N / S Line of Section			
Well Number:	feet from E / W Line of Section			
Field:	Sec Twp S. R			
Number of Acres attributable to well:	Is Section: Regular or Irregular			
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW			

PLAT

Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032).

You may attach a separate plat if desired.



NOTE: In all cases locate the spot of the proposed drilling locaton.

4455 ft.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.



KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

075231

Form CDP-1
May 2010
Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name:		License Number:				
Operator Address:						
Contact Person:			Phone Number:			
Lease Name & Well No.:			Pit Location (QQQQ):			
Type of Pit: Emergency Pit Burn Pit Settling Pit Drilling Pit Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)	Pit is: Proposed If Existing, date continued in the proposed	Existing nstructed: (bbls)	SecTwp R East West SectionFeet from East / West Line of Section Feet from East / West Line of Section County			
Is the pit located in a Sensitive Ground Water A	rea? Yes	No	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)			
Is the bottom below ground level?	Artificial Liner?	No	How is the pit lined if a plastic liner is not used?			
Pit dimensions (all but working pits):	Length (fee	et)	Width (feet) N/A: Steel Pits			
Depth fro	om ground level to dee	epest point:	(feet) No Pit			
Distance to peacest water well within one mile of	of nit-	Donth to challe	west fresh waterfeet.			
Distance to nearest water well within one-mile of	л рп.	Source of inform	nation:			
feet Depth of water well	feet	measured	well owner electric log KDWR			
Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily:		Type of materia	ver and Haul-Off Pits ONLY: I utilized in drilling/workover: king pits to be utilized: procedure:			
Does the slope from the tank battery allow all s flow into the pit? Yes No	pilled fluids to	Drill pits must be closed within 365 days of spud date.				
Submitted Electronically						
	КСС	OFFICE USE O	NLY Liner Steel Pit RFAC RFAS			
Date Received: Permit Num	ber:	Permi	t Date: Lease Inspection: Yes No			



Kansas Corporation Commission Oil & Gas Conservation Division

1075231

Form KSONA-1
July 2010
Form Must Be Typed
Form must be Signed
All blanks must be Filled

CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (C	Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)
OPERATOR: License #	Well Location:
Name:	SecTwpS. R 🔲 East 🗌 West
Address 1:	County:
Address 2:	Lease Name: Well #:
City:	If filing a Form T-1 for multiple wells on a lease, enter the legal description of
Contact Person:	the lease below:
Phone: () Fax: ()	
Email Address:	
Surface Owner Information:	
Name:	When filing a Form T-1 involving multiple surface owners, attach an additional
Address 1:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the
Address 2:	county, and in the real estate property tax records of the county treasurer.
City:	
the KCC with a plat showing the predicted locations of lease roads, tank	dic Protection Borehole Intent), you must supply the surface owners and a batteries, pipelines, and electrical lines. The locations shown on the plat in the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.
Select one of the following:	
owner(s) of the land upon which the subject well is or will be loce CP-1 that I am filing in connection with this form; 2) if the form the form; and 3) my operator name, address, phone number, fax, and I have not provided this information to the surface owner(s). I an KCC will be required to send this information to the surface owner(s).	cknowledge that, because I have not provided this information, the ner(s). To mitigate the additional cost of the KCC performing this
task, I acknowledge that I am being charged a \$30.00 handling If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-	fee with this form. If the fee is not received with this form, the KSONA-1
Submitted Electronically	

For KCC Use ONLY	
API # 15	

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

perator:	VIVA INTERI	NATIONAL I	NC				Loc	ation of Well:	County: WILSON
ease: C	Se: CAMPBELL SOUTH						4	,455	feet from N / S Line of Section
	I Number: 5						4	,125	feet from X E / W Line of Section
eld. BU	d: BUFFALO-VILAS						Sec	. 1	Twp. 28 S. R. 16 X E W
	of Acres attri		well:				le S	ection: 🔀	Regular or Irregular
	R/QTR/QTR			- SE	- NW	- NW	13 0	ection. Z	Trogular ormogular
	Sh	ow locatio	n of the we	ell. Show f	ootage to		Sec PLAT	tion corner u	egular, locate well from nearest corner boundary. Used: NE NW SE SW Try line. Show the predicted locations of
			itteries, pip		d electrical	lines, as i	equired by		Surface Owner Notice Act (House Bill 2032).
	The said	,							LEGEND
	1:/.:/					•••••			O Well Location
155	+ \(\psi\)								Tank Battery Location
				:					Pipeline Location
			,			· · · · · · · · · · · · · · · · · · ·			Electric Line Location
		: :							Lease Road Location
		:		:					Lease Hoad Location
						••••••	:		
		:							
									EXAMPLE
		:	•	:					
		:		•	:	:	•		
		•	•	:		•••••• •	:	:	
		:							
		:		:		:	:	:	<u> </u>
				:		:	:	:	0-7 1980' FSL
			•	:		:	:	:	
							:		<u>_</u>
		:	:	:				<u> </u>	
		:	:	:		:	:		SEWARD CO. 3390' FEL
		•	•	e spot of t	L	-	-		

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.