

ALLIED CEMENTING CO., LLC. 037406

Federal Tax I.D.# 20-5975804

REMIT TO P.O. BOX 31
RUSSELL, KANSAS 67665

SERVICE POINT:
Crest Bend, KS

| | | | | | | | |
|-------------------------|-------------------|--|--------------------|-----------------|-------------|--------------------------|---------------------------|
| DATE <u>10-26-11</u> | SEC <u>14</u> | TWP <u>17</u> | RANGE <u>26</u> | CALLED OUT | ON LOCATION | JOB START <u>5:15 PM</u> | JOB FINISH <u>5:45 PM</u> |
| LEASE <u>Deuster</u> | WELL# <u>1-14</u> | LOCATION <u>Utica, KS 1/4 east 4 1/2</u> | COUNTY <u>Miss</u> | STATE <u>KS</u> | | | |
| OLD OR NEW (Circle one) | | <u>South 1 1/2 NORTHWEST 1.250</u> | | | | | |

| | |
|---|--|
| CONTRACTOR <u>Duke #4</u> | OWNER <u>Texas Pacific Oil Corp.</u> |
| TYPE OF JOB <u>Surface</u> | CEMENT |
| HOLE SIZE <u>12 1/4</u> T.D. <u>222</u> | AMOUNT ORDERED <u>150 SKS Class A</u> |
| CASING SIZE <u>8 5/8</u> DEPTH <u>222</u> | <u>3% CC 2% gel</u> |
| TUBING SIZE DEPTH | |
| DRILL PIPE DEPTH | |
| TOOL DEPTH | |
| PRES. MAX MINIMUM | COMMON <u>150</u> @ <u>14.25</u> <u>2,437.50</u> |
| MEAS. LINE SHOE JOINT | POZMIX @ |
| CEMENT LEFT IN CSG. <u>15 ft</u> | GEL <u>3</u> @ <u>21.25</u> <u>63.75</u> |
| PERFS. | CHLORIDE <u>5</u> @ <u>58.20</u> <u>291.00</u> |
| DISPLACEMENT | ASC @ |

EQUIPMENT

| |
|--|
| PUMP TRUCK CEMENTER <u>Greg R</u> |
| # <u>366</u> HELPER <u>Shane E</u> |
| BULK TRUCK |
| # <u>482</u> DRIVER <u>Bob R / John P.</u> |
| BULK TRUCK |
| # DRIVER |

| | | |
|------------------------------|---------------|----------------|
| HANDLING <u>158</u> | @ <u>2.25</u> | <u>355.50</u> |
| MILEAGE <u>158 x 28 x 11</u> | | <u>486.64</u> |
| TOTAL | | <u>3634.39</u> |

REMARKS:
Pipe on bottom - Break circ.
150 SKS Class A 3% CC 2% gel
Shut down & Release plug
Surface with 13 SKS
fresh water
Shut in Cement 5:45 pm
plug down @ 5:45 pm.

CHARGE TO: Texas Pacific Oil
 STREET _____
 CITY _____ STATE _____ ZIP _____

SERVICE

| | | |
|-------------------------|---------------|----------------|
| DEPTH OF JOB <u>222</u> | | |
| PUMP TRUCK CHARGE | | <u>1125.00</u> |
| EXTRA FOOTAGE @ | | |
| MILEAGE <u>HUM 56</u> | @ <u>7.00</u> | <u>392.00</u> |
| MANIFOLD @ | | |
| <u>Wooden Plug</u> @ | | |
| <u>LVM 56</u> | @ <u>4.00</u> | <u>224.00</u> |
| TOTAL | | <u>1741.00</u> |

To Allied Cementing Co., LLC.
 You are hereby requested to rent cementing equipment and furnish cementer and helper(s) to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read and understand the "GENERAL TERMS AND CONDITIONS" listed on the reverse side.

PLUG & FLOAT EQUIPMENT

| | | |
|--------------------|----------------|--------------|
| <u>wooden plug</u> | @ <u>94.00</u> | <u>94.00</u> |
| | @ | |
| | @ | |
| TOTAL | | <u>94.00</u> |

PRINTED NAME Rich Wheeler
 SIGNATURE Rich Wheeler
Thank You!

SALES TAX (If Any) _____
 TOTAL CHARGES 5,469.39
 DISCOUNT 1,645.19 IF PAID IN 30 DAYS
3824.20

RECEIVED

BY _____

JOB LOG

SWIFT Services, Inc.

DATE 3 NOV 11 PAGE NO. 4

CUSTOMER TRANS PACIFIC WELL NO. 1-14 LEASE Dumler A JOB TYPE connect long string TICKET NO. 22435

| CHART NO. | TIME | RATE (BPM) | VOLUME (BBL) (GAL) | PUMPS | | PRESSURE (PSI) | | DESCRIPTION OF OPERATION AND MATERIALS |
|-----------|------|------------|--------------------|-------|---|----------------|--------|---|
| | | | | T | C | TUBING | CASING | |
| | | | | | | | | 200sk EA-2 w/ Floccs |
| | | | | | | | | 103 joints 10.5" 4 1/2" casing, Particlar #59 1922' |
| | | | | | | | | RTD 4521' packer shoe 4576' Basket #1, 58 |
| | | | | | | | | conduits 1, 2, 3, 4, 8, 68 10, 25, 58, 60 shoejt 4420 |
| | 1130 | | | | | | | on loc TRR 114 |
| | 1325 | | | | | | | start 10.5" 4 1/2" casing in well |
| | 1450 | | | | | | | circulate joint down - drop ball |
| | | | | | | | | { try to } - no pressure spike |
| | | | | | | | | { set packer shoe } |
| | | | | | | | | Unable to set packer shoe |
| | 1645 | 4 | 12 | | | 200 | | Pump 500gal mud flush |
| | | 4 | 20 | | | 200 | | Pump 20bbl KCl flush |
| | | | 7 | | | | | Plug RH ### <u>30sk</u> 20sk |
| | 1655 | 4 3/4 | 41 | | | 300 | | mix 170sk EA-2 @ 15.3 PPG |
| | 1710 | | | | | | | Drop latch down plug |
| | | | | | | | | wash pump & line |
| | | 6 3/4 | | | | 350 | | Displace plug |
| | | 6 3/4 | 65 | | | 550 | | |
| | 1730 | 6 3/4 | 71 | | | 1600 | | Land plug |
| | | | | | | | | Release pressure to truck - dried up |
| | | | | | | | | wash truck |
| | 1800 | | | | | | | RACK up |
| | | | | | | | | job complete SV |
| | | | | | | | | Thanks |
| | | | | | | | | "Don", Blaine, Rob & Dave |

JOB LOG

SWIFT Services, Inc.

DATE 14 Nov 11 PAGE NO. 1

CUSTOMER Trans Pacific WELL NO. 1-14 LEASE Dum, Lee A JOB TYPE cement port collar TICKET NO. 22440

| CHART NO. | TIME | RATE (BPM) | VOLUME (BBL) (GAL) | PUMPS | | PRESSURE (PSI) | | DESCRIPTION OF OPERATION AND MATERIALS |
|-----------|------|------------|--------------------|-------|---|----------------|--------|---|
| | | | | T | C | TUBING | CASING | |
| | | | | | | | | 300 sls SMD w/ #1/4 flaccle 2 3/8 x 4 1/2 DC @ 1922' |
| | 1200 | | | | | | | on loc TRK 114 |
| | 1217 | | | | | 1000 | 1000 | test to 1000 psi - holding open port collar |
| | 1223 | 3 | 3 | | | 200 | | Mix Ester 3 bpm @ 200 psi |
| | 1227 | 4 | | | | 400 | | mix SMD cement @ 11.2 ppg |
| | 1231 | 4 | 22 | | | 500 | | circ fluid to pit |
| | 1250 | 4 | 96 | | | 600 | | cement to surface <u>175 mixed</u> <u>20 sls top pit</u> |
| | 1300 | | | | | 1000 | 1000 | close port collar test to 1000 psi - held |
| | 1305 | | | | | | | run 4 joints |
| | 1315 | | 20 | | | | | reverse hole clean 2 cement plugs |
| | | | | | | | | wash truck <u>175 sls mixed</u> <u>20 sls top pit</u> |
| | | | | | | | | back up |
| | 1350 | | | | | | | job complete |
| | | | | | | | | Thanks Dave, Blaine, & Joe |

RECEIVED

NOV 16 2011

BY _____