

## DRILL STEM TEST REPORT

Prepared For: **FIML Natural Resources**

410 17th St Ste 900  
Denver, CO 80202

ATTN: Gary Doke-Josh Austi

**Drew Trust #14B**

**23-19-31Scott,KS**

Start Date: 2012.01.07 @ 21:00:30

End Date: 2012.01.08 @ 04:25:30

Job Ticket #: 44936                      DST #: 1

FIML Natural Resources  
23-19-31Scott,KS  
Drew Trust #14B  
DST # 1  
Marmaton A-B  
2012.01.07


Trilobite Testing, Inc

PO Box 362 Hays, KS 67601

ph: 785-625-4778 fax: 785-625-5620

**ORIGINAL**

Printed: 2012.01.12 @ 14:22:54



**TRILOBITE  
TESTING, INC**

# DRILL STEM TEST REPORT

FML Natural Resources

**23-19-31 Scott, KS**

410 17th St Ste 900  
Denver, CO 80202

**Drew Trust #14B**

ATTN: Gary Doke-Josh Austi

Job Ticket: 44936

**DST#: 1**

Test Start: 2012.01.07 @ 21:00:30

## GENERAL INFORMATION:


Formation: **Marmaton A-B**  
 Deviated: **No Whipstock: 0.00 ft (KB)**  
 Time Tool Opened: 23:56:30  
 Time Test Ended: 04:25:30  
 Interval: **4380.00 ft (KB) To 4450.00 ft (KB) (TVD)**  
 Total Depth: **4450.00 ft (KB) (TVD)**  
 Hole Diameter: **7.88 inches** Hole Condition: Fair  
 Test Type: **Conventional Bottom Hole (Initial)**  
 Tester: **Shane McBride**  
 Unit No: **55**  
 Reference Elevations: **2960.00 ft (KB)**  
**2948.00 ft (CF)**  
 KB to GR/CF: **12.00 ft**

## Serial #: 6667

**Outside**

Press@RunDepth: **45.93 psig @ 4381.00 ft (KB)**  
 Start Date: **2012.01.07** End Date: **2012.01.08**  
 Start Time: **21:00:30** End Time: **04:05:30**  
 Capacity: **8000.00 psig**  
 Last Calib.: **2012.01.08**  
 Time On Btm: **2012.01.07 @ 23:56:00**  
 Time Off Btm: **2012.01.08 @ 02:00:15**

TEST COMMENT: **1/2" blow died back to 1/8"**  
**No return**  
**1/8" blow in 9 min. blew throughout**  
**No return**



## PRESSURE SUMMARY

Time (Min.)	Pressure (psig)	Temp (deg F)	Annotation
0	2259.30	122.97	Initial Hydro-static
1	22.74	122.61	Open To Flow (1)
33	36.24	124.82	Shut-In(1)
62	91.39	125.87	End Shut-In(1)
64	41.89	125.91	Open To Flow (2)
92	45.93	126.75	Shut-In(2)
124	89.90	127.59	End Shut-In(2)
125	2176.16	128.15	Final Hydro-static

## Recovery

Length (ft)	Description	Volume (bbl)
2.00	free oil 100%	0.01
25.00	mud w oil spots 100%	0.12

## Gas Rates

	Choke (inches)	Pressure (psig)	Gas Rate (Mcf/d)



**TRILOBITE  
TESTING, INC.**

# DRILL STEM TEST REPORT

**TOOL DIAGRAM**

FIML Natural Resources

**23-19-31 Scott, KS**

410 17th St Ste 900  
Denver, CO 80202

**Drew Trust #14B**

Job Ticket: 44936

**DST#: 1**

ATTN: Gary Doke-Josh Austi

Test Start: 2012.01.07 @ 21:00:30

## Tool Information

Drill Pipe:	Length: 4020.00 ft	Diameter: 3.80 inches	Volume: 56.39 bbl	Tool Weight: 1500.00 lb
Heavy Wt. Pipe:	Length: 0.00 ft	Diameter: 0.00 inches	Volume: 0.00 bbl	Weight set on Packer: 25000.00 lb
Drill Collar:	Length: 370.00 ft	Diameter: 2.25 inches	Volume: 1.82 bbl	Weight to Pull Loose: 90000.00 lb
			<u>Total Volume: 58.21 bbl</u>	Tool Chased 0.00 ft
Drill Pipe Above KB:	30.00 ft			String Weight: Initial 72000.00 lb
Depth to Top Packer:	4380.00 ft			Final 73000.00 lb
Depth to Bottom Packer:	ft			
Interval between Packers:	70.00 ft			
Tool Length:	90.00 ft			
Number of Packers:	2	Diameter: 6.75 inches		

Tool Comments:

## Tool Description

Tool Description	Length (ft)	Serial No.	Position	Depth (ft)	Accum. Lengths
Change Over Sub	1.00			4361.00	
Shut In Tool	5.00			4366.00	
Hydraulic tool	5.00			<del>4371.00</del>	
Packer	5.00			4376.00	20.00 Bottom Of Top Packer
Packer	4.00			4380.00	
Stubb	1.00			4381.00	
Recorder	0.00	6771	Inside	4381.00	
Recorder	0.00	6667	Outside	4381.00	
Perforations	30.00			4411.00	
Change Over Sub	1.00			4412.00	
Drill Pipe	32.00			4444.00	
Change Over Sub	1.00			4445.00	
Bullnose	5.00			4450.00	70.00 Bottom Packers & Anchor

**Total Tool Length: 90.00**



**TRILOBITE  
TESTING, INC**

**DRILL STEM TEST REPORT**

**FLUID SUMMARY**

FIML Natural Resources

23-19-31 Scott, KS

410 17th St Ste 900  
Denver, CO 80202

Drew Trust #14B

Job Ticket: 44936

DST#: 1

ATTN: Gary Doke-Josh Austi

Test Start: 2012.01.07 @ 21:00:30

**Mud and Cushion Information**

Mud Type: Gel Chem

Cushion Type:

Oil API:

0 deg API

Mud Weight: 9.00 lb/gal

Cushion Length:

ft

Water Salinity:

0 ppm

Viscosity: 61.00 sec/qt

Cushion Volume:

bbbl

Water Loss: 6.37 in<sup>3</sup>

Gas Cushion Type:

Gas Cushion Pressure:

psig

Resistivity: 0.00 ohm.m

Salinity: 1600.00 ppm

Filter Cake: 1.00 inches

**Recovery Information**

Recovery Table

Length ft	Description	Volume bbl
2.00	free oil 100%o	0.010
25.00	mud w oil spots 100%m	0.123

Total Length: 27.00 ft

Total Volume: 0.133 bbl

Num Fluid Samples: 0

Num Gas Bombs: 0

Serial #:

Laboratory Name:

Laboratory Location:

Recovery Comments:


Serial #: 6667

Outside FML Natural Resources

Drew Trust #148

DST Test Number: 1


### Pressure vs. Time




Trilobite Testing, Inc

Ref. No: 44936

Printed: 2012.01.12 @ 14:22:56





**TRILOBITE  
TESTING, INC.**

**DRILL STEM TEST REPORT**

Prepared For: **FIML Natural Resources**  
410 17th St Ste 900  
Denver, CO 80202

ATTN: Gary Doke-Josh Austi

**Drew Trust #14B**


**23-19-31Scott,KS**

Start Date: 2012.01.09 @ 16:53:17  
End Date: 2012.01.10 @ 01:55:47  
Job Ticket #: 44937                      DST #: 2

Trilobite Testing, Inc  
PO Box 362 Hays, KS 67601  
ph: 785-625-4778 fax: 785-625-5620

Printed: 2012.01.12 @ 14:23:56

FIML Natural Resources  
23-19-31Scott,KS  
Drew Trust #14B  
DST # 2  
Spargen  
2012.01.09



**TRILOBITE  
TESTING, INC.**

# DRILL STEM TEST REPORT

FML Natural Resources

23-19-31 Scott, KS

410 17th St Ste 900  
Denver, CO 80202

Drew Trust #14B

ATTN: Gary Duke-Josh Austi

Job Ticket: 44937

DST#: 2

Test Start: 2012.01.09 @ 16:53:17

## GENERAL INFORMATION:

Formation: **Spergen**

Deviated: No Whipstock: 0.00 ft (KB)

Time Tool Opened: 19:18:32

Time Test Ended: 01:55:47

Test Type: Conventional Straddle (Reset)

Tester: Shane McBride

Unit No: 55

Interval: **4663.00 ft (KB) To 4683.00 ft (KB) (TVD)**

Total Depth: 4793.00 ft (KB) (TVD)

Hole Diameter: 7.88 inches Hole Condition: Fair

Reference Elevations: 2960.00 ft (KB)

2948.00 ft (CF)

KB to GR/CF: 12.00 ft

Serial #: 6667

Inside

Press@RunDepth: 857.61 psig @ 4664.00 ft (KB)

Start Date: 2012.01.09

End Date: 2012.01.10

Start Time: 16:53:17

End Time: 01:34:47


Capacity: 8000.00 psig

Last Calib.: 2012.01.10

Time On Btrr: 2012.01.09 @ 19:17:47

Time Off Btrr: 2012.01.09 @ 23:06:47

TEST COMMENT: B.O.B. in 5 min  
No return  
B.O.B. in 7 min.  
No return



## PRESSURE SUMMARY

Time (Min.)	Pressure (psig)	Temp (deg F)	Annotation
0	2344.88	123.60	Initial Hydro-static
1	69.38	123.08	Open To Flow (1)
30	467.46	140.15	Shut-In(1)
76	1208.05	142.04	End Shut-In(1)
76	472.41	141.68	Open To Flow (2)
136	857.61	145.09	Shut-In(2)
228	1212.51	143.65	End Shut-In(2)
229	2247.15	142.90	Final Hydro-static

## Recovery


Length (ft)	Description	Volume (bbl)
1598.00	water 100%w	19.05
282.00	s m c w 10% m 90% w	3.96
188.00	m c w 20% m 80% w	2.64

\* Recovery from multiple tests

## Gas Rates

Choke (inches)	Pressure (psig)	Gas Rate (Mcf/d)





**TRILOBITE  
TESTING, INC**

**DRILL STEM TEST REPORT**

FIML Natural Resources

**23-19-31Scott,KS**

410 17th St Ste 900  
Denver, CO 80202

**Drew Trust #14B**

Job Ticket: 44937

**DST#: 2**

ATTN: Gary Doke-Josh Austi

Test Start: 2012.01.09 @ 16:53:17

**GENERAL INFORMATION:**

Formation: **Spergen**  
 Deviated: No Whipstock: 0.00 ft (KB)  
 Time Tool Opened: 19:18:32  
 Time Test Ended: 01:55:47

Test Type: Conventional Straddle (Reset)  
 Tester: Shane McBride  
 Unit No: 55

Interval: **4663.00 ft (KB) To 4683.00 ft (KB) (TVD)**  
 Total Depth: 4793.00 ft (KB) (TVD)  
 Hole Diameter: 7.88 inches Hole Condition: Fair

Reference Elevations: 2960.00 ft (KB)  
 2948.00 ft (CF)  
 KB to GR/CF: 12.00 ft

**Serial #: 8368**


**Below (Straddle)**

Press@RunDepth: psig @ 4694.00 ft (KB)  
 Start Date: 2012.01.09 End Date: 2012.01.10  
 Start Time: 16:53:30 End Time: 01:33:00

Capacity: 8000.00 psig  
 Last Calib.: 2012.01.10  
 Time On Btm:  
 Time Off Btm

**TEST COMMENT:** B.O.B. in 5 min  
 No return  
 B.O.B. in 7 min.  
 No return

**Pressure vs. Time**



**PRESSURE SUMMARY**

Time (Min.)	Pressure (psig)	Temp (deg F)	Annotation

**Recovery**

Length (ft)	Description	Volume (bbl)
1598.00	water 100%w	19.05
282.00	s m c w 10% m 90% w	3.96
188.00	m c w 20% m 80% w	2.64

\* Recovery from multiple tests

**Gas Rates**

Choke (inches)	Pressure (psig)	Gas Rate (Mcf/d)



**TRILOBITE  
TESTING, INC**

## DRILL STEM TEST REPORT

**TOOL DIAGRAM**

FIML Natural Resources

**23-19-31 Scott, KS**

410 17th St Ste 900  
Denver, CO 80202

**Drew Trust #14B**

Job Ticket: 44937

**DST#: 2**

ATTN: Gary Duke-Josh Austi

Test Start: 2012.01.09 @ 16:53:17

### Tool Information

Drill Pipe:	Length: 4304.00 ft	Diameter: 3.80 inches	Volume: 60.37 bbl	Tool Weight: 1500.00 lb
Heavy Wt. Pipe:	Length: 0.00 ft	Diameter: 0.00 inches	Volume: 0.00 bbl	Weight set on Packer: 25000.00 lb
Drill Collar:	Length: 370.00 ft	Diameter: 2.25 inches	Volume: 1.82 bbl	Weight to Pull Loose: 100000.0 lb
			<b>Total Volume: 62.19 bbl</b>	Tool Chased 0.00 ft
Drill Pipe Above KB:	31.00 ft			String Weight: Initial 75000.00 lb
Depth to Top Packer:	4663.00 ft			Final 81000.00 lb
Depth to Bottom Packer:	4683.00 ft			
Interval between Packers:	20.00 ft			
Tool Length:	151.00 ft			
Number of Packers:	3	Diameter: 6.75 inches		
Tool Comments: Loggers T.D. 4793' Rig T.D. 4800'				

### Tool Description

Tool Description	Length (ft)	Serial No.	Position	Depth (ft)	Accum. Lengths
Change Over Sub	1.00			4644.00	
Shut In Tool	5.00			4649.00	
Hydraulic tool	5.00			4654.00	
Packer	5.00			4659.00	20.00 Bottom Of Top Packer
Packer	4.00			4663.00	
Stubb	1.00			4664.00	
Recorder	0.00	6771	Outside	4664.00	
Recorder	0.00	6667	Inside	4664.00	
Perforations	15.00			4679.00	
Blank Off Sub	1.00			4680.00	
top of s packer	3.00			4683.00	20.00 Tool Interval
Packer	1.00			4684.00	
Stubb	1.00			4685.00	
Perforations	8.00			4693.00	
Change Over Sub	1.00			4694.00	
Recorder	0.00	8368	Below	4694.00	
Drill Pipe	94.00			4788.00	
Change Over Sub	1.00			4789.00	
Bullnose	5.00			4794.00	111.00 Bottom Packers & Anchor

**Total Tool Length: 151.00**



**TRILOBITE  
TESTING, INC**

**DRILL STEM TEST REPORT**

**FLUID SUMMARY**

FIML Natural Resources

**23-19-31 Scott, KS**

410 17th St Ste 900  
Denver, CO 80202

**Drew Trust #14B**

Job Ticket: 44937

**DST#: 2**

ATTN: Gary Doke-Josh Austi

Test Start: 2012.01.09 @ 16:53:17

**Mud and Cushion Information**

Mud Type: Gel Chem

Cushion Type:

Oil API:

0 deg API

Mud Weight: 9.00 lb/gal

Cushion Length:

ft

Water Salinity:

26000 ppm

Viscosity: 48.00 sec/qt

Cushion Volume:

bbbl

Water Loss: 7.19 in<sup>3</sup>

Gas Cushion Type:

Resistivity: 0.00 ohm.m

Gas Cushion Pressure:

psig

Salinity: 1300.00 ppm

Filter Cake: 1.00 inches

**Recovery Information**

Recovery Table

Length ft	Description	Volume bbl
1598.00	water 100%w	19.045
282.00	s m c w 10% m 90% w	3.956
188.00	m c w 20% m 80% w	2.637

Total Length: 2068.00 ft      Total Volume: 25.638 bbl

Num Fluid Samples: 0

Num Gas Bombs: 0

Serial #:

Laboratory Name:

Laboratory Location:

Recovery Comments: rw .349 @ 55\*f= 26,000

Serial #: 6667


Inside

FML Natural Resources

Dew Trust #14B

DST Test Number: 2

### Pressure vs. Time




Serial #: 8368

Below (Strat) Natural Resources

Drew Trust #14B


DST Test Number: 2




Trilobite Testing, Inc

Ref. No: 44937

Printed: 2012.01.12 @ 14:23:59





# TRILOBITE TESTING INC.

P.O. Box 1733 • Hays, Kansas 67601

RECEIVED  
JAN 11 2012

## Test Ticket

NO. 44936

Well Name & No. Drew Trust #2/B Test No. #1 Date 1/8/12  
 Company ETM Natural Resources Elevation 2960 KB 2948 GL  
 Address \_\_\_\_\_  
 Co. Rep / Geo. Camp Duke / Josh Masterson Rig H2 #1  
 Location: Sec. 23 Twp. 19 Rge. 31 Co. South State Ks

Interval Tested 4380 4450 Zone Tested Marmaton A/B  
 Anchor Length 70 Drill Pipe Run 4120' Mud Wt. 9.1  
 Top Packer Depth 4375 Drill Collars Run 370' XH Vis 61  
 Bottom Packer Depth 4380 Wt. Pipe Run \_\_\_\_\_ WL 6.4  
 Total Depth 4450 Chlorides 1600 ppm System LCM #4

Blow Description 1/2" blow died back to 1/8" in  
No return  
9" B blow in 9 min blow throughout  
No Return

Rec	Feet of	%gas	%oil	%water	%mud
<u>2'</u>	<u>Free Oil (Far)</u>	<u>100</u>			
<u>23'</u>	<u>Mud w/ oil spots</u>	<u>spots</u>		<u>100</u>	
Rec _____	Feet of _____	%gas _____	%oil _____	%water _____	%mud _____
Rec _____	Feet of _____	%gas _____	%oil _____	%water _____	%mud _____
Rec _____	Feet of _____	%gas _____	%oil _____	%water _____	%mud _____

Rec Total 27' BHT 129° Gravity \_\_\_\_\_ API RW \_\_\_\_\_ @ \_\_\_\_\_ °F Chlorides \_\_\_\_\_ ppm

(A) Initial Hydrostatic 2259  Test 1225' T-On Location 19:55  
 (B) First Initial Flow 22  Jars \_\_\_\_\_ T-Started 21:00  
 (C) First Final Flow 36  Safety Joint \_\_\_\_\_ T-Open 00:00  
 (D) Initial Shut-In 91  Circ Sub W/C T-Pulled 02:00  
 (E) Second Initial Flow 41  Hourly Standby \_\_\_\_\_ T-Out 04:25  
 (F) Second Final Flow 45  Mileage 42 RT 58.80 Comments \_\_\_\_\_  
 (G) Final Shut-In 89  Sampler \_\_\_\_\_  
 (H) Final Hydrostatic 2176  Straddle \_\_\_\_\_  
 Shale Packer \_\_\_\_\_  
 Shale Packer \_\_\_\_\_  
 Extra Packer \_\_\_\_\_  
 Extra Recorder \_\_\_\_\_

Initial Open 30  Ruined Shale Packer \_\_\_\_\_  
 Initial Shut-In 30  Ruined Packer \_\_\_\_\_  
 Final Flow 30  Extra Copies \_\_\_\_\_  
 Final Shut-In 30  Day Standby \_\_\_\_\_ Sub Total 8  
 Accessibility 150 Total 1433.80  
 Sub Total 1433.80 MP/DST Disc't \_\_\_\_\_  
 Our Representative 1283.80

Approved By [Signature]

TriLOBITE TESTING INC. shall not be liable for damage of any kind of the property or personnel of the one for whom a test is made, or for any loss suffered or sustained, directly or indirectly, through the use of its equipment, or its statements or opinion concerning the results of any test, tools lost or damaged in the hole shall be paid for at cost by the party for whom the test is made.

Test Blank

10/1/73



TRILORITE TESTING INC




*[Faint handwritten notes at the top of the page, possibly describing the test or sample.]*

*[Faint handwritten notes in the middle section, including a circled word that appears to be 'Flow'.]*

*[Faint handwritten notes at the bottom of the page, including a large signature or scribble.]*





# TRILOBITE TESTING INC.

P.O. Box 1733 • Hays, Kansas 67601

RECEIVED  
JAN 12 2012  
BY: \_\_\_\_\_

## Test Ticket

NO. 44937

Well Name & No. Drew Trust #4/B Test No. #2 Date 1/9/12  
 Company FIML Natural Resources Elevation 2960 KB 2948 GL  
 Address 410 17<sup>th</sup> St Ste 900 Denver, Colo 80202  
 Co. Rep / Geo. Gary Duke / Josh Austin Rig H<sup>2</sup> #1  
 Location: Sec. 23 Twp. 19 Rge. 31 Co. Scott State Ks

Interval Tested 4663 4683 Zone Tested \_\_\_\_\_  
 Anchor Length 20 Drill Pipe Run 4304' Mud Wt. 9.2  
 Top Packer Depth 4658 - 4663 Drill Collars Run 370' XH Vis 48  
 Bottom Packer Depth 4683 Wt. Pipe Run \_\_\_\_\_ WL 7.2  
 Total Depth Loggers T.D. → 4793' Chlorides 1300 ppm System LCM #3  
 Blow Description Rig T.D. 4800' B.O.B. in 5 min  
No return  
B.O.B. in 7 min  
No return

Rec	Feet of	%gas	%oil	%water	%mud
<u>188</u>	<u>mcw</u>		<u>80</u>	<u>20</u>	
<u>282</u>	<u>smcw</u>		<u>90</u>	<u>10</u>	
<u>1598</u>	<u>water</u>		<u>100</u>		
Rec	Feet of	%gas	%oil	%water	%mud
Rec	Feet of	%gas	%oil	%water	%mud

Rec Total 2068 BHT 145° Gravity \_\_\_\_\_ API RW 349 @ 55° F Chlorides 26,000 ppm  
 (A) Initial Hydrostatic 2344  Test 1225' T-On Location 16:15  
 (B) First Initial Flow 69  Jars \_\_\_\_\_ T-Started 16:53  
 (C) First Final Flow 467  Safety Joint \_\_\_\_\_ T-Open 19:17  
 (D) Initial Shut-In 1208  Circ Sub N/C T-Pulled 23:02  
 (E) Second Initial Flow 472  Hourly Standby \_\_\_\_\_ T-Out 01:55  
 (F) Second Final Flow 857  Mileage 42RT 58.80 Comments \_\_\_\_\_  
 (G) Final Shut-In 1212  Sampler \_\_\_\_\_  
 (H) Final Hydrostatic 2247  Straddle 600'  Ruined Shale Packer \_\_\_\_\_  
 Shale Packer 250'  Ruined Packer \_\_\_\_\_  
 Initial Open 30  Extra Packer \_\_\_\_\_  Extra Copies \_\_\_\_\_  
 Initial Shut-In 45  Extra Recorder \_\_\_\_\_ Sub Total 150'  
 Final Flow 60  Day Standby \_\_\_\_\_ Total 2283.80  
 Final Shut-In 90  Accessibility 150' → MP/DST Disc't \_\_\_\_\_  
 Sub Total 2133.80

Approved By [Signature] Our Representative [Signature]

TriLOBite Testing Inc. shall not be liable for damaged of any kind of the property or personnel of the one for whom a test is made, or for any loss suffered or sustained, directly or indirectly, through the use of its equipment, or its statements or opinion concerning the results of any test, tools lost or damaged in the hole shall be paid for at cost by the party for whom the test is made.



Item No.	Description	Material	Quantity	Unit	Remarks
1	Steel Plate	1/2" x 36" x 96"	1	Sheet	For test specimen
2	Steel Plate	1/4" x 36" x 96"	1	Sheet	For test specimen
3	Steel Plate	3/8" x 36" x 96"	1	Sheet	For test specimen
4	Steel Plate	1/2" x 36" x 96"	1	Sheet	For test specimen
5	Steel Plate	1/4" x 36" x 96"	1	Sheet	For test specimen
6	Steel Plate	3/8" x 36" x 96"	1	Sheet	For test specimen
7	Steel Plate	1/2" x 36" x 96"	1	Sheet	For test specimen
8	Steel Plate	1/4" x 36" x 96"	1	Sheet	For test specimen
9	Steel Plate	3/8" x 36" x 96"	1	Sheet	For test specimen
10	Steel Plate	1/2" x 36" x 96"	1	Sheet	For test specimen
11	Steel Plate	1/4" x 36" x 96"	1	Sheet	For test specimen
12	Steel Plate	3/8" x 36" x 96"	1	Sheet	For test specimen
13	Steel Plate	1/2" x 36" x 96"	1	Sheet	For test specimen
14	Steel Plate	1/4" x 36" x 96"	1	Sheet	For test specimen
15	Steel Plate	3/8" x 36" x 96"	1	Sheet	For test specimen
16	Steel Plate	1/2" x 36" x 96"	1	Sheet	For test specimen
17	Steel Plate	1/4" x 36" x 96"	1	Sheet	For test specimen
18	Steel Plate	3/8" x 36" x 96"	1	Sheet	For test specimen
19	Steel Plate	1/2" x 36" x 96"	1	Sheet	For test specimen
20	Steel Plate	1/4" x 36" x 96"	1	Sheet	For test specimen
21	Steel Plate	3/8" x 36" x 96"	1	Sheet	For test specimen
22	Steel Plate	1/2" x 36" x 96"	1	Sheet	For test specimen
23	Steel Plate	1/4" x 36" x 96"	1	Sheet	For test specimen
24	Steel Plate	3/8" x 36" x 96"	1	Sheet	For test specimen
25	Steel Plate	1/2" x 36" x 96"	1	Sheet	For test specimen

*[Handwritten signature]*

*[Handwritten signature]*