



## DRILL STEM TEST REPORT

Prepared For: **F G Holl Oil Company**

9431 East Central Suite 100  
Wichita, Kansas  
67206+2583

ATTN: Rene Husted

**Bell " B " #1-7**

**7/30S/13W Barber Co.**

Start Date: 2012.02.11 @ 12:15:00

End Date: 2012.02.11 @ 20:28:00

Job Ticket #: 18834                      DST #: 1

Superior Testers Enterprises LLC  
PO Box 138 Great Bend KS 67530  
1-800-792-6902

Printed: 2012.02.11 @ 18:43:15







# DRILL STEM TEST REPORT

**TOOL DIAGRAM**

F G Holl Oil Company

**7/30S/13W Barber Co.**

9431 East Central Suite 100  
 Wichita, Kansas  
 67206+2583  
 ATTN: Rene Husted

**Bell " B " #1-7**

Job Ticket: 18834

**DST#: 1**

Test Start: 2012.02.11 @ 12:15:00

**Tool Information**

Drill Pipe:	Length: 4439.00 ft	Diameter: 3.80 inches	Volume: 62.27 bbl	Tool Weight: 2000.00 lb
Heavy Wt. Pipe:	Length: 0.00 ft	Diameter: 0.00 inches	Volume: 0.00 bbl	Weight set on Packer: 20000.00 lb
Drill Collar:	Length: 0.00 ft	Diameter: 2.25 inches	Volume: 0.00 bbl	Weight to Pull Loose: 23000.00 lb
			<u>Total Volume: 62.27 bbl</u>	Tool Chased 0.00 ft
Drill Pipe Above KB:	7.00 ft			String Weight: Initial 58000.00 lb
Depth to Top Packer:	4452.00 ft			Final 58000.00 lb
Depth to Bottom Packer:	ft			
Interval between Packers:	62.27 ft			
Tool Length:	82.27 ft			
Number of Packers:	2	Diameter: 6.75 inches		

Tool Comments:

<b>Tool Description</b>	<b>Length (ft)</b>	<b>Serial No.</b>	<b>Position</b>	<b>Depth (ft)</b>	<b>Accum. Lengths</b>
-------------------------	--------------------	-------------------	-----------------	-------------------	-----------------------

Shut-In Tool	5.00			4437.00	
Hydraulic Tool	5.00			4442.00	
Packer	5.00			4447.00	20.00 Bottom Of Top Packer
Packer	5.00			4452.00	
Anchor	6.00			4458.00	
Change Over Sub	0.75			4458.75	
Drill Pipe	31.77			4490.52	
Change Over Sub	0.75			4491.27	
Anchor	18.00			4509.27	
Recorder	1.00	6731	Inside	4510.27	
Recorder	1.00	6666	Outside	4511.27	
Bull Plug	3.00			4514.27	62.27 Bottom Packers & Anchor

**Total Tool Length: 82.27**



# DRILL STEM TEST REPORT

## FLUID SUMMARY

F G Holl Oil Company

7/30S/13W Barber Co.

9431 East Central Suite 100  
 Wichita, Kansas  
 67206+2583  
 ATTN: Rene Husted

Bell " B " #1-7

Job Ticket: 18834

DST#: 1

Test Start: 2012.02.11 @ 12:15:00

### Mud and Cushion Information

Mud Type: Gel Chem	Cushion Type:	Oil API:	deg API
Mud Weight: 9.00 lb/gal	Cushion Length: ft	Water Salinity:	ppm
Viscosity: 60.00 sec/qt	Cushion Volume: bbl		
Water Loss: 8.80 in <sup>3</sup>	Gas Cushion Type:		
Resistivity: ohm.m	Gas Cushion Pressure: psia		
Salinity: 6000.00 ppm			
Filter Cake: 1.00 inches			

### Recovery Information

Recovery Table


Length ft	Description	Volume bbl
15.00	Drilling Mud 100%	0.210

Total Length: 15.00 ft      Total Volume: 0.210 bbl

Num Fluid Samples: 0      Num Gas Bombs: 0      Serial #:

Laboratory Name:      Laboratory Location:

Recovery Comments: Thank you for the work. See u next time



Serial #: 6731


Inside

F G Holl Oil Company

Bell " B "#1-7

DST Test Number: 1

### Pressure vs. Time



Superior Testers Enterprises LLC

Ref. No: 18834

Printed: 2012.02.11 @ 18:43:17