

please check the box below and return to the address below.

Well will not be drilled or Permit Expired Date: \_

Signature of Operator or Agent:

For KCC	Use:
Effective	Date:
District #	<u> </u>
SGA?	Yes No

SGA?

#### KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 March 2010 Form must be Typed Form must be Signed All blanks must be Filled

#### NOTICE OF INTENT TO DRILL

	month	dou ::ar:	Spot Description:			
	month	day year	(0/0/0/0) Sec Twp S. R [] E [] '			
OPERATOR: License#			feet from N / S Line of Section			
			feet from E / W Line of Section			
Address 1:			Is SECTION: Regular Irregular?			
			(Note: Locate well on the Section Plat on reverse side)			
		_ Zip: +	County:			
Contact Person:			Lease Name: Well #:			
Phone:			Field Name:			
CONTRACTOR: License#	<u>!</u>					
Name:			Target Formation(s):			
			Nearest Lease or unit boundary line (in footage):			
Well Drilled For:	Well Class:	Type Equipment:				
Oil Enh	Rec Infield	Mud Rotary				
Gas Stora	age Pool Ext.	Air Rotary	Water well within one-quarter mile:    Yes   N			
Dispo	osal Wildcat	Cable	Public water supply well within one mile:			
Seismic ; #	of Holes Other		Depth to bottom of fresh water:			
Other:			Depth to bottom of usable water:			
If OW/MO: ald wall	l information as follows		Surface Pipe by Alternate: III			
II OVVVVO. old well	i illioimation as ioliows		Length of Surface Pipe Planned to be set:			
Operator:			Length of Conductor Pipe (if any):			
			Projected Total Depth:			
Original Completion D	ate: Orig	ginal Total Depth:	Formation at Total Depth:			
			Water Source for Drilling Operations:			
Directional, Deviated or Ho		Yes No	Well Farm Pond Other:			
•			DVV Feiliit #.			
			(Note: Apply for Fernit with DVIX			
KCC DKT #:			Will Cores be taken? Yes Yes			
			If Yes, proposed zone:			
		ΔΕ	FIDAVIT			
The undersigned hereby	affirms that the drillin		lugging of this well will comply with K.S.A. 55 et. seq.			
It is agreed that the follow			agging of the non-time comp.) That i too on coop.			
9						
	•		sh duilling via			
Notify the appropri		•	t by circulating cement to the top; in all cases surface pipe <b>shall be set</b>			
2. A copy of the appr						
<ol> <li>A copy of the appr</li> <li>The minimum amo</li> </ol>		s a minimum of 20 feet into the	ne ungeriving formation.			
<ul><li>2. A copy of the appr</li><li>3. The minimum amounthrough all uncons</li></ul>	olidated materials plu	s a minimum of 20 feet into the discussion of th	ne underlying formation.  Strict office on plug length and placement is necessary <i>prior to plugging</i> ;			
<ol> <li>A copy of the appr</li> <li>The minimum amouthrough all uncons</li> <li>If the well is dry ho</li> </ol>	olidated materials pluble, an agreement bet	ween the operator and the dis	, ,			
<ol> <li>A copy of the appr</li> <li>The minimum amouthrough all uncons</li> <li>If the well is dry ho</li> <li>The appropriate di</li> <li>If an ALTERNATE</li> </ol>	olidated materials pluble, an agreement bet strict office will be not II COMPLETION, pro	ween the operator and the dis ified before well is either plug duction pipe shall be cement	strict office on plug length and placement is necessary <i>prior to plugging;</i> ged or production casing is cemented in; ed from below any usable water to surface within <i>120 DAYS</i> of spud date.			
<ol> <li>A copy of the appr</li> <li>The minimum amouthrough all uncons</li> <li>If the well is dry ho</li> <li>The appropriate di</li> <li>If an ALTERNATE Or pursuant to App</li> </ol>	olidated materials pluble, an agreement bet strict office will be not II COMPLETION, propendix "B" - Eastern K	ween the operator and the dis ified before well is either plug duction pipe shall be cement ansas surface casing order #	strict office on plug length and placement is necessary <i>prior to plugging;</i> ged or production casing is cemented in; ed from below any usable water to surface within <i>120 DAYS</i> of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing			
<ol> <li>A copy of the appr</li> <li>The minimum amouthrough all uncons</li> <li>If the well is dry ho</li> <li>The appropriate di</li> <li>If an ALTERNATE Or pursuant to App</li> </ol>	olidated materials pluble, an agreement bet strict office will be not II COMPLETION, propendix "B" - Eastern K	ween the operator and the dis ified before well is either plug duction pipe shall be cement ansas surface casing order #	strict office on plug length and placement is necessary <i>prior to plugging;</i> ged or production casing is cemented in; ed from below any usable water to surface within <i>120 DAYS</i> of spud date.			
<ol> <li>A copy of the appr</li> <li>The minimum amouthrough all uncons</li> <li>If the well is dry ho</li> <li>The appropriate di</li> <li>If an ALTERNATE Or pursuant to App</li> </ol>	olidated materials pluble, an agreement bet strict office will be not II COMPLETION, propendix "B" - Eastern K	ween the operator and the dis ified before well is either plug duction pipe shall be cement ansas surface casing order #	strict office on plug length and placement is necessary <i>prior to plugging;</i> ged or production casing is cemented in; ed from below any usable water to surface within <i>120 DAYS</i> of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing			
<ol> <li>A copy of the appr</li> <li>The minimum amorthrough all uncons</li> <li>If the well is dry ho</li> <li>The appropriate di</li> <li>If an ALTERNATE         Or pursuant to Appropriate of the a</li></ol>	olidated materials pluole, an agreement bet strict office will be no II COMPLETION, propendix "B" - Eastern Kolumbia within 30 days of the	ween the operator and the dis ified before well is either plug duction pipe shall be cement ansas surface casing order #	strict office on plug length and placement is necessary <i>prior to plugging;</i> ged or production casing is cemented in; ed from below any usable water to surface within <i>120 DAYS</i> of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing			
<ol> <li>A copy of the appr</li> <li>The minimum amore through all uncons</li> <li>If the well is dry ho</li> <li>The appropriate di</li> <li>If an ALTERNATE         Or pursuant to Appropriate of the completed     </li> </ol>	olidated materials pluole, an agreement bet strict office will be no II COMPLETION, propendix "B" - Eastern Kolumbia within 30 days of the	ween the operator and the dis ified before well is either plug duction pipe shall be cement ansas surface casing order #	strict office on plug length and placement is necessary <i>prior to plugging;</i> ged or production casing is cemented in; ed from below any usable water to surface within <i>120 DAYS</i> of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing			
A copy of the appr     The minimum amouthrough all uncons     If the well is dry ho     The appropriate di     If an ALTERNATE     Or pursuant to Approve the completed  ubmitted Electro	olidated materials pluole, an agreement bet strict office will be no II COMPLETION, propendix "B" - Eastern Kolumbia within 30 days of the	ween the operator and the dis ified before well is either plug duction pipe shall be cement ansas surface casing order #	strict office on plug length and placement is necessary <i>prior to plugging;</i> ged or production casing is cemented in; ed from below any usable water to surface within <i>120 DAYS</i> of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing			
<ol> <li>A copy of the appr</li> <li>The minimum amore through all uncons</li> <li>If the well is dry ho</li> <li>The appropriate di</li> <li>If an ALTERNATE         Or pursuant to Appropriate of the completed     </li> </ol>	olidated materials pluole, an agreement bet strict office will be no II COMPLETION, propendix "B" - Eastern Kolumbia within 30 days of the	ween the operator and the dis ified before well is either plug duction pipe shall be cement ansas surface casing order #	strict office on plug length and placement is necessary <i>prior to plugging</i> ; aged or production casing is cemented in; sed from below any usable water to surface within <i>120 DAYS</i> of spud date. £133,891-C, which applies to the KCC District 3 area, alternate II cementing see plugged. <i>In all cases, NOTIFY district office</i> prior to any cementing.			
A copy of the appr     The minimum amouthrough all uncons     If the well is dry ho     The appropriate di     If an ALTERNATE     Or pursuant to Approve the completed  ubmitted Electro	olidated materials pluole, an agreement bet strict office will be no II COMPLETION, propendix "B" - Eastern Kold within 30 days of the	ween the operator and the dis ified before well is either plug duction pipe shall be cement ansas surface casing order # e spud date or the well shall b	strict office on plug length and placement is necessary <i>prior to plugging</i> ; aged or production casing is cemented in; led from below any usable water to surface within <i>120 DAYS</i> of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing le plugged. <i>In all cases, NOTIFY district office</i> prior to any cementing.			
2. A copy of the appr 3. The minimum amore through all uncons 4. If the well is dry ho 5. The appropriate di 6. If an ALTERNATE Or pursuant to Approve the completed  ubmitted Electro  For KCC Use ONLY  API # 15 -	olidated materials pluble, an agreement bet strict office will be no II COMPLETION, probendix "B" - Eastern ket within 30 days of the nically	ween the operator and the dis ified before well is either plug duction pipe shall be cement ansas surface casing order # e spud date or the well shall b	strict office on plug length and placement is necessary <i>prior to plugging</i> ; ged or production casing is cemented in; led from below any usable water to surface within <i>120 DAYS</i> of spud date. e133,891-C, which applies to the KCC District 3 area, alternate II cementing le plugged. <i>In all cases, NOTIFY district office</i> prior to any cementing.  **Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill;			
2. A copy of the appr 3. The minimum amouthrough all uncons 4. If the well is dry ho 5. The appropriate di 6. If an ALTERNATE Or pursuant to Approved by the completed  Ubmitted Electro  For KCC Use ONLY  API # 15 -  Conductor pipe required	olidated materials pluble, an agreement bet strict office will be not ill COMPLETION, propendix "B" - Eastern ket within 30 days of the nically	ween the operator and the dis ified before well is either plug duction pipe shall be cement ansas surface casing order # e spud date or the well shall b	strict office on plug length and placement is necessary <i>prior to plugging</i> ; ged or production casing is cemented in; led from below any usable water to surface within <i>120 DAYS</i> of spud date. e133,891-C, which applies to the KCC District 3 area, alternate II cementing le plugged. <i>In all cases, NOTIFY district office</i> prior to any cementing.  **Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date;			
2. A copy of the appr 3. The minimum amouthrough all uncons 4. If the well is dry ho 5. The appropriate di 6. If an ALTERNATE Or pursuant to Approve the completed  Ubmitted Electro  For KCC Use ONLY  API # 15 -  Conductor pipe required  Minimum surface pipe re	olidated materials pluble, an agreement bet strict office will be no II COMPLETION, probendix "B" - Eastern ket within 30 days of the nically	ween the operator and the disified before well is either plug duction pipe shall be cement (ansas surface casing order # e spud date or the well shall be feet feet per ALT I II	strict office on plug length and placement is necessary <i>prior to plugging</i> ; ged or production casing is cemented in; ged from below any usable water to surface within <i>120 DAYS</i> of spud date. grayship 133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. <i>In all cases, NOTIFY district office</i> prior to any cementing.  **Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders;			
2. A copy of the appr 3. The minimum amouthrough all uncons 4. If the well is dry ho 5. The appropriate di 6. If an ALTERNATE Or pursuant to Approve the completed  Ubmitted Electro  For KCC Use ONLY  API # 15 -  Conductor pipe required	olidated materials pluble, an agreement bet strict office will be no II COMPLETION, probendix "B" - Eastern ket within 30 days of the nically	ween the operator and the disified before well is either plug duction pipe shall be cement (ansas surface casing order # e spud date or the well shall be feet feet per ALT I II	strict office on plug length and placement is necessary <i>prior to plugging</i> ; ged or production casing is cemented in; ged from below any usable water to surface within <i>120 DAYS</i> of spud date. grayship 1233,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. <i>In all cases, NOTIFY district office</i> prior to any cementing.  **Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry;			
2. A copy of the appr 3. The minimum amouthrough all uncons 4. If the well is dry ho 5. The appropriate di 6. If an ALTERNATE Or pursuant to Approve the completed  Submitted Electro  For KCC Use ONLY  API # 15 -  Conductor pipe required  Minimum surface pipe re	olidated materials pluble, an agreement bet strict office will be not ill COMPLETION, probendix "B" - Eastern ket within 30 days of the inically	ween the operator and the disified before well is either plug duction pipe shall be cement (ansas surface casing order # e spud date or the well shall be feet feet per ALT I II	strict office on plug length and placement is necessary <i>prior to plugging</i> ; ged or production casing is cemented in; ged from below any usable water to surface within <i>120 DAYS</i> of spud date. grayship 133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. <i>In all cases, NOTIFY district office</i> prior to any cementing.  **Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders;			

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

Spud date: \_

Side Two



**EXAMPLE** 

SEWARD CO. 3390' FEL

1980' FSL

For KCC Use ONLY	
API # 15	_

Operator:

#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Location of Well: County:

Opciator.							oution of vi	on. County.		
Lease:									feet	from N / S Line of Section
Well Number:						feet	from E / W Line of Section			
			Se	c	Twp	S.	R			
Number of Acres attr	ibutable to	woll:								
Number of Acres attributable to well:			15 3	Is Section: Regular or Irregular						
QIIVQIIVQIIVQIIV	or acreage	J								
										from nearest corner boundary.
						Se	ction corne	er used:	NE	NW SE SW
						PLAT				
				•				•	•	edicted locations of
lease roa	ds, tank ba	atteries, pi	pelines an						wner No	tice Act (House Bill 2032).
				You ma	ay attach a	a separate	plat if desi	rea.		
	•	-	•				•			
			:			:				
			:			:	:			LEGEND
•••••				•••••					0	Well Location
			:			:			$\overline{}$	Tank Battery Location
	:					:	:		<u> </u>	Pipeline Location
	:		:	•••••	· · · · · · · · · · · · · · · · · · ·		:			Electric Line Location
						:				Lease Road Location
	:		:			:	:	000 (		Lease Road Location
••••				•••••		. ····�−		– 889 ft.		
	: :		:			: 1	:			

NOTE: In all cases locate the spot of the proposed drilling locaton.

15

3276 ft.

#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.



#### KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

075565

Form CDP-1 May 2010 Form must be Typed

#### **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name:		License Number:			
Operator Address:					
Contact Person:		Phone Number:			
Lease Name & Well No.:			Pit Location (QQQQ):		
Type of Pit:    Emergency Pit   Burn Pit	Pit is:	Existing	SecTwp R		
Settling Pit Drilling Pit	If Existing, date con		Feet from North / South Line of Section		
Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)	Pit capacity:	(bbls)	Feet from East / West Line of Section County		
Is the pit located in a Sensitive Ground Water A	rea? Yes N	No	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)		
Is the bottom below ground level?  Yes No	Artificial Liner?	0	How is the pit lined if a plastic liner is not used?		
Pit dimensions (all but working pits):	Length (fee	t)	Width (feet) N/A: Steel Pits		
Depth fro	om ground level to deep	pest point:	(feet) No Pit		
If the pit is lined give a brief description of the line material, thickness and installation procedure.	itei		dures for periodic maintenance and determining ncluding any special monitoring.		
Distance to nearest water well within one-mile of	of pit:	Depth to shallo	west fresh water feet. mation:		
feet Depth of water well	feet	measured	well owner electric log KDWR		
Emergency, Settling and Burn Pits ONLY:		Drilling, Workover and Haul-Off Pits ONLY:			
Producing Formation:		Type of material utilized in drilling/workover:			
Number of producing wells on lease:		Number of working pits to be utilized:			
Barrels of fluid produced daily:		Abandonment p	procedure:		
Does the slope from the tank battery allow all splow into the pit? Yes No	pilled fluids to	Drill pits must be closed within 365 days of spud date.			
Submitted Electronically					
	кссс	OFFICE USE OI	NLY  Liner Steel Pit RFAC RFAS		
Date Received: Permit Numb	ber:	Permi	t Date: Lease Inspection: Yes No		



#### Kansas Corporation Commission Oil & Gas Conservation Division

1075565

Form KSONA-1
July 2010
Form Must Be Typed
Form must be Signed
All blanks must be Filled

### CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (CB-1)	Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)				
OPERATOR: License #	Well Location:				
Name:	SecTwpS. R 🗌 East 🗌 West				
Address 1:	County:				
Address 2:					
City: State: Zip:+	If filing a Form T-1 for multiple wells on a lease, enter the legal description of				
Contact Person:	the lease below:				
Phone: ( ) Fax: ( )					
Email Address:					
Surface Owner Information:					
Name:	When filing a Form T-1 involving multiple surface owners, attach an additional				
Address 1:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the				
Address 2:	county, and in the real estate property tax records of the county treasurer.				
City:					
the KCC with a plat showing the predicted locations of lease roads, tank	dic Protection Borehole Intent), you must supply the surface owners and k batteries, pipelines, and electrical lines. The locations shown on the plat in the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.				
☐ I certify that, pursuant to the Kansas Surface Owner Notice A owner(s) of the land upon which the subject well is or will be to CP-1 that I am filing in connection with this form; 2) if the form to form; and 3) my operator name, address, phone number, fax, at ☐ I have not provided this information to the surface owner(s). I at KCC will be required to send this information to the surface owner(s).	cknowledge that, because I have not provided this information, the vner(s). To mitigate the additional cost of the KCC performing this				
task, I acknowledge that I am being charged a \$30.00 handling  If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-	fee with this form. If the fee is not received with this form, the KSONA-1				
Submitted Electronically					

For KCC Use ONLY		
API # 15		

# IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW


In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator: Kansas Resource Exploration & Development, LLC	Location of Well: County: Johnson			
Lease: Knabe M	3,276 feet from N/X S Line of Section			
Well Number: KR-14	3,276       feet from   N / X   S   Line of Section         889       feet from   X   E /   W   Line of Section         Sec. 15       Twp. 14       S. R. 22       X   E   W   W			
Field: Gardner	Sec. 15 Twp. 14 S. R. 22 X E W			
Number of Acres attributable to well:  QTR/QTR/QTR/QTR of acreage: NE - SW - SE - NE	Is Section: Regular or Irregular			
	If Section is Irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW			

# **PLAT**

Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032).

You may attach a separate plat if desired.



NOTE: In all cases locate the spot of the proposed drilling locaton.

## In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

Conservation Division Finney State Office Building 130 S. Market, Rm. 2078 Wichita, KS 67202-3802



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Mark Sievers, Chairman Ward Loyd, Commissioner Thomas E. Wright, Commissioner

March 02, 2012

Bradley Kramer Kansas Resource Exploration & Development, LLC 9393 W 110TH ST, STE 500 OVERLAND PARK, KS 66210

Re: Drilling Pit Application Knabe M KR-14 NE/4 Sec.15-14S-22E Johnson County, Kansas

#### Dear Bradley Kramer:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed **without slots**, the bottom shall be flat and reasonably level, and the free fluids must be removed. The fluids are to be removed from the reserve pit as soon as practical after drilling operations have ceased.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (620) 432-2300 when the fluids have been removed. Please file form CDP-5 (August 2008), Exploration and Production Waste Transfer, through KOLAR within 30 days of fluid removal.

A copy of this letter should be posted in the doghouse along with the approved Intent to **Drill**. If you have any questions or concerns please feel free to contact the District Office at (620) 432-2300.