

Well will not be drilled or Permit Expired Date: \_

Signature of Operator or Agent:

For KCC	Use:
Effective	Date:
District #	
SGA?	Yes No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION 1076099

Form C-1

March 2010

Form must be Typed

Form must be Signed

All blanks must be Filled

## **NOTICE OF INTENT TO DRILL**

Expected Spud Date:	Spot Description:
month day year	
OPERATOR: License#	(0/0/0/0) feet from N / S Line of Section
Name:	feet from E / W Line of Sectio
Address 1:	Is SECTION: Regular Irregular?
ddress 2:	(Note: Locate well on the Section Plat on reverse side)
City:	County:
Contact Person:	Lease Name: Well #:
hone:	Field Name:
CONTRACTOR: License#	Is this a Prorated / Spaced Field?
lame:	Target Formation(s):
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage):
	Ground Surface Elevation:feet MS
Oil Enh Rec Infield Mud Rotary  Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile:
Gas Storage Pool Ext. Air Rotary Disposal Wildcat Cable	Public water supply well within one mile:
Seismic;# of Holes Other	Depth to bottom of fresh water:
Other:	Depth to bottom of usable water:
	Surface Pipe by Alternate: II
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set:
Operator:	Length of Conductor Pipe (if any):
Well Name:	Designated Total Denths
Original Completion Date: Original Total Depth:	Formation at Total Depth:
	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore?	Well Farm Pond Other:
Yes, true vertical depth:	DWR Permit #:
	( <b>Note:</b> Apply for Permit with DWR )
	- Will Cores be taken? Yes N
Sottom Hole Location:  CCC DKT #:	
CCC DKT #:	- Will Cores be taken?
CCC DKT #:AI	- Will Cores be taken? Yes Yes FIDAVIT
AI The undersigned hereby affirms that the drilling, completion and eventual p	- Will Cores be taken? Yes New
CCC DKT #:	- Will Cores be taken? Yes N If Yes, proposed zone:
All The undersigned hereby affirms that the drilling, completion and eventual price is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea	Will Cores be taken?  If Yes, proposed zone:  FFIDAVIT  Slugging of this well will comply with K.S.A. 55 et. seq.  ch drilling rig;
All The undersigned hereby affirms that the drilling, completion and eventual part is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea 3. The minimum amount of surface pipe as specified below <i>shall be</i> see	Will Cores be taken?  If Yes, proposed zone:  FFIDAVIT  Solugging of this well will comply with K.S.A. 55 et. seq.  Ich drilling rig;  If Yes In Yes
All the undersigned hereby affirms that the drilling, completion and eventual price is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea  3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the	Will Cores be taken?  If Yes, proposed zone:  FFIDAVIT  Slugging of this well will comply with K.S.A. 55 et. seq.  ch drilling rig;  If yes In the set is the set is the set is the underlying formation.
All he undersigned hereby affirms that the drilling, completion and eventual p is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the discontinuation.	Will Cores be taken?  If Yes, proposed zone:  FFIDAVIT  Slugging of this well will comply with K.S.A. 55 et. seq.  ch drilling rig;  If yes to be comply with K.S.A. 55 et. seq.  If yes to be comply with K.S.A. 55 et. seq.
All the undersigned hereby affirms that the drilling, completion and eventual price is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea  3. The minimum amount of surface pipe as specified below <i>shall be</i> see through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the difficult of the second of	Will Cores be taken?  If Yes, proposed zone:  FFIDAVIT  Slugging of this well will comply with K.S.A. 55 et. seq.  ch drilling rig;  If yes If
All the undersigned hereby affirms that the drilling, completion and eventual price agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea 3. The minimum amount of surface pipe as specified below <i>shall be</i> set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the didentification of the set of th	Will Cores be taken?  If Yes, proposed zone:  FFIDAVIT  Shugging of this well will comply with K.S.A. 55 et. seq.  Ch drilling rig;  If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  Instrict office on plug length and placement is necessary prior to plugging; agged or production casing is cemented in; ted from below any usable water to surface within 120 DAYS of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing
All The undersigned hereby affirms that the drilling, completion and eventual parties agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea  3. The minimum amount of surface pipe as specified below <i>shall be</i> see through all unconsolidated materials plus a minimum of 20 feet into the second of	Will Cores be taken?  If Yes, proposed zone:  FFIDAVIT  Shugging of this well will comply with K.S.A. 55 et. seq.  Ch drilling rig;  If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  Istrict office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 DAYS of spud date.
All The undersigned hereby affirms that the drilling, completion and eventual parties agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea  3. The minimum amount of surface pipe as specified below <i>shall be</i> see through all unconsolidated materials plus a minimum of 20 feet into the second of	Will Cores be taken?  If Yes, proposed zone:  FFIDAVIT  Shugging of this well will comply with K.S.A. 55 et. seq.  Ch drilling rig;  If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  Istrict office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 DAYS of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing
All he undersigned hereby affirms that the drilling, completion and eventual prise agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea. 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the strength of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plus for an ALTERNATE II COMPLETION, production pipe shall be cemen Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be set to be supported to the shall be completed within 30 days of the spud date or the well shall be completed.	Will Cores be taken?  If Yes, proposed zone:  FFIDAVIT  Shugging of this well will comply with K.S.A. 55 et. seq.  Ch drilling rig;  If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  Istrict office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 DAYS of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing
All The undersigned hereby affirms that the drilling, completion and eventual process is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea:  3. The minimum amount of surface pipe as specified below <i>shall be</i> set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plus.  5. The appropriate district office will be notified before well is either plus.  6. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing orders.	Will Cores be taken?  If Yes, proposed zone:  FFIDAVIT  Shugging of this well will comply with K.S.A. 55 et. seq.  Ch drilling rig;  If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  Instrict office on plug length and placement is necessary prior to plugging; agged or production casing is cemented in; ted from below any usable water to surface within 120 DAYS of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing
All the undersigned hereby affirms that the drilling, completion and eventual prise agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea. 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set. 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plus. 5. The appropriate district office will be notified before well is either plus. 6. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order is must be completed within 30 days of the spud date or the well shall in the set of the s	Will Cores be taken?  If Yes, proposed zone:  FFIDAVIT  Shugging of this well will comply with K.S.A. 55 et. seq.  Ch drilling rig;  If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  Istrict office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 DAYS of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing
All the undersigned hereby affirms that the drilling, completion and eventual prisagreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea. 3. The minimum amount of surface pipe as specified below <i>shall be sethology</i> through all unconsolidated materials plus a minimum of 20 feet into the surface will be notified before well is either plus.  4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plus.  5. The appropriate district office will be notified before well is either plus.  6. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order is must be completed within 30 days of the spud date or the well shall in the surface of the surface is the surface of the sur	If Yes, proposed zone:  FIDAVIT  Solugging of this well will comply with K.S.A. 55 et. seq.  Ch drilling rig;  If yet by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  Strict office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 DAYS of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification
All he undersigned hereby affirms that the drilling, completion and eventual prise agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea. 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the district office will be notified before well is either plugion.  4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugion.  5. The appropriate district office will be notified before well is either plugion.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemen Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall in the surface of the well shall in the surface of the surface of the well shall in the surface of	If Yes, proposed zone:  FFIDAVIT  Solugging of this well will comply with K.S.A. 55 et. seq.  Ch drilling rig;  If yet by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  Strict office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 DAYS of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;
All the undersigned hereby affirms that the drilling, completion and eventual prise agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea. 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the driving of the well is dry hole, an agreement between the operator and the driving of the appropriate district office will be notified before well is either plugible. 5. The appropriate district office will be notified before well is either plugible. 6. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall in the surface of the well shall in the surface of the surface of the spud date or the well shall in the surface of the surface o	If Yes, proposed zone:  FFIDAVIT  Solugging of this well will comply with K.S.A. 55 et. seq.  Ch drilling rig;  If yet by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  Strict office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 DAYS of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  - File Drill Pit Application (form CDP-1) with Intent to Drill;
All the undersigned hereby affirms that the drilling, completion and eventual price is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea. 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into 14. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plue.  5. The appropriate district office will be notified before well is either plue.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemen. Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall in the sum of the surface in the	If Yes, proposed zone:  FFIDAVIT  Folugging of this well will comply with K.S.A. 55 et. seq.  Ch drilling rig;  If yet by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  Strict office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 DAYS of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;
All the undersigned hereby affirms that the drilling, completion and eventual process agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on ea.  3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the district office will be notified before well is either plugible.  4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugible.  5. The appropriate district office will be notified before well is either plugible.  6. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be set to the spudiate or the well shall be completed.  Ibmitted Electronically  For KCC Use ONLY  API # 15	If Yes, proposed zone:  FIDAVIT  Sugging of this well will comply with K.S.A. 55 et. seq.  Ch drilling rig;  If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  Strict office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 DAYS of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  - File Drill Pit Application (form CDP-1) with Intent to Drill;  - File Completion Form ACO-1 within 120 days of spud date;  - File acreage attribution plat according to field proration orders;
All the undersigned hereby affirms that the drilling, completion and eventual prise agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea. 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the different strength of the well is dry hole, an agreement between the operator and the different strength of the well is dry hole, an agreement between the operator and the different strength of the well is either plus strength of the surface will be notified before well is either plus strength of the surface of the surface casing order is must be completed within 30 days of the spud date or the well shall shall be suffered to the well shall	If Yes, proposed zone:  FFIDAVIT  Folugging of this well will comply with K.S.A. 55 et. seq.  Ch drilling rig;  If yet by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  Strict office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 DAYS of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;
All the undersigned hereby affirms that the drilling, completion and eventual prise agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea. 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the district office will be notified before well is either plus.  5. The appropriate district office will be notified before well is either plus.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemen. Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be the spud before well is plus.  Ibmitted Electronically  For KCC Use ONLY  API # 15	Will Cores be taken?   Yes   Yes   If Yes, proposed zone:   Yes, proposed zone:   Yes

For KCC Use ONLY	
API # 15	

### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

operator					Location of W	ell: County:	
_ease:						feet	from N / S Line of Section
Well Number:			feet from E / W Line of Section				
Field:				SecTwpS. R E W			
Number of Ac	cres attributable t	o well:			Is Section:	Regular or I	rregular
QTR/QTR/QT	R/QTR of acrea	ge:			is Section.		i egulai
					If Section is Section corne		from nearest corner boundary.  NW SE SW
le			lines and electrica	l lines, as requ	ase or unit bound		edicted locations of tice Act (House Bill 2032).
	:	: :		: :	:		
							LEGEND
	: 	:		:	:		
	:	:		:	:	0	Well Location
	:						Tank Battery Location
					•••••		Pipeline Location
				•			Electric Line Location
•	:				:		
							Lease Road Location
			15				Lease Road Location
			 15			EXAMPLE :	Lease Road Location
			 15			EXAMPLE :	Lease Road Location
			 15			EXAMPLE :	Lease Road Location
			 15			EXAMPLE ::	Lease Road Location
			15			EXAMPLE ::	Lease Road Location
			15			EXAMPLE ::	Lease Road Location
			15			EXAMPLE ::	Lease Road Location

### 330 ft.

### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.

NOTE: In all cases locate the spot of the proposed drilling locaton.

- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION 076099

Form CDP-1 May 2010 Form must be Typed

## **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name:			License Number:
Operator Address:			
Contact Person:			Phone Number:
Lease Name & Well No.:			Pit Location (QQQQ):
Type of Pit:  Emergency Pit Burn Pit  Settling Pit Drilling Pit  Workover Pit Haul-Off Pit  (If WP Supply API No. or Year Drilled)  Is the pit located in a Sensitive Ground Water A	Pit is:  Proposed Existing  If Existing, date constructed:  Pit capacity:  (bbls)		SecTwp R East West Feet from North / South Line of Section Feet from East / West Line of Section County mg/l
Is the bottom below ground level?	Artificial Liner?	No	(For Emergency Pits and Settling Pits only)  How is the pit lined if a plastic liner is not used?
Pit dimensions (all but working pits):  Depth fro	Length (fee		
If the pit is lined give a brief description of the li material, thickness and installation procedure.	ner		dures for periodic maintenance and determining acluding any special monitoring.
Distance to nearest water well within one-mile of	of pit:	Depth to shallo Source of infor	west fresh water feet. nation:
feet Depth of water wellfeet		measured	well owner electric log KDWR
Emergency, Settling and Burn Pits ONLY:  Producing Formation:  Number of producing wells on lease:  Barrels of fluid produced daily:  Does the slope from the tank battery allow all spilled fluids to flow into the pit?  Yes No  Submitted Electronically		Type of materia  Number of work  Abandonment p  Drill pits must b	over and Haul-Off Pits ONLY:  all utilized in drilling/workover:  king pits to be utilized:  procedure:  per closed within 365 days of spud date.
	KCC	OFFICE USE O	NLY  Liner Steel Pit RFAC RFAS
Date Received: Permit Num	ber:	Permi	t Date: Lease Inspection: Yes No

KANSAS CORPORATION COMMISSION

Form KSONA-1 July 2010 Form Must Be Typed Form must be Signed

All blanks must be Filled

## **CERTIFICATION OF COMPLIANCE WITH THE** KANSAS SURFACE OWNER NOTIFICATION ACT

OIL & GAS CONSERVATION DIVISION

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application). Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (C	Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)		
OPERATOR: License #	Well Location:		
Name:	Sec TwpS. R 🗌 East 🗌 West		
Address 1:	County:		
Address 2:	Lease Name: Well #:		
City: State: Zip:+	3		
Contact Person:	the lease below:		
Phone: ( ) Fax: ( )			
Email Address:			
Surface Owner Information:			
Name:	When filing a Form T-1 involving multiple surface owners, attach an additional		
Address 1:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the		
Address 2:	county, and in the real estate property tax records of the county treasurer.		
City: State: Zip:+			
the KCC with a plat showing the predicted locations of lease roads, tank	dic Protection Borehole Intent), you must supply the surface owners and a batteries, pipelines, and electrical lines. The locations shown on the plat in the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.		
owner(s) of the land upon which the subject well is or will be lo	ct (House Bill 2032), I have provided the following to the surface ocated: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form being filed is a Form C-1 or Form CB-1, the plat(s) required by this and email address.		
	cknowledge that, because I have not provided this information, the vner(s). To mitigate the additional cost of the KCC performing this fee, payable to the KCC, which is enclosed with this form.		
If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-	fee with this form. If the fee is not received with this form, the KSONA-1 will be returned.		
Submitted Electronically			

## T34S, R7W, 6th P.M.

	LINE TABLE	
LINE	BEARING	LENGTH
I 1	\$15*40'54"W	524 12'

## S89\*57'30"W - 2646.93' (Meas.) S89\*56'04"W - 2652.90' (Meas.) 330' SETBACK BOUNDARY (Meas.) 5261.65 15 W.21.94.00N NO0.47'33"W LEASE BOUNDARY ALBRIGHT CROFT FARM 3407 #15-2H Elev. Ungraded Ground = 1396' 478' T See Detail "A" N89'48'39"W - 5302.12' (Meas.) 330' Formation Entry (Meas. 5218.64"

### SGOMI


Well location, ALBRIGHT CROFT FARM 3407 #15-2H, located as shown in the SW 1/4 SW 1/4of Section 15, T34S, R7W, 6th P.M., Harper County, Kansas.


BASIS OF ELEVATION

SPOT ELEVATION LOCATED AT THE NORTHEAST CORNER OF SECTION 22, T33S, R7W, 6th P.M. TAKEN FROM THE ANTHONY, QUADRANGLE, KANSAS, HARPER COUNTY, 7.5 MINUTE QUAD (TOPOGRAPHIC MAP) PUBLISHED BY THE UNITED STATES DEPARTMENT OF THE INTERIOR, GEOLOGICAL SURVEY. SAID ELEVATION IS MARKED AS BEING 1348 FEET.

#### BASIS OF BEARINGS

BASIS OF BEARINGS IS A G.P.S. OBSERVATION.





CERTIFICATE THIS IS TO CERTIFY THAT THE ABOVE PLATFIELD NOTES OF ACTUAL SURVEYS MADE B SUPERVISION AND THAT THE SAME ARE BEST OF MY KNOWLEDGE AND BELIEF

REGISTERE REGISTRAT STATE OF

REVISED: 10-18-11

L 110ED. 10 10			
Uintah	ENGINEERING	& LAND	SURVEYING
85 SOUTH	200 EAST	- VERNAL,	UTAH 84078
	(435)	789-1017	

	· ·		
		DATE SURVEYED:	DATE DRAWN:
_	1" = 1000'	10-05-11	10-11-11
	PARTY	REFERENCES	
)	L.S. K.H. C.C.	G.L.O. PLAT	-
	WEATHER	FILE	
)	COOL	SGOMI	

### LEGEND:

N... 28,22... M

330' ┬•

= 90° SYMBOL

= PROPOSED WELL HEAD.

Bottom Hole

= SECTION CORNERS LOCATED.


NAD 83 (TARGET BOTTOM HOLE)	NAD 83 (FORMATION ENTRY)	NAD 83 (#15-2H SURFACE LOCATION)
LATITUDE = 37'03'58.64" (37.066290)	LATITUDE = 37 04'45.26" (37.079240)	LATITUDE = 37'04'50.25" (37.080626)
LONGITUDE = 98'04'24.59" (98.073498)	LONGITUDE = 98'04'25.23" (98.073675)	LONGITUDE = 98'04'23.48" (98.073189)
		NAD 27 (#15-2H SURFACE LOCATION)
LATITUDE = 37'03'58.56" (37.066265)		LATITUDE = 37'04'50.17" (37.080602)
LONGITUDE = 98'04'23.37" (98.073157)	LONGITUDE = 98'04'24.00" (98.073334)	LONGITUDE = 98'04'22.25" (98.072848)

N89°27'42"W - 5330.69' (Meas.)

# SGOMIFIGURE #3 PRODUCTION FACILITY LAYOUT FOR SCALE: 1" = 60' DATE: 11-04-11 ALBRIGHT CROFT FARM 3407 #15-1, #15-1H & #15-2H SECTION 15, T34S, R7W, 6th P.M. DRAWN BY: C.C. REVISED: 12-14-11 SW 1/4 SW 1/4 SECTION 16 SECTION 15 Proposed Truck Turnaround Existing Road CONTAINMENT BOUNDARY Gas Sales Meter Area FUTURE MANIFOLD (G) (G) (G) Proposed Access Road TRANSFORMER - VFD HARMONIC FILTER RECYCLE/ GENERATOR SKIM PUMP DEISEL DAY TANK (W)(W)(W)-SWITCH RACK Facility Pad ±2% Slope RESERVE PIT (5' Deep) Edge of Grade DRILLING PIT (5' Deep) ±2% Slope #15-10 #15-1H0 #15-2H0 ±2% Slope FRESH WATER PIT (Berm 5' Above Grade Bottom 5' Below Grade 10' Total Depth) UINTAH ENGINEERING & LAND SURVEYING 85 So. 200 East \* Vernal, Utah 84078 \* (435) 789-1017

## Albright Croft 3407 15-2H Unit

Unit will consist of all of Section 15-22S-7W, the East Half of Section 22-22S-7W, and the West Half of Section 23-22S-7W comprising 1280 acres, more or less in Harper County, Kansas.



## **Summary of Changes**

Lease Name and Number: ALBRIGHT CROFT 15-2H

API/Permit #: 15-077-21788-01-00

Doc ID: 1076099

Correction Number: 2

Approved By: Rick Hestermann 03/12/2012

Field Name	Previous Value	New Value
Bottom Hole Location	C,SW, SW, SW of Sec. 22, T34S, R7W	330 FWL, 330 FSL of Sec. 22, T34S, R7W
KCC Only - Approved By	Rick Hestermann 01/04/2012	Rick Hestermann 03/12/2012
KCC Only - Approved Date	01/04/2012	03/12/2012
KCC Only - Date Received	01/03/2012	03/09/2012
Number of Acres Attributable To Well		1280
Save Link	//kcc/detail/operatorE ditDetail.cfm?docID=10	//kcc/detail/operatorE ditDetail.cfm?docID=10
Water Well Within One- Quarter Mile	71217 No	76099 Yes

## **Summary of Attachments**

Lease Name and Number: ALBRIGHT CROFT 15-2H

API: 15-077-21788-01-00

Doc ID: 1076099

Correction Number: 2

Approved By: Rick Hestermann 03/12/2012

Attachment Name

Albright 2H Survey Plat

Albright 2H Unit Description

Albright 2H Lease Plat