

| For KCC | Use: | | | | |
|-----------------|--------|--|--|--|--|
| Effective Date: | | | | | |
| District # | | | | | |
| SGA? | Yes No | | | | |

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 March 2010 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

| Spot Description: Spot Description: Spot Description: Spot Description: Sect. TwpS. R E W | | re (5) days prior to commencing well s Surface Owner Notification Act, MUST be submitted with this form. | | | | |
|--|---|---|--|--|--|--|
| Section Sect | Expected Stud Date: | Snot Description: | | | | |
| OPERATOR: Licenses | month day year | · | | | | |
| Section Regular Impediar Restrown E / W Line of Section Radioses 1: Address 2: City Slate: Zip: County: County | | | | | | |
| Address 5: Contact Person: | OPERATOR: License# | | | | | |
| Address 2: Chip: Signo: Zip: | Name: | | | | | |
| Country: Contact Person: Contract | Address 1: | Is SECTION: Regular Irregular? | | | | |
| ContraCtors: Ucense# Name: Field Marne: Lease Name: Well #: Field Marne: Lease Name: Well Drilled For: Well Class: Type Equipment: String Properties String Pro | Address 2: | (Note: Locate well on the Section Plat on reverse side) | | | | |
| Lease Name: Well #: | · | County: | | | | |
| Field Name: | | Lease Name: Well #: | | | | |
| Name: Neil Drilled For: Weil Class: Type Equipment. Nearest Lease or unit boundary line (in footage): Nearest L | Phone: | Field Name: | | | | |
| Name: | CONTRACTOR: License# | Is this a Prorated / Spaced Field? | | | | |
| Nearost Lease or unit boundary line (in footage): Set MSL Galos | Name: | | | | | |
| Ground Surface Elevation: feet MSL Water well within one-quarter mile: yas No No Water well within one-quarter mile: yas No No Water well within one-quarter mile: yas yas Yas No Water well within one-quarter mile: yas yas No Water well within one-quarter yas Yas No Water well within o | Wall Drillad For: Wall Class: Type Fauinment: | | | | | |
| Oil Enh Rec Infloid Mula Rotary Water well within one-quarter mile: Yes No Public water supply well within one-quarter mile: Yes No Public water supply well within one mile: Depht to bottom of fresh water: Depht to Detom of fresh water: Depht to D | | · · · · · · · · · · · · · · · · · · · | | | | |
| Gas Grage Pool EXI. Cable Ca | | | | | | |
| Seismic : # of Holes Other Other: Organor: Well Name: Original Completion Date: Original Total Depth: Original Completion Date: Original Completion Date: Original Total Depth: Original Completion Date: Original Total Depth: Formation at Total Depth: Other Formation at Total Depth: Water Source for Drilling Operations: Well Farm Pond Other: DVMR Permit #: Will Cores be taken? If Yes, proposed zone: AFFIDAVIT The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district Office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date, Or pursuant to Appendix "B"- Eastern Kansas surface casing order #133,891-4, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. For KCC Use ONLY API # 15 - Conductor pi | | | | | | |
| Depth to bottom of usable water: | | | | | | |
| Surface Pipe by Alternate: | | • | | | | |
| Length of Surface Pipe Planned to be set: Length of Conductor Pipe (if any): | Other: | | | | | |
| Operator: Well Name: Original Completion Date: Original Total Depth: Directional, Deviated or Horizontal wellbore? Water Source for Drilling Operations: Well Farm Pond Other: DWR Permit #: Water Source for Drilling Operations: Water Source for Drill Drill Drill; Formation at Teach Per Permit water Water Source for Water | If OWWO: old well information as follows: | | | | | |
| Well Name: Original Completion Date: Original Total Depth: Formation at Total Depth: Water Source for Drilling Operations: Water Source for Drilling Operations. Water Source for Drilling Operations. Water Source for Drilling Operation At Experiment Source developed on each drilling rigger or Source developed | in evivo. did non midimation de followe. | | | | | |
| Original Completion Date: Original Total Depth: Water Source for Drilling Operations: Water Source For Drilling Operation For Mod Operation For Drilling Operation For Accounts With K.S.A. 55 et. seq. For Hill Cores be taken, Water Source for Drilling Operation Accounts With K.S.A. 55 et. seq. For Hilling Operation Accounts With K.S.A. 55 et. seq. For Hilling Operation Accounts With K.S.A. 55 et. seq. For Hilling Operation Accounts With K.S.A. 55 et. seq. For Hilling Operation Accounts With K.S.A. 55 et. seq. For Hi | Operator: | | | | | |
| Water Source for Drilling Operations: Water Source for Drilling Operation Water Source for Drilling Operation Water Source for Drilling Operations: Water Source for Drilling Operation Water Source for Drilling Operation with K.S.A. 55 et. seq. Water Source for Drilling Operation with K.S.A. 55 et. seq. Water Source for Drilling Operation with K.S.A. 55 et. seq. Water Source for Drilling Operation with K.S.A. 55 et. seq. Water Source for Drilling Operation with K.S.A. 55 et. seq. Water Source for Drilling Operation with K.S.A. 55 et. seq. Water Source for Drilling Operation with K.S.A. 55 et. seq. Water Source for Drilling Operation with K.S.A. 55 et. seq. Water Source for Drilling Operation with K.S.A. 55 et. seq. Water Source for Drilling Operation Promation operation or Drilling Operation Promation Promation Promat | | - | | | | |
| Well Farm Pond Other: | Original Completion Date: Original Total Depth: | Formation at Total Depth: | | | | |
| If Yes, true vertical depth: Bottom Hole Location: KCC DKT #: DWR Permit #: (Note: Apply for Permit with DWR) Will Cores be taken? AFFIDAVIT The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix 'B'- Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. Submitted Electronically For KCC Use ONLY API #15 - Conductor pipe required feet Minimum surface pipe required feet per ALT. | | | | | | |
| Bottom Hole Location: | | | | | | |
| Will Cores be taken? Yes No | • | DWR Permit #: | | | | |
| AFFIDAVIT The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. Submitted Electronically For KCC Use ONLY API # 15 - Conductor pipe required | | | | | | |
| AFFIDAVIT The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. Submitted Electronically For KCC Use ONLY API # 15 | KCC DKT #: | - Will Cores be taken? Yes No | | | | |
| The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. Submitted Electronically For KCC Use ONLY | | If Yes, proposed zone: | | | | |
| The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. Submitted Electronically For KCC Use ONLY | A.F. | FIDAVIT | | | | |
| It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each drilling rig; 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by circulating cement to the top; in all cases surface pipe <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary <i>prior to plugging</i> ; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. <i>In all cases, NOTIFY district office</i> prior to any cementing. Submitted Electronically For KCC Use ONLY API # 15 - Conductor pipe required | | | | | | |
| 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each drilling rig; 3. The minimum amount of surface pipe as specified below <i>shall be</i> set by circulating cement to the top; in all cases surface pipe <i>shall be</i> set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary <i>prior to plugging</i> ; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. <i>In all cases, NOTIFY district office</i> prior to any cementing. Submitted Electronically For KCC Use ONLY | | lugging of this well will comply with K.S.A. 55 et. seq. | | | | |
| 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each drilling rig; 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by circulating cement to the top; in all cases surface pipe <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary <i>prior to plugging</i> ; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. <i>In all cases, NOTIFY district office</i> prior to any cementing. Submitted Electronically For KCC Use ONLY API # 15 - Conductor pipe required | It is agreed that the following minimum requirements will be met: | | | | | |
| 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by circulating cement to the top; in all cases surface pipe <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary <i>prior to plugging</i> ; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within <i>120 DAYS</i> of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. <i>In all cases, NOTIFY district office</i> prior to any cementing. Submitted Electronically For KCC Use ONLY API # 15 | | | | | | |
| through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. For KCC Use ONLY API # 15 - Conductor pipe required | | | | | | |
| 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary <i>prior to plugging</i> ; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. Submitted Electronically For KCC Use ONLY API # 15 - Conductor pipe required | | | | | | |
| 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. Submitted Electronically For KCC Use ONLY API # 15 - Conductor pipe required | | | | | | |
| 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. Submitted Electronically For KCC Use ONLY API # 15 - Conductor pipe required | , , | , | | | | |
| Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. Submitted Electronically For KCC Use ONLY API # 15 | | | | | | |
| For KCC Use ONLY API # 15 | | | | | | |
| Remember to: For KCC Use ONLY | must be completed within 30 days of the spud date or the well shall b | e plugged. In all cases, NOTIFY district office prior to any cementing. | | | | |
| Remember to: For KCC Use ONLY | | | | | | |
| Remember to: For KCC Use ONLY | | | | | | |
| Remember to: For KCC Use ONLY | Submitted Electronically | | | | | |
| For KCC Use ONLY API # 15 | , | Pamambar to: | | | | |
| API # 15 | For KCC Use ONLY | | | | | |
| Conductor pipe requiredfeet | ADI # 15 | • | | | | |
| Conductor pipe required | | · | | | | |
| Minimum surface pipe requiredfeet per ALTIII | Conductor pipe requiredfeet | | | | | |
| Approved by: | Minimum surface pipe requiredfeet per ALTIII | | | | | |
| This authorization expires: (This authorization void if drilling not started within 12 months of approval date.) - Submit plugging report (CP-4) after plugging is completed (within 60 days); - Obtain written approval before disposing or injecting salt water. | | | | | | |
| (This authorization expires: | | | | | | |
| | · | | | | | |
| | 1 2.2010.1.2010.1.101.1.19 Tot otal tod Wallet 12 Mollillo of approval date.) | - If well will not be drilled or permit has expired (See: authorized expiration date) | | | | |

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

Agent: _

| If well will not be drilled or permit has expired (See: authorized expiration date) |
|---|
| please check the box below and return to the address below. |

| Well will not be drilled or Permit Expired | Date: | |
|--|-------|--|
| Signature of Operator or Agent: | | |
| | | |

Side Two



| For KCC Use ONLY |
|------------------|
| API # 15 |

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

| Operator: | | | | | | | _ Lo | cation of W | ell: County | : | | | | |
|----------------------------|--|-------|---|-------|-------------|-------------|-------------|-----------------------|--|------------------|-----------------------------------|---|------------------------|------------|
| _ease: | | | | | | | | | | fee | t from | N / | S Line | of Section |
| Well Number: | | | | | | | | | | fee | t from | E / | W Line | of Section |
| Field: | | | | | _ Se | c | Twp | S | 6. R | | E | W | | |
| Number of Ac QTR/QTR/QT | | | | | | | | Section: | Regula | r or | Irregular | | | |
| | | _ | | | | | If S | Section is | Irregular, Ider used: | | | | rner boun SW | dary. |
| lea | | | | | d electrica | l lines, as | required b | y the Kans | dary line. Sh as Surface ired. 0 ft. | | | | | |
| | | | : | : | | : | : | 0- | _ 250 ft | | LEGE | END | | |
| | | | | | ····· | | | | | 0 |] Tank E - Pipelir - Electr | ocation Battery L ne Locat ic Line L Road L | ion ocation | |
| | | | : | 2 | | : | : | : : : : : | E | XAMPLE : : | | | : : : : | |
| | | | | | | : | : : : | : | | : | | | : | |
| | | ••••• | | : | ••••• | : | : | : | | | 0 | | | 1980' FSL |
| | | ••••• | : | : | ••••• | : | : | : | | : | | | : : : : | |
| | | | : | | | | : | : | SE. | WARD CO. | 3390' FEL | _ | | |

NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.



KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

76282 Form CDP-1

May 2010

Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

| Operator Name: | | License Number: | | | |
|--|-------------------------------|---|---|--|--|
| Operator Address: | | | | | |
| Contact Person: | | Phone Number: | | | |
| Lease Name & Well No.: | | | Pit Location (QQQQ): | | |
| Type of Pit: | Pit is: | | | | |
| Emergency Pit Burn Pit | Proposed | Existing | SecTwp R | | |
| Settling Pit Drilling Pit | If Existing, date co | nstructed: | Feet from North / South Line of Section | | |
| Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled) | Pit capacity: | | Feet from East / West Line of Section | | |
| | | (bbls) | County | | |
| Is the pit located in a Sensitive Ground Water A | rea? Yes | No | Chloride concentration: mg/l (For Emergency Pits and Settling Pits only) | | |
| Is the bottom below ground level? | Artificial Liner? | No | How is the pit lined if a plastic liner is not used? | | |
| Yes No | | | | | |
| | Length (fee | | Width (feet) N/A: Steel Pits No Pit | | |
| If the pit is lined give a brief description of the li | om ground level to dee ner | | dures for periodic maintenance and determining | | |
| material, thickness and installation procedure. | | | cluding any special monitoring. | | |
| | | | | | |
| | | | | | |
| | | | | | |
| Distance to nearest water well within one-mile of | of pit: | Depth to shallo Source of inform | west fresh water feet. nation: | | |
| feet Depth of water well | feet | measured | well owner electric log KDWR | | |
| Emergency, Settling and Burn Pits ONLY: | | Drilling, Workover and Haul-Off Pits ONLY: | | | |
| Producing Formation: | | Type of material utilized in drilling/workover: | | | |
| Number of producing wells on lease: | | Number of working pits to be utilized: | | | |
| Barrels of fluid produced daily: | | Abandonment p | procedure: | | |
| Does the slope from the tank battery allow all s flow into the pit? Yes No | pilled fluids to | Drill pits must be closed within 365 days of spud date. | | | |
| | | | | | |
| Submitted Electronically | | | | | |
| | | | | | |
| | | | | | |
| | KCC | OFFICE USE O | Liner Steel Pit RFAC RFAS | | |
| Date Received: Permit Num | ber: | Permi | t Date: Lease Inspection: Yes No | | |



Kansas Corporation Commission Oil & Gas Conservation Division

1076282

Form KSONA-1
July 2010
Form Must Be Typed
Form must be Signed
All blanks must be Filled

CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

| Select the corresponding form being filed: C-1 (Intent) CB-1 (CB-1) | Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application) | | | | |
|---|--|--|--|--|--|
| OPERATOR: License # | Well Location: | | | | |
| Name: | SecTwpS. R East | | | | |
| Address 1: | County: | | | | |
| Address 2: | Lease Name: Well #: | | | | |
| City: State: Zip:+ | 9 | | | | |
| Contact Person: | the lease below: | | | | |
| Phone: () Fax: () | | | | | |
| Email Address: | | | | | |
| Surface Owner Information: | | | | | |
| Name: | When filing a Form T-1 involving multiple surface owners, attach an additional | | | | |
| Address 1: | sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the | | | | |
| Address 2: | county, and in the real estate property tax records of the county treasurer. | | | | |
| City: | | | | | |
| the KCC with a plat showing the predicted locations of lease roads, tank | dic Protection Borehole Intent), you must supply the surface owners and k batteries, pipelines, and electrical lines. The locations shown on the plat in the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted. | | | | |
| ☐ I certify that, pursuant to the Kansas Surface Owner Notice A owner(s) of the land upon which the subject well is or will be to CP-1 that I am filing in connection with this form; 2) if the form to form; and 3) my operator name, address, phone number, fax, at ☐ I have not provided this information to the surface owner(s). I at KCC will be required to send this information to the surface owner(s). | cknowledge that, because I have not provided this information, the vner(s). To mitigate the additional cost of the KCC performing this | | | | |
| task, I acknowledge that I am being charged a \$30.00 handling If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CP- | fee with this form. If the fee is not received with this form, the KSONA-1 | | | | |
| Submitted Electronically | | | | | |

| For KCC Use ONLY | |
|------------------|--|
| API # 15 | |

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW


In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

| Operator: SandRidge Exploration and Production LLC | Location of Well: County: Ford |
|--|--|
| Lease: Powers | feet from N / S Line of Section |
| Well Number: 1-2H | feet from X E / W Line of Section |
| Field: Unnamed | Sec. 2 Twp. 27 S. R. 22 |
| Number of Acres attributable to well: | Is Section: Regular or Irregular |
| QTR/QTR/QTR of acreage: SE - NE - NE - NE | |
| | If Section is Irregular, locate well from nearest corner boundary. |
| | Section corner used: NE NW SE SW |
| | |
| DI. | AT |
| | _AT pase or unit boundary line. Show the predicted locations of |
| | uired by the Kansas Surface Owner Notice Act (House Bill 2032). |
| | parate plat if desired. |
| | 350' |
| | oipeline 250' LEGEND |
| | Q - 250' LEGEND |
| 00000 | O Mall Location |
| | O Well Location Tank Battery Location |
| no elec | |
| | : Electric Line Location |
| | Lease Road Location |
| | |
| | : |
| | EXAMPLE : : |
| 2 | |
| | |
| | |
| | |
| | |
| | 1980' FSL |
| | i i i i i i i i i i i i i i i i i i i |
| | |
| | |
| | : |
| | SEWARD CO. 3390' FEL |

NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.



Surface Owners:

Grant Powers Jr and Bonnie G Powers

11361 130 Road

Spearville, KS 67876

Unit Description:

All of sections 35 and 2 in Ford County, KS

Conservation Division Finney State Office Building 130 S. Market, Rm. 2078 Wichita, KS 67202-3802



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Mark Sievers, Chairman Ward Loyd, Commissioner Thomas E. Wright, Commissioner

April 24, 2012

Tiffany Golay SandRidge Exploration and Production LLC 123 ROBERT S. KERR AVE OKLAHOMA CITY, OK 73102-6406

Re: Drilling Pit Application Powers 1-2H NE/4 Sec.02-27S-22W Ford County, Kansas

Dear Tiffany Golay:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed **without slots**, the bottom shall be flat and reasonably level, and the free fluids must be removed. The fluids are to be removed from the reserve pit as soon as practical after drilling operations have ceased.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (620) 225-8888 when the fluids have been removed. Please file form CDP-5 (August 2008), Exploration and Production Waste Transfer, through KOLAR within 30 days of fluid removal.

A copy of this letter should be posted in the doghouse along with the approved Intent to Drill. If you have any questions or concerns please feel free to contact the District Office at (620) 225-8888.