For KCC Use:

Eff	e	ct	iv	е	Date:
-					

District	±	
DISTINCT	TT .	

SGA?	Yes	No

KANSAS CORPORATION COMMISSION **OIL & GAS CONSERVATION DIVISION**

March 2010 Form must be Typed Form must be Signed All blanks must be Filled

Form C-1

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Form KSONA-1, Certification of Com	pliance with	the Kansas	Surface Owner	Notification Act, MUST	be submitted with this form

Expected Spud Date:	Spot Description:
month day year	(<u>q/q/q/q</u>) Sec Twp S. R E [] W
OPERATOR: License#	feet from N / S Line of Section
Name:	feet from L E / W Line of Section
Address 1:	Is SECTION: Regular Irregular?
Address 2:	(Note: Locate well on the Section Plat on reverse side)
City: State: Zip: +	County:
Contact Person:	Lease Name: Well #:
Phone:	Field Name:
CONTRACTOR: License#	Is this a Prorated / Spaced Field?
Name:	Target Formation(s):
Well Drilled For: Well Class: Type Equipment: Oil Enh Rec Infield Mud Rotary Gas Storage Pool Ext. Air Rotary Disposal Wildcat Cable Seismic ; # of Holes Other Other:	Nearest Lease or unit boundary line (in footage):
• · · g.· · · · · · · · · · · · · · · · ·	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore?	Well Farm Pond Other:
If Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR)
KCC DKT #:	Will Cores be taken?
	If Yes, proposed zone:

AFFIDAVIT

The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq.

It is agreed that the following minimum requirements will be met:

- 1. Notify the appropriate district office *prior* to spudding of well;
- 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig;
- 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.
- 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging;
- 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in;
- 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.

Submitted Electronically

For KCC Use ONLY	
API # 15	
Conductor pipe required	feet
Minimum surface pipe required	feet per ALT.
Approved by:	
This authorization expires:	
Spud date: Agent:	

Remember to:

- File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;
- File Drill Pit Application (form CDP-1) with Intent to Drill;
- File Completion Form ACO-1 within 120 days of spud date;
- File acreage attribution plat according to field proration orders;
- Notify appropriate district office 48 hours prior to workover or re-entry;
- Submit plugging report (CP-4) after plugging is completed (within 60 days);
- Obtain written approval before disposing or injecting salt water.
- If well will not be drilled or permit has expired (See: authorized expiration date) please check the box below and return to the address below.
 - Well will not be drilled or Permit Expired Date: _ Signature of Operator or Agent:

	Ш
_	
	≶
_	

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202



For KCC Use ONLY

API # 15 -


IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator:	Location of Well: County:
Lease:	feet from N / S Line of Section
Well Number:	feet from E / W Line of Section
Field:	Sec Twp S. R E 📃 W
Number of Acres attributable to well: QTR/QTR/QTR/QTR of acreage:	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary.
	Section corner used: NE NW SE SW

PLAT

Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032). You may attach a separate plat if desired.



NOTE: In all cases locate the spot of the proposed drilling locaton.

1733 ft.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

Side Two



KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 May 2010 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name:		iomit in Duplicat	License Number:	
Operator Address:				
Contact Person:			Phone Number:	
Lease Name & Well No.:			Pit Location (QQQQ):	
Type of Pit:	Pit is:			_
Emergency Pit Burn Pit	Pit is.	Existing		
Settling Pit Drilling Pit	If Existing, date co		Feet from North / South Line of Section	
Workover Pit Haul-Off Pit				
(If WP Supply API No. or Year Drilled)	Pit capacity:	(bblo)	Feet from East / West Line of Section	
		(bbls)		County
Is the pit located in a Sensitive Ground Water A	vrea?	No	Chloride concentration: (For Emergen	mg/l hcy Pits and Settling Pits only)
Is the bottom below ground level?	Artificial Liner?		How is the pit lined if a plast	tic liner is not used?
Yes No		No		
	Length (fe		Width (feet)	N/A: Steel Pits
· · · ·	om ground level to dee			No Pit
If the pit is lined give a brief description of the li material, thickness and installation procedure.	ner		dures for periodic maintenanc icluding any special monitorin	
Distance to nearest water well within one-mile of pit:		Depth to shallo Source of inform	west fresh water nation:	feet.
feet Depth of water wellfeet		measured	well owner	electric log KDWR
Emergency, Settling and Burn Pits ONLY:		Drilling, Worko	over and Haul-Off Pits ONLY	:
Producing Formation:		Type of material utilized in drilling/workover:		
Number of producing wells on lease:		Number of working pits to be utilized:		
Barrels of fluid produced daily:	Abandonment	procedure:		
Does the slope from the tank battery allow all spilled fluids to flow into the pit?		Drill pits must be closed within 365 days of spud date.		
Submitted Electronically				
KCC OFFICE USE ONLY				
Date Received: Permit Num	ber:	Permi	t Date: Lea	ase Inspection: Yes No

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202



KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION 1077123

CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

Form KSONA-1 July 2010 Form Must Be Typed Form must be Signed All blanks must be Filled

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application). Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)

OPERATOR: License #	Well Location:		
Name:			
Address 1:	County:		
Address 2:	Lease Name: Well #:		
City: State: Zip:+	If filing a Form T-1 for multiple wells on a lease, enter the legal description of the lease below:		
Contact Person:			
Phone: () Fax: ()			
Email Address:			
Surface Owner Information:			
Name:	When filing a Form T-1 involving multiple surface owners, attach an additional sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the county, and in the real estate property tax records of the county treasurer.		
Address 1:			
Address 2:			
City: State: Zip:+			

If this form is being submitted with a Form C-1 (Intent) or CB-1 (Cathodic Protection Borehole Intent), you must supply the surface owners and the KCC with a plat showing the predicted locations of lease roads, tank batteries, pipelines, and electrical lines. The locations shown on the plat are preliminary non-binding estimates. The locations may be entered on the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.

Select one of the following:

- I certify that, pursuant to the Kansas Surface Owner Notice Act (House Bill 2032), I have provided the following to the surface owner(s) of the land upon which the subject well is or will be located: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form CP-1 that I am filing in connection with this form; 2) if the form being filed is a Form C-1 or Form CB-1, the plat(s) required by this form; and 3) my operator name, address, phone number, fax, and email address.
- □ I have not provided this information to the surface owner(s). I acknowledge that, because I have not provided this information, the KCC will be required to send this information to the surface owner(s). To mitigate the additional cost of the KCC performing this task, I acknowledge that I am being charged a \$30.00 handling fee, payable to the KCC, which is enclosed with this form.

If choosing the second option, submit payment of the \$30.00 handling fee with this form. If the fee is not received with this form, the KSONA-1 form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-1 will be returned.

Submitted Electronically

[

I

For	KCC	Use	ONLY
-----	-----	-----	------

API # 15 -


IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator:	Location of Well: County:
Lease:	feet from E / W Line of Section
Well Number:	Sec: Twp S. R E W
Number of Acres attributable to well:	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NENNWSESSW

PLAT


Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032). You may attach a separate plat if desired.




NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.





Baymond Oil Company #1 Brack 18 OPENNIN 18 20s 35w 1733' FSL - 1486' FWL CONTY Son: 10c. 3163.6' Son: N/A 20s 35w 1733' FSL - 1486' FWL MARE NAME MARE SAME 10c. Thomson 3163.6' Son: Luke R. 3163.6' Son: 10c. Thomson Maxes Name Luke R. 300.000 PM (190.0000) 300.000 PM (190.0000) 300.000 PM (190.0000) Maxes Name Luke R. Interesting the Not the SE corner of scenario scenario in the Second PM (190.0000) 300.000 PM (190.0000) 300.000 PM (190.0000) Marco Name Teld M.A. Ricks S. Not the SE corner of scenario in the Second Interest State PM (190.0000) 300.0000 PM (190.0000) Mit Second Name Teld M.A. Ricks S. Not the SE corner of scenario in the State PM (190.0000) State PM (190.0000) State PM (190.0000) Mit Second Name Second Name Second Name Second Name Second Name Second Name Marco Name Second Name Second Name Second Name Second Name Second Name Marco Name Second Name Second Name Second Name <th>₹ A g0</th> <th><u>32112-а</u> РLAT NO.</th> <th><i>Oil Field & C</i> P.C Garden C Office/Fa</th> <th>O. Box 23</th> <th><i>Site Staking</i> 24 sas 67846 276-6159</th> <th></th> <th>9935</th> <th></th>	₹ A g0	<u>32112-а</u> РLAT NO.	<i>Oil Field & C</i> P.C Garden C Office/Fa	O. Box 23	<i>Site Staking</i> 24 sas 67846 276-6159		9935	
Wichita County, KS 18 20s 35w 1733' FSL-1486' FWL COUNTY Jost FSTARAS Mar. 21th, 2012 Jost FSTARAS Jost FSTARAS <t< th=""><th colspan="3"></th><th></th><th></th><th></th><th></th><th>8</th></t<>								8
Locations protections: See: Try: Desc. See: Try: Desc. See: Try: Desc. Distribution: See: Try: Desc.				25				
SCLEMar. 21 th . 2012 Directions: From approx. 1 mile East of Friend, Ks at the intersection Hwy 53 & Finney/Scatt R4 Now go 12.6 miles West on Finney/Scatt R4 Now go 3 miles on West on R4 CC Now go miles North on R4 22 - Now go 2 miles West on R4 CC Now go miles North on R4 22 - Now go 2 miles West on R4 CC Now go mile North on R4 22 - Now go 2 miles West on R4 CC Now go mile North on R4 22 - Now go 2 miles west on R4 CC Now go mile North on R4 20 - Now go 2.6 miles west on Finney/Scatt R4 Now go 0.3 mile west on R520-853 & & Hingress state West into - Now go 0.3 mile west on R520-853 & & Hingress take West into - Now go 0.3 mile west on R520-853 & & Hingress 1 mid survey plat. This drawing is for construction purpose ontr. Final ingress must be verified with land owner or Operator. Final ingress must be verified with land owner or Operator. Final ingress must be verified with land owner or Operator. Nut 38 Nut 38 Nut 38 Lass 78 Nut 39 Lass 78 Nut 39 Lass 78 Nut 30 Lass 78						an		TWL
DATE STAKU: Mar. 21 th . 2012 Introduction Hwy 38 & Finney/Scott Rd - Now go 12.6 miles West on Finney/Scott Rd - Now go 12.6 miles West on Finney/Scott Rd - Now go 12.6 miles West on Finney/Scott Rd - Now go 12.6 miles West on RD EE DRAWN BY: Luke R. ALTHORIZED WY. Teld M. & Rick S. This drawing for mat constitute a manumented nursey or allow west into - Now go 2.0 miles West on Bd CC - Now go 12.6 miles West into - Now go 12.6 miles West into Staked local. This drawing is for construction nursey or allow west into - Now go approx. 2940' NW through pasture into staked local. Winto - Now go approx. 2940' NW through pasture into staked local. Winto - Now go approx. Mark Stake Intervention Indigenergy and the stake Intervention Indigenergy and the stake Intervention Indigenergy and the stake Intervention Intervention Mark Stake Intervention	NI/A			GR. EL	EVATION: <u>316</u>	<u>3.6'</u>		
Ind survey blat. This drawing is for construction purposes only. Final ingress must be verified with land owner or Operator. Final ingress must be verified with land owner or Operator. Final ingress must be verified with land owner or Operator. Final ingress must be verified with land owner or Operator. Final ingress must be verified with land owner or Operator. Final ingress must be verified with land owner or Operator. Final ingress must be verified with land owner or Operator. Final ingress must be verified with land owner or Operator. Final ingress must be verified with land owner or Operator. Final ingress must be verified with land owner or Operator. Final ingress must be verified with land owner or Operator. Final ingress must be verified with land owner or Operator. Final ingress must be verified with land owner or Operator. Final ingress must be verified with land owner or Operator. Final ingress must be verified with land owner or Operator. Final ingress must be verified with land owner or Operator. Final ingress must be verified with land owner or Operator. Final directions loc. has the post location fails in patient of the p	DATE STAKED: <u>Mar. 21th, 201</u> MEASURED BY: <u>Luke R.</u> DRAWN BY: <u>Luke R.</u>			intersection Finney/Sco miles North mile North stake West	n Hwy 83 & F ott Rd – Now g h on Rd 22 – N on Rd 20 to th t into – Now ge	inney/Scott F go 3 miles on Now go 2 mil he SE corner o 0.3 mile W	Rd – Now go 12. West on RD EE les West on Rd C of section 18-20 est on lease rd to	6 miles West on 5 - Now go 2 CC – Now go 1 0s-35w & ingress 0 ingress stake
Final ingress must be verified with land owner or Operator.					Now go appro	ox. 2940' NW	/ through pastur	e into staked
Image: starting point Image: starting point <td< th=""><th>De Maria en en en en for Soc</th><th></th><th>- <u>-</u></th><th>Final ingr</th><th>ess must be ve</th><th>erified with</th><th>land owner or (</th><th>)perator.</th></td<>	De Maria en en en en for Soc		- <u>-</u>	Final ingr	ess must be ve	erified with	land owner or ()perator.
1737 FSL-1486' FVL 3163.6' = gr. elev. at staked loc. NAD 83 Lat = N38' 18'5.136' Long. = W101' 13' 52.517' NAD 27 KS-S X = 12653.1 Y = 60761.7 NAD 77 KS-N X = 1073051 Y = 6956 I staked location with 7' wood (painted orange & blue) and t post Location falls in pasture While standing at staked location looking approx. 150' in all directions loc. has 1' bumps 2 3. 122.6 Iand owner contact infor Larry Brack 620-375-4783		#1 Brack 18	i in i Vi			· /	- 2 ⁴ - 21 - 2	e e e e e e e e e e e e e e e e e e e
NAD 83 Lat =N38° 18' 45.136° Long = W101° 13' 52.517" NAD 27 KS-5 Y = 607061.7 NAD 27 KS-N Y = 607061.7 NAD 27 KS-N Y = 8956 I staked location with 7' wood (painted orange & blue) and t-post Location falls in pasture While standing at staked location looking approx. 150' in all directions loc. has 1' bumps 2 3	201	1733' FSL - 1486' FV					an che più più di 17 1995 di ciù c	
Lat. = NS ⁸ 18 45.136" Long. = W101° 13' 52.517" NAD 27 KS-S X = 121655.1 Y = 610761.7 NAD 27 KS-N X = 1073051 Y = 8956 I staked location with 7' wood (painted orange & blue) and t-post Location falls in pasture While standing at staked location looking approx. 150" in all directions loc. has 1' bumps 3. 122.6 Starting point Larry Brack S20-375-4783			staked loc.					
Long, = W101° 13' 52.517" NAD 27 KS-S X = 1216553.1 Y = 610761.7 NAD 27 KS-N X = 1073051 Y = 8956 I staked location with 7' wood (painted orange & blue) and t-post Location falls in pasture While standing at staked location looking approx. 150° in all directions loc. has 1' bumps 3. 122.6 starting point Larry Brack S20.375-4783			6"			123 6	in the state of th	Shallow Water
X = 1276553.1 Y = 60761.7 NAD 27 KS-N X = 1073051 Y = 8956 Istaked location with 7' wood (painted orange & blue) and t-post Location falls in pasture While standing at staked location looking approx 10' in all directions loc. has 1' bumps 2 3 Istarting point Larry Brack 620-375-4783	Long. = W101° 13' 52.517" NAD 27 KS-S X =1216553.1							
Y =610761.7 NAD 27 KS-N X = 1073051 Y = 8956 Istaked location with 7 wood (painted orange & blue) and t-post Location falls in pasture While standing at staked location looking approx. 15° in all directions loc. has 1° bumps 2 3								
NAD 27 KS-N X = 1073051 Y = 8956 I staked location with 7' wood painted orange & blue) and t-post Location falls in pasture While standing at staked location looking approx. ISO' in all directions loc. has 1' bumps 3 Intercome I 12.6 Intercome I 12.6 Intercome I 12.6					1			
X = 1073051 Y = 8956 I stakkel location with 7 wood (painted orange & blue) and t-post Location falls in pasture While standing at staked location looking approx. 150' in all directions loc. has 1' bumps 3 Autor 12.6 I and owner contact info: Larry Brack 20-375-4783	. <u>2</u>	Y =610/61.7			-1	,		
Y = 8956 I staked location with 7 wood (painted orange & blue) and t-post Location falls in pasture While standing at staked location looking approx. 10' in all directions loc. has 1' bumps 3 Iand owner contact info: Larry Brack 620-375-4783						• • • • •	• • • • • • •	
(painted orange & blue) and t-post Location falls in pasture While standing at staked location looking approx. 150' in all directions loc. has 1' bumps 3. 12.6 Larry Brack 620-375-4783		-					ьта т i	
(painted orange & blue) and t-post Location falls in pasture While standing at staked location looking approx. 150' in all directions loc. has 1' bumps 3. 12.6 Larry Brack 620-375-4783	18	I staked lessting to	th 71 aread					
While standing at staked location looking approx. 150' in all directions loc. has 1' bumps 3. 100' 12.66 Starting point Iand owner contact info: Larry Brack 620-375-4783 Starting Point	-	(painted orange & l	olue) and t-post					
2 3 120' in all directions loc. has 1' bumps 3 3 122.6 starting point starting point s		Location falls in pa	sture					
2 3 3 122.6 starting point starting point 12.6 Starting point 15.6 Starting point 15.6	- 2							
and owner contact info: Larry Brack 620-375-4783		150' in all direction	s loc. has 1' bump	58				the second
And owner contact info: Larry Brack 620-375-4783	<u> </u>			/			· · · · · · · · · · · · · · · · · · ·	Gulesburg
land owner contact info: Larry Brack 620-375-4783	adalah ar a marina ara	2	57 B 28 B 3		126		starting po	oint
land owner contact info: Larry Brack 620-375-4783	CH 1	J _{au}	E FRINKY ROOTT IN		JZ.U		no superinterio se su tamana	ACTION DOTTINE
Larry Brack 620-375-4783	· · · · · · · · · · · · · · ·			7	. E. K. 🕂 🛉	1		Filend
Larry Brack 620-375-4783	The second se	<u> </u>		a to an a transmission of a		15 M		
Larry Brack 620-375-4783	land	wner contact info:	1	an a sa sa Na sa	1041	A DAY		
	Larry	Brack	б. – –	irođer Drawi	P - F	ATHO		
	620-3		T A	1		78		1 1
		had the						-
Erdycord						-		
Echopolitica and a second and					1			
								EGNORD .
			\					<u> </u>

Conservation Division Finney State Office Building 130 S. Market, Rm. 2078 Wichita, KS 67202-3802



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Mark Sievers, Chairman Ward Loyd, Commissioner Thomas E. Wright, Commissioner Sam Brownback, Governor

March 26, 2012

Ted McHenry Raymond Oil Company, Inc. PO BOX 48788 WICHITA, KS 67202-1822

Re: Drilling Pit Application Brack 18 1 SW/4 Sec.18-20S-35W Wichita County, Kansas

Dear Ted McHenry:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed **without slots**, the bottom shall be flat and reasonably level, and the free fluids must be removed. The fluids are to be removed from the reserve pit within 96 hours of completion of drilling operations.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (620) 225-8888 when the fluids have been removed. Please file form CDP-5 (August 2008), Exploration and Production Waste Transfer, through KOLAR within 30 days of fluid removal.

A copy of this letter should be posted in the doghouse along with the approved Intent to Drill. If you have any questions or concerns please feel free to contact the District Office at (620) 225-8888.