

Kansas Corporation Commission Oil & Gas Conservation Division

1077253

Form ACO-1 June 2009 Form Must Be Typed Form must be Signed All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #	API No. 15
Name:	Spot Description:
Address 1:	SecTwpS. R
Address 2:	Feet from North / South Line of Section
City:	Feet from _ East / _ West Line of Section
Contact Person:	Footages Calculated from Nearest Outside Section Corner:
Phone: ()	□NE □NW □SE □SW
CONTRACTOR: License #	County:
Name:	Lease Name: Well #:
Wellsite Geologist:	Field Name:
Purchaser:	Producing Formation:
Designate Type of Completion:	Elevation: Ground: Kelly Bushing:
New Well Re-Entry Workover	Total Depth: Plug Back Total Depth:
Oil WSW SWD SIOW Gas D&A ENHR SIGW OG GSW Temp. Abd. CM (Coal Bed Methane) Cathodic Other (Core, Expl., etc.):	Amount of Surface Pipe Set and Cemented at: Feet Multiple Stage Cementing Collar Used? Yes No If yes, show depth set: Feet If Alternate II completion, cement circulated from: sx cmt
Operator:	
Well Name:	Drilling Fluid Management Plan (Data must be collected from the Reserve Pit)
Original Comp. Date: Original Total Depth: Deepening Re-perf. Conv. to ENHR Conv. to SWD Conv. to GSW	Chloride content: ppm Fluid volume: bbls Dewatering method used:
Plug Back: Plug Back Total Depth	Location of fluid disposal if hauled offsite:
Commingled Permit #:	Operator Name:
Dual Completion Permit #:	Lease Name: License #:
SWD Permit #:	Quarter Sec Twp S. R
☐ ENHR Permit #: ☐ GSW Permit #:	County: Permit #:
Spud Date or Date Reached TD Completion Date or Recompletion Date Recompletion Date	

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY	
Letter of Confidentiality Received	
Date:	
Confidential Release Date:	
Wireline Log Received	
Geologist Report Received	
UIC Distribution	
ALT I II III Approved by: Date:	

Side Two



Operator Name: _ Lease Name: _ _ Well #: _ County: _ INSTRUCTIONS: Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach complete copy of all Electric Wireline Logs surveyed. Attach final geological well site report. **Drill Stem Tests Taken** Yes No Log Formation (Top), Depth and Datum Sample (Attach Additional Sheets) Name Top Datum Samples Sent to Geological Survey ☐ Yes □ No Cores Taken Yes No Electric Log Run Electric Log Submitted Electronically Yes No (If no, Submit Copy) List All E. Logs Run: CASING RECORD Used New Report all strings set-conductor, surface, intermediate, production, etc. Size Hole Size Casing Weight # Sacks Type and Percent Type of Purpose of String Drilled Set (In O.D.) Lbs. / Ft. Additives Depth Cement Used ADDITIONAL CEMENTING / SQUEEZE RECORD Purpose: Depth Type of Cement # Sacks Used Type and Percent Additives Top Bottom Perforate **Protect Casing** Plug Back TD Plug Off Zone PERFORATION RECORD - Bridge Plugs Set/Type Acid, Fracture, Shot, Cement Squeeze Record Shots Per Foot Specify Footage of Each Interval Perforated (Amount and Kind of Material Used) Depth TUBING RECORD: Size: Set At: Packer At: Liner Run: No Yes Producing Method: Date of First, Resumed Production, SWD or ENHR. Pumping Gas Lift Other (Explain) Flowing **Estimated Production** Bbls. Water Bbls. Gas-Oil Ratio Oil Gas Mcf Gravity Per 24 Hours **DISPOSITION OF GAS:** METHOD OF COMPLETION: PRODUCTION INTERVAL: Open Hole Dually Comp. Perf. Commingled Vented Sold Used on Lease (Submit ACO-5) (Submit ACO-4) (If vented, Submit ACO-18.) Other (Specify)

HAT DRILLING 12371 KS HWY 7 MOUND CITY, KS 66056 LICENSE # 33734

Thomas A #I-26 API # 15-091-23659-00-00 SPUD DATE 3-15-12

Footage		Thickness	Set 20' of 7"
2	Topsoil	2	TD 928'
17	clay	15	Ran 917' of 2 7/8
40	shale	23	
45	lime	5	
60	shale	15	
84	lime	24	
94	shale	10	
125	lime	31	
145	shale	20	
165	lime	20	
172	shale	7	
226	lime	54	
249	shale	23	
257	lime	8	
275	shale	18	
305	lime	30	
341	shale	36	
367	lime	26	
376	shale	9	
425	lime	49	
608	shale	183	
615	lime	7	
630	shale	15	
646	lime/shale streaks	16	
882	shale	236	
886	sand	4	good bleed
928	shale	42	6

PU Box 884, 0	ha	nute.	KS	66720
620-431-9210	or	Rnn-	167	9676

FIELD TICKET & TREATMENT REPORT CEMENT

1112	CL /- F	19000
		1

STOP 15.32 Thomas Tale 16.29 14 23 DENOTEDITOR OF STATE O	DATE	CUSTOMER#	WELL NAME & NUM	MBER .	SECTION			
MALING ADDRESS	3.15-12	1532 TV		701		TOWNSHIP	RANGE	COU
WALLESTAX 123.67	CUSTOMER	e teals	- CNIAL	T-06	NE 29	14	22	ITS
18800 Sun Flower Brode Baserton Ks West Brode Washing Casery K Cs Casery K C	MAILING ADDRI	ESS			TRUCK#	DDIVED		
STATE RESPONDENCE STATE RESPONDENCE STATE STATE STATE RESPONDENCE STATE STATE RESPONDENCE STATE STATE RESPONDENCE STATE STATE RESPONDENCE STATE STATE STATE RESPONDENCE STATE		r Pi			(574	AI	TRUCK	# · DRIV
Edgeton KS (1021) Detribe (1015) State of the control of the cont	CITY	John 100			495		Vale	Ty M.
DETYPE LOUGS STATE HOLE SIZE 35/8 HOLE DEPTH 928 CASING SIZE & WEIGHT 27/8 ASING DEPTH 16 DRILL PIPE TUBING TUBING TUBING TUBING TUBING TUBING CEMENT LEFT IN CASING YES SPLACEMENT 5 /4 DISPLACEMENT PSI 800 MIX PSI 200 RATE 5 6 pm MATER guilsk CEMENT LEFT IN CASING YES RATE 5 6 pm RATE 5 6 p		4. SIAIE			370	LUSEY K	CE	
ASING DEPTH 96 DRILL PIPE TUBING THE ASING SIZE & WEIGHT 2068 TUBING TUBING TUBING TUBING TUBING THE ASING SIZE & WEIGHT 2068 TUBING	Luger	Ion Ks			503	Benth C	KI	
DRILL PIPE TUBING STANS SEE & WELTER 90% SHARES TAX 123.67 BASING DEPTH THE DRILL PIPE TUBING STANS SEE & WELTER 90% SEE &	OR IALE TOK			HOLE DEPTH	918	Daniel 6	06	
SELACEMENT 5/4 DISPLACEMENT PSI 800 MIX PSI 200 RATE 36 PM EMARKS: Held craw meet Fished mix psi 200 RATE 36 PM EMARKS: Held craw meet Fished water mixed damme EMARKS: Held craw meet Fished water mixed damme IDD # Ge) Followed by 134 Gk 50/50 cement plus 200 ge CAMP, fumped plus to baffle well held 800 PSI for BD minute MITT. Sc) float closed valve. MICCOUNT CODE QUANTY OF UNITS DESCRIPTION OF SERVICES OF PRODUCT UNIT PRICE TOTAL CODE QUANTY OF UNITS DESCRIPTION OF SERVICES OF PRODUCT UNIT PRICE TOTAL MICCOUNT CODE QUANTY OF UNITS DESCRIPTION OF SERVICES OF PRODUCT UNIT PRICE TOTAL ACCOUNT CODE QUANTY OF UNITS DESCRIPTION OF SERVICES OF PRODUCT UNIT PRICE TOTAL ACCOUNT CODE QUANTY OF UNITS DESCRIPTION OF SERVICES OF PRODUCT UNIT PRICE TOTAL MICCOUNT CODE QUANTY OF UNITS DESCRIPTION OF SERVICES OF PRODUCT UNIT PRICE TOTAL ACCOUNT OF UNITS DESCRIPTION OF SERVICES OF PRODUCT UNIT PRICE TOTAL ACCOUNT OF UNITS DESCRIPTION OF SERVICES OF PRODUCT UNIT PRICE TOTAL ACCOUNT OF UNITS DESCRIPTION OF SERVICES OF PRODUCT UNIT PRICE TOTAL ACCOUNT OF UNITS DESCRIPTION OF SERVICES OF PRODUCT UNIT PRICE TOTAL ACCOUNT OF UNITS DESCRIPTION OF SERVICES OF PRODUCT UNIT PRICE TOTAL ACCOUNT OF UNITS DESCRIPTION OF SERVICES OF PRODUCT UNIT PRICE TOTAL ACCOUNT OF UNITS DESCRIPTION OF SERVICES OF PRODUCT UNIT PRICE TOTAL ACCOUNT OF UNITS DESCRIPTION OF SERVICES OF PRODUCT UNIT PRICE TOTAL ACCOUNT OF UNITS DESCRIPTION OF SERVICES OF PRODUCT UNIT PRICE TOTAL ACCOUNT OF UNITS DESCRIPTION OF SERVICES OF PRODUCT UNIT PRICE TOTAL ACCOUNT OF UNITS DESCRIPTION OF SERVICES OF PRODUCT UNIT PRICE TOTAL ACCOUNT OF UNITS DESCRIPTION OF SERVICES OF PRODUCT UNIT PRICE TOTAL ACCOUNT OF UNITS DESCRIPTION OF SERVICES OF PRODUCT UNIT PRICE TOTAL ACCOUNT OF UNITS DESCRIPTION OF SERVICES OF PRODUCT UNIT PRICE TOTAL ACCOUNT OF UNITS DESCRIPTION OF SERVICES OF PRODUCT UNIT PRICE TOTAL ACCOUNT OF UNITS DESCRIPTION OF SERVICES OF PRODUCT UNITS DESCRIPTION OF UNITS DESCRIPTION OF UNITS DESCRIPTION OF UNITS DESCRIPTION OF UNITS DESCRIPT		DIVIEL!	PIPE			CASING SIZE & V		48
MARKS: Held Creun Meet. Fisty blished rate. Mixed a pump 100 to 30 followed by 134 sk 50 50 cement plus 200 ge 200 mp. Fumped plus to battle Well hold 800 rates. Dump fumped plus to battle Well hold 800 rates. Description of services of PRODUCT UNIT PRICE TOTAL CLOSED SO MILEAGE 1080. A 180 MILEAGE 1080 MIL		The second	(VOL					06
MARIANIES THE CERN Meet Fistablished rate. Mixed January 1808 go followed by 134 gk 50/50 coment plas 200 ge 200 mp. fumped for Seck Sofficial enter security. Husbard 300 minute MTT. Sct float. Closed rature. MICCOUNT CODE QUANTY OF UNITS DESCRIPTION OF SERVICES OF PRODUCT UNIT PRICE TOTAL MILEAGE 1030. A MILEAGE 10	1/	DISPLA			^-			res
ALCCOUNT QUANTY OF UNITS DESCRIPTION OF SERVICES OF PRODUCT DIMP PUMPER PLUE TO Earth & Usell held 800 765 for the product of the pumper of		eld crew o		to 210	1 1	RATE 56		
Dump fumped plus to battle well hold 800 rot for 30 minute MIT. Sct float closed value, MATE Sc	100 4 50	followed	by 134 18	6 5016	Ted ra	re. M	xed.	2 oum
30 minute MIT. Sct Float. Closed salve, MAT. Eric Account CODE QUANTY or UNITS DESCRIPTION of SERVICES or PRODUCT UNIT PRICE TOTAL Male 30 MILEAGE MILEAGE MO2 916 casing fortage MO2 1 134 50/50 cement 146730 24 134 50/50 cement 146730 MBBB 3354 Gel MO2 1 105eal 79.90 MILEAGE MO2 1 105eal 79.90 MILEAGE MI	1/40 t	loseal per	scele e	Na Cal	cem	ent pl	45 2	20 00
Account QUANITY or UNITS DESCRIPTION OF SERVICES OF PRODUCT UNIT PRICE TOTAL PUMP CHARGE ADD MILEAGE AD	pump.	Pumped	eluc to be	effla	wed e	emen	to 17	usher
Account QUANITY or UNITS DESCRIPTION OF SERVICES OF PRODUCT UNIT PRICE TOTAL PUMP CHARGE ADD MILEAGE AD	30 mi	oute MI	TU Set	Man d	well	19/d 8	00 %	SIG
CODE QUANTY OF UNITS DESCRIPTION OF SERVICES OF PRODUCT UNIT PRICE TOTAL 101 PUMP CHARGE MILEAGE 1080.0 MILEAGE 1080				riogy.	Close	d val	رمر	
CODE QUANTY OF UNITS DESCRIPTION OF SERVICES OF PRODUCT UNIT PRICE TOTAL 101 PUMP CHARGE MILEAGE 1080.0 MILEAGE 1080	HAT	Erin						
CODE QUANTY OF UNITS DESCRIPTION OF SERVICES OF PRODUCT UNIT PRICE TOTAL 101 PUMP CHARGE MILEAGE 1080.0 MILEAGE 1080	,	, , ,						
CODE QUANTY OF UNITS DESCRIPTION OF SERVICES OF PRODUCT UNIT PRICE TOTAL 101 PUMP CHARGE MILEAGE 1080.0 MILEAGE 1080								
CODE QUANTY OF UNITS DESCRIPTION OF SERVICES OF PRODUCT UNIT PRICE TOTAL 101 PUMP CHARGE MILEAGE 1080.0 MILEAGE 1080						10.	Mars	1
HO PUMP CHARGE HO DO MILEAGE HO DO		QUANITY or LINITS				01	70-00	-
MDB 30 MILEAGE 1080.0 MD 9 916 Casins fortage 120.0 MOT Min ton miles 350.0 BD vac 180.0 AT 134 50/50 cement 146730 MBBB 325# Sel 68,35 HO2 1 2 Plag SALESTAX 123.67		1		CRIPTION of SI	ERVICES or PROD	UCT	UNIT PRICE	TOTAL
107 Min ton miles 350.00 37 134 50/50 cement 1467.30 180.00 37 34# flosed 79.90 180.00 18	201	000	PUMP CHARGE					
502L 2 80 vac 350.00 24 134 50/50 cement 1467.30 18.3 325# Gel 68,25 79.90 21 2 plug SCANNO 28.00 18.00 19.00 10.0	700	30	MILEAGE					1080.
502L 2 80 vac 350.00 24 134 50/50 cement 1467.30 18.3 325# Gel 68,25 79.90 21 2 plug SCANNO 28.00 18.00 19.00 10.0	7707	716	casin	s for	tean			120.0
180.0 34 134 50/50 cement 1467.30 1813 325# Sel 1702 1 2/2 plug 180.0 180.	707	Min	ton	n'loc	40 E			-
24 134 50/50 cement 1467.30 18.3 3254 gel 68,25 102 1 2/2 plug SCANNED 28.00 71.14550 The company rep SALES TAX 123.67	5026	2	801	20.0				3302
183 3254 Gel 1467.30. 07 344 Floseal 79.90 28.00 2012 Plug SCANNO 28.00 30/50 Cement 1467.30. 68,25 79.90 28.00 38.00 SALESTAX 123.67			1000	90				180.
183 3254 Gel 1467.30. 07 344 Floseal 79.90 28.00 2012 Plug SCANNO 28.00 30/50 Cement 1467.30. 68,25 79.90 28.00 38.00 SALESTAX 123.67								
1835 3254 Gel 68.25 192 1 2 /2 plus SCANNO 28.00 2 /	24	134	50 150	000				
102 34# Floseal 79.90 38.0	18.13	3254		LEWI	ent			14673
79.90 2 1 2 1 2 1 2 1 2 8 .00 2 1 2 1 2 1 2 1 2 2 2 2 2 2 2 2 2 2 2	107	341#	1 4/1					68 21
D 28.08 D 2(1) 5 0 SALES TAX 123.67	1407	1	1105e	ql				7900
DULYSSO SALES TAX 123.67	100		812 P	lug	Se	B		3800
DULYSSO SALES TAX 123.67						MINI	7 80	0.0.0
DULYSSO DULYSSO SALES TAX 123.67								
No company rep SALESTAX 123.67						1		
No company rep SALESTAX 123.67					-(
No company rep SALESTAX 123.67			1	UVC	, D.			
No company rep SALESTAX 123.67			7	10				-
No company rep			V					
No company rep	737	COMM A COM	(0)				ALEOTAN	1777
DRIZTION J.M OK'd TOTAL 3447 12	NO	company 1	ep			F	STIMATED	103.67
	IORIZTION J	in OK'd					TOTAL	34471

l acknowledge that the payment terms, unless specifically amended in writing on the front of the form or in the customer's account records, at our office, and conditions of service on the back of this form are in effect for services identified on this form.