

Well will not be drilled or Permit Expired Date: _

Signature of Operator or Agent:

| For KCC Use: | | | | |
|-----------------|--------|--|--|--|
| Effective Date: | | | | |
| District # | | | | |
| SGA? | Yes No | | | |

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1077575

Form C-1

March 2010

Form must be Typed

Form must be Signed

All blanks must be Filled

NOTICE OF INTENT TO DRILL

| Section | Line of Section V Line of Section V Line of Section de) #:YesNo |
|--|---|
| OPERATOR: License# Set from Y | Line of Section V Line of Section V Line of Section de) #:YesNo |
| Name: | #:No |
| Address 2: | #:Yes No |
| Address 2: | #:Yes No |
| County: | #:Yes No |
| Contract Person: | #: |
| Field Name: CONTRACTOR: License# Name: Well Drilled For: Well Class: Type Equipment: Oil Enh Rec Infield Mud Rotary Seismic: # of Holes Other Oother: Oil Other: Oother: # of Holes Other Oother: Original Completion Date: Original Total Depth: Original Completion Date: Original Total Depth: Directional, Deviated or Horizontal wellbore? KCC DKT #: The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well: 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be must be completed district office on pile of purporation and value plugging or production casing is cemented in; It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well: 2. A copy of the approved notice of intent to drill shall be posted on each drilling gement to the top; in all cases surface pipe shall be through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. If the well is dry hole, an agreement between the operator and the district office on pile gength and placement is necessary prior to pile. If an ALTERNATE II COMPLETION, production pipe shall be comented from below any usable water to surface within 120 DAYS of sp Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II computed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cem | Yes No |
| Is this a Prorated / Spaced Field? | |
| Name: Mell Drilled For: Well Class: Type Equipment: Ground Surface Elevation: Search Rec Infeld Mud Rotary Mud Rotary Mud Rotary Seismic ; | |
| Well Drilled For: Well Class: Type Equipment: Oil | |
| Oil Enh Rec Infield Wad Rotary Water well within one-quarter mile: Water well within one-quarter mile: Water well within one-quarter mile: Public water supply | |
| Gas | teet MSi |
| Gas Storage Pool Ext. Cable Ca | |
| Depth to bottom of fresh water: Depth to bottom of fresh water: Depth to bottom of usable water: Surface Pipe by Alternate: I I Usength of Surface Pipe Planned to be set: Length of Conductor Pipe (if any): Projected Total Depth: DWR Pormation at Total Depth: DWR Permit #: DWR Permit with DWR DWR Permit #: DWR | Yes No |
| Depth to bottom of usable water: Surface Pipe by Alternate: I II Length of Surface Pipe Planned to be set: Length of Conductor Pipe (if any): Projected Total Depth: Formation at Total Depth: Water Source for Drilling Operations: Well Farm Pond Other: DWR Permit #: Water Source for Drilling Operations: Note: Apply for Permit with DWR Well Farm Pond Other: DWR Permit #: Water Source for Drilling Operations: Note: Apply for Permit with DWR Well Cores be taken? If Yes, proposed zone: AFFIDAVIT The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. It is agreed that the following minimum requirements will be met: Notify the appropriate district office prior to spudding of well; A copy of the approved notice of intent to drill shall be posted on each drilling rig; The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to pl 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in: Section 120 DAYS of sp Or pursuant to Appendix 'B' - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II c must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cemulative definition of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cemulative definition of the spud d | Yes N |
| Surface Pipe by Alternate: I I II Length of Surface Pipe Planned to be set: Length of Surface Pipe Planned to be set: Length of Conductor Pipe (if any): Projected Total Depth: Projected Total Depth: Projected Total Depth: Water Source for Drilling Operations: Directional, Deviated or Horizontal wellbore? Yes No If Yes, true vertical depth: Water Source for Drilling Operations: Bottom Hole Location: Water Source for Drilling Operations: Will Cores be taken? If Yes, proposed zone: AFFIDAVIT The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling cement to the top; in all cases surface pipe shall be through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office of pull length and placement is necessary prior to plust. 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of sp. Or pursuant to Appendix 'B'' - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II c must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cemulative deference to: | |
| Length of Surface Pipe Planned to be set: Operator: Well Name: Original Completion Date: Original Total Depth: Directional, Deviated or Horizontal wellbore? Original Completion Date: Water Source for Drilling Operations: Will Cores be taken? If yes, proposed zone: If yes, proposed zone: It is agreed that the following minimum requirements will be met: Notify the appropriate district office prior to spudding of well; A copy of the approved notice of intent to drill shall be posted on each drilling rig; The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plug. The appropriate district office will be notified before well is either plugged or production casing is cemented in; If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plug. The appropriate district office will be notified before well is either plugged or production casing is cemented in; If all ALTERNATE ICOMPLETION, production pipe shall be cemented from below yusable water to surface within 120 DAYS of sport pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II or must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cemulative deferments. | |
| Operator: Well Name: Original Completion Date: Original Total Depth: Directional, Deviated or Horizontal wellbore? If Yes, true vertical depth: Bottom Hole Location: KCC DKT #: The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plus in an appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of sport or prusuant to Appendix "B": Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cemulability and plus to surface within 20 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cemulability and plus an approach of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cemulability and plus an | |
| Well Name: Original Completion Date: Original Total Depth: Formation at Total Depth: Water Source for Drilling Operations: Water Source for Drilling Other: Water Sour | |
| Well Name: Original Completion Date: Original Total Depth: Formation at Total Depth: Water Source for Drilling Operations: Water Source for Drilli | |
| Original Completion Date: Original Total Depth: Formation at Total Depth: Water Source for Drilling Operations: Water Source for Drilling Operations: DWR Permit #: DWR Permit #: DWR Permit #: DWR Permit with DWR) Will Cores be taken? If Yes, proposed zone: Will Cores be taken? If Yes, proposed zone: Will Cores be taken? If Yes, proposed zone: AFFIDAVIT The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office *prior** to spudding of well; 2. A copy of the approved notice of intent to drill *shall be** posted on each drilling rig; 3. The minimum amount of surface pipe as specified below *shall be** set** by circulating cement to the top; in all cases surface pipe *shall be** through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary *prior** to *pi**. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within *120 DAYS** of sport pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II to must be completed within 30 days of the spud date or the well shall be plugged. *In all cases, NOTIFY district office* prior to any cemented to the complete district office on the spud date or the well shall be plugged. *In all cases, NOTIFY district office** prior to any cemented from below any usable water to surface within 120 DAYS of sport production casing is cemented from below any usable water to surface within 120 DAYS of sport production casing is | |
| Water Source for Drilling Operations: Water Source for Drilling Operations: Water Source for Drilling Operations: Water Source for Drilling Operations: Well Farm Pond Other: DWR Permit #: DWR Permit #: DWR Permit #: Will Cores be taken? If Yes, proposed zone: Will Cores be taken? If Yes, proposed zone: If Yes, propo | |
| Directional, Deviated or Horizontal wellbore? If Yes, true vertical depth: Bottom Hole Location: KCC DKT #: Well Farm Pond Other: (Note: Apply for Permit with DWR) Will Cores be taken? If Yes, proposed zone: AFFIDAVIT The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plus. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spor pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II or must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cemulability. Remember to: | |
| Bottom Hole Location: | |
| KCC DKT #: Will Cores be taken? If Yes, proposed zone: Will Cores be taken? If Yes, proposed zone: Will Cores be taken? If Yes, proposed zone: Will Cores be taken? If Yes, proposed zone: Will Cores be taken? If Yes, proposed zone: | |
| If Yes, proposed zone: AFFIDAVIT The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plus. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of sport or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II or must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cemental materials. Submitted Electronically | |
| AFFIDAVIT The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plus. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of sport pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cemented Electronically **Remember to:** | Yes No |
| AFFIDAVIT The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to ploed. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of sport pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cemental materials. **Remember to:** | |
| The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each drilling rig; 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by circulating cement to the top; in all cases surface pipe <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary <i>prior to pl</i> 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within <i>120 DAYS</i> of sp Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II completed within 30 days of the spud date or the well shall be plugged. <i>In all cases, NOTIFY district office</i> prior to any cemental plus to the completed within 30 days of the spud date or the well shall be plugged. <i>In all cases, NOTIFY district office</i> prior to any cemental plus to the complete to: | |
| It is agreed that the following minimum requirements will be met: Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on each drilling rig; The minimum amount of surface pipe as specified below <i>shall be set</i> by circulating cement to the top; in all cases surface pipe <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary <i>prior to pl</i> The appropriate district office will be notified before well is either plugged or production casing is cemented in; If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within <i>120 DAYS</i> of sp Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II completed within 30 days of the spud date or the well shall be plugged. <i>In all cases, NOTIFY district office</i> prior to any cemented in the completed within 30 days of the spud date or the well shall be plugged. <i>In all cases, NOTIFY district office</i> prior to any cemented in the complete of the complete of the spud date or the well shall be plugged. | |
| Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on each drilling rig; The minimum amount of surface pipe as specified below <i>shall be set</i> by circulating cement to the top; in all cases surface pipe <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary <i>prior to pl</i> The appropriate district office will be notified before well is either plugged or production casing is cemented in; If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within <i>120 DAYS</i> of sp Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II or must be completed within 30 days of the spud date or the well shall be plugged. <i>In all cases, NOTIFY district office</i> prior to any cemented Electronically Remember to: | |
| A copy of the approved notice of intent to drill shall be posted on each drilling rig; The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plus. The appropriate district office will be notified before well is either plugged or production casing is cemented in; If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of sport pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementary district office prior to any cementary district office. | |
| The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plus. The appropriate district office will be notified before well is either plugged or production casing is cemented in; If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of sport pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementary district office prior to any cementary district office. | |
| through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary <i>prior to pl</i> 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of sp Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II c must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementary to the spud date or the well shall be plugged. Submitted Electronically Remember to: | |
| If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary <i>prior to pl</i> The appropriate district office will be notified before well is either plugged or production casing is cemented in; If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of sp Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II c must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementary completed Electronically Remember to: | e set |
| The appropriate district office will be notified before well is either plugged or production casing is cemented in; If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of sp. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II c must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementary completed within 30 days of the spud date or the well shall be plugged. Remember to: | |
| 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of sp Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II c must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cemulative description of the spud date or the well shall be plugged. Remember to: | |
| Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II of must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cembrated Electronically Remember to: | ıgging; |
| must be completed within 30 days of the spud date or the well shall be plugged. <i>In all cases, NOTIFY district office</i> prior to any cembrated Electronically **Remember to: | |
| Submitted Electronically Remember to: | id date. |
| Remember to: | nd date. ementing |
| Remember to: | nd date. ementing |
| Remember to: | nd date. ementing |
| | nd date. ementing |
| For KCC Use ONLY | nd date. ementing |
| - File Certification of Compliance with the Kansas Surface Owner | nd date. ementing enting. |
| API # 15 Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; | nd date. ementing enting. |
| Conductor pipe requiredfeetfeetfeetfeet | nd date. ementing enting. |
| Minimum surface pipe requiredfeet per ALT. I I II - File acreage attribution plat according to field proration orders; | nd date. ementing enting. |
| Approved by: Notify appropriate district office 48 hours prior to workover or re- | nd date. ementing enting. |
| - Submit plugging report (CP-4) after plugging is completed (within | nd date. ementing enting. Notification |
| This authorization expires: | ad date. ementing enting. Notification |
| - If well will not be drilled or permit has expired (See: authorized ex | ad date. ementing enting. Notification |
| Spud date: Agent: please check the box below and return to the address below. | and date. ementing enting. Notification entry; 60 days); |

Side Two



| For KCC Use ONLY | |
|------------------|--|
| API # 15 | |

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW


In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

| Operator: | Location of Well: County: |
|---------------------------------------|--|
| Lease: | feet from N / S Line of Section |
| Well Number: | feet from E / W Line of Section |
| Field: | SecTwpS. R 🗌 E 🔲 W |
| Number of Acres attributable to well: | Is Section: Regular or Irregular |
| | If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW |

PLAT

Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032).

You may attach a separate plat if desired.



NOTE: In all cases locate the spot of the proposed drilling locaton.

2145 ft.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.



KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

077575

Form CDP-1 May 2010 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

| Operator Name: | | | License Number: | | |
|--|-------------------------------------|--------------------------------------|--|--|--|
| Operator Address: | | | | | |
| Contact Person: | | | Phone Number: | | |
| Lease Name & Well No.: | | | Pit Location (QQQQ): | | |
| Type of Pit: Pit is: Burn Pit Proposed | | Existing | SecTwp R | | |
| Settling Pit Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled) | If Existing, date con Pit capacity: | (bbls) | Feet from North / South Line of SectionFeet from East / West Line of SectionCounty | | |
| Is the pit located in a Sensitive Ground Water A | rea? Yes N | No | Chloride concentration: mg/l (For Emergency Pits and Settling Pits only) | | |
| Is the bottom below ground level? Yes No Artificial Liner? Yes No | | 0 | How is the pit lined if a plastic liner is not used? | | |
| Pit dimensions (all but working pits):Length (fee | | t) | Width (feet) N/A: Steel Pits | | |
| Depth fro | om ground level to deep | pest point: | (feet) No Pit | | |
| If the pit is lined give a brief description of the line material, thickness and installation procedure. | ner | | dures for periodic maintenance and determining ncluding any special monitoring. | | |
| Distance to nearest water well within one-mile of | of pit: | Depth to shallor Source of inforr | west fresh water feet. mation: | | |
| feet Depth of water well | feet | measured | well owner electric log KDWR | | |
| Emergency, Settling and Burn Pits ONLY: | | Drilling, Worko | over and Haul-Off Pits ONLY: | | |
| Producing Formation: | | Type of materia | al utilized in drilling/workover: | | |
| Number of producing wells on lease: | | Number of work | king pits to be utilized: | | |
| Barrels of fluid produced daily: | | Abandonment p | procedure: | | |
| Does the slope from the tank battery allow all spilled fluids to flow into the pit? | | Drill pits must b | pe closed within 365 days of spud date. | | |
| Submitted Electronically | | | | | |
| KCC OFFICE USE ONLY Liner Steel Pit RFAC RFAS | | | | | |
| Date Received: Permit Numb | ber: | Permi | it Date: Lease Inspection: Yes No | | |



Kansas Corporation Commission Oil & Gas Conservation Division

1077575

Form KSONA-1
July 2010
Form Must Be Typed
Form must be Signed
All blanks must be Filled

CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

| Select the corresponding form being filed: C-1 (Intent) CB-1 (C | Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application) | | |
|--|--|--|--|
| OPERATOR: License # | Well Location: | | |
| Name: | SecTwpS. R | | |
| Address 1: | County: | | |
| Address 2: | Lease Name: Well #: | | |
| City: State: Zip:+ | If filing a Form T-1 for multiple wells on a lease, enter the legal description of | | |
| Contact Person: | the lease below: | | |
| Phone: () Fax: () | | | |
| Email Address: | | | |
| Surface Owner Information: | | | |
| Name: | When filing a Form T-1 involving multiple surface owners, attach an additional | | |
| Address 1: | sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the county, and in the real estate property tax records of the county treasurer. | | |
| Address 2: | | | |
| City: State: Zip:+ | | | |
| the KCC with a plat showing the predicted locations of lease roads, tank | dic Protection Borehole Intent), you must supply the surface owners and batteries, pipelines, and electrical lines. The locations shown on the plat in the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted. | | |
| Select one of the following: | | | |
| owner(s) of the land upon which the subject well is or will be loc CP-1 that I am filing in connection with this form; 2) if the form be form; and 3) my operator name, address, phone number, fax, and I have not provided this information to the surface owner(s). I ack KCC will be required to send this information to the surface owner(s). | cknowledge that, because I have not provided this information, the rner(s). To mitigate the additional cost of the KCC performing this | | |
| task, I acknowledge that I am being charged a \$30.00 handling If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CP- | fee with this form. If the fee is not received with this form, the KSONA-1 | | |
| Submitted Electronically | _ | | |

