



**TRILOBITE
TESTING, INC.**

DRILL STEM TEST REPORT

FLUID SUMMARY

McElvain Energy inc.

25-11s-23w Trego

1050 17th st.
STE 2500
Denver Co. 80265+2080
ATTN: Richard Bell

Hemmert 25-5 #1

Job Ticket: 46801

DST#: 4

Test Start: 2012.02.28 @ 11:58:05

Mud and Cushion Information

Mud Type: Gel Chem

Mud Weight: 9.00 lb/gal

Viscosity: 54.00 sec/qt

Water Loss: 6.80 in³

Resistivity: ohm.m

Salinity: 1700.00 ppm

Filter Cake: inches

Cushion Type:

Cushion Length: ft

Cushion Volume: bbl

Gas Cushion Type:

Gas Cushion Pressure: psig

Oil API:

Water Salinity: deg API

ppm

Recovery Information

Recovery Table

Length ft	Description	Volume bbl
5.00	OSM	0.025

Total Length: 5.00 ft Total Volume: 0.025 bbl

Num Fluid Samples: 0

Num Gas Bombs: 0

Serial #:

Laboratory Name:

Laboratory Location:

Recovery Comments: Sampler Data- oil=Tr mud= 3000ml pressure=75lbs

Pressure vs. Time

