Form CP-111 March 2009 Form must be Typed Form must be signed

Phone 620.432.2300

Phone 785.625.0550

Phone 316.734.4933

All blanks must be complete

TEMPORARY ABANDONMENT WELL APPLICATION

OPERATOR: License#	API No. 15 Spot Description:								
Name:									
Address 1:						c Twp.			
Address 2:						fee			
City:	State:	Zip: +				fee			
Contact Person: Phone:() Contact Person Email:				GPS Location: Lat:, Long:					,
				Lease Name: We			Well	/ell #:	
				Elevation: GL					
Field Contact Person:				Well Type: (c	heck one) 🗌 C	oil Gas OG	wsw	Other:	
Field Contact Person Phone:				SWD Per	rmit #:		ENHR Perm	nit #:	
·	,				•	Det			
				Spud Date: _		Dat	e Snut-in:		
	Conductor	Surface	Pro	oduction	Intermedia	te	Liner	Tubing	J
Size									
Setting Depth									
Amount of Cement									
Top of Cement									
Bottom of Cement									
Casing Fluid Level:	Ho	w Determined?				Date:			
Casing Squeeze(s):									
Do you have a valid Oil & Gas Depth and Type: Junk in Type Completion: ALT. I	Hole at	Tools in Hole at							of cement
Packer Type:							eptn)		
Total Depth:									
Geological Data:									
Formation Name					Completion Information				
1		to Feet	Perfo	oration Interval	•	Feet or Ope		l to	Feet
2.	At:	to Feet		oration Interval _		Feet or Ope			Feet
	.	Submitte	ed Ele	ectronically	,				
Do NOT Write in This Space - KCC USE ONLY				Date Plugged: Date Repaired: Date Put Back in Service:					
Review Completed by:	nents: TA Approved: Yes Denied Denied								
		Mail to the Appr	opriate	KCC Conserva	ation Office:				
	KCC Dietri							Phone 620.22	5 8888
KCC District Office #1 - 210 E. Frontview, Suite A, E KCC District Office #2 - 3450 N. Rock Road, Buildir								Phone 316.630.4000	
State to the State	The state of the s			5 ,	,				

KCC District Office #3 - 1500 SW Seventh Steet, Chanute, KS 66720

Underground Porosity Gas Storage (UPGS) 8200 E. 34th Street Circle N., Suite 1003, Wichita, KS 67226

KCC District Office #4 - 2301 E. 13th Street, Hays, KS 67601-2651

PHONE-940-767-4334

ECHOMETER COMPANY PHONE-

WELL Hicks 2-11 CASING PRESSURE 158 AP	JOINTS TO LIQUID 19 DISTANCE TO LIQUID 24885 PBHP	COLLAR P-P mV 0.103 A: 9.5 UPPER	GENERATE PULSE
ΔΤ PRODUCTION RATE 14:02:47 UTC 04/02/2012	PROD RATE EFF, %		
14:02:47 UTC 04/02/2012	MAX PRODUCTION	LIQUID P—P mV 0.748 A: 6.4	12.0 VOLTS



