

Kansas Corporation Commission Oil & Gas Conservation Division

1078197

Form ACO-1 June 2009 Form Must Be Typed Form must be Signed All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #	API No. 15				
Name:	Spot Description:				
Address 1:	SecTwpS. R 🗌 East 🗌 West				
Address 2:	Feet from North / South Line of Section				
City:	Feet from East / West Line of Section				
Contact Person:	Footages Calculated from Nearest Outside Section Corner:				
Phone: ()	□NE □NW □SE □SW				
CONTRACTOR: License #	County:				
Name:	Lease Name: Well #:				
Wellsite Geologist:	Field Name:				
Purchaser:	Producing Formation:				
Designate Type of Completion:	Elevation: Ground: Kelly Bushing:				
New Well Re-Entry Workover	Total Depth: Plug Back Total Depth:				
Oil WSW SWD SIOW Gas D&A ENHR SIGW OG GSW Temp. Abd. CM (Coal Bed Methane) Cathodic Other (Core, Expl., etc.):	Amount of Surface Pipe Set and Cemented at: Feet Multiple Stage Cementing Collar Used?				
If Workover/Re-entry: Old Well Info as follows:					
Operator:	Drilling Fluid Management Plan (Data must be collected from the Reserve Pit)				
Original Comp. Date: Original Total Depth: Deepening Re-perf. Conv. to ENHR Conv. to SWD Conv. to GSW	Chloride content: ppm Fluid volume: bbls Dewatering method used:				
Plug Back: Plug Back Total Depth	Location of fluid disposal if hauled offsite:				
□ Commingled Permit #:	Operator Name:				
GSW Permit #:	County: Permit #:				
Spud Date or Date Reached TD Completion Date or Recompletion Date					

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY						
Letter of Confidentiality Received						
Date:						
Confidential Release Date:						
Wireline Log Received						
Geologist Report Received						
UIC Distribution						
ALT I II III Approved by: Date:						

Side Two



Operator Name:				_ Lease N	lame:			Well #:		
Sec Twp	S. R	East	West	County:						
INSTRUCTIONS: Sh time tool open and clo recovery, and flow rate line Logs surveyed. A	osed, flowing and shu es if gas to surface te	t-in pressures, st, along with f	whether sh inal chart(s	nut-in press	ure reach	ed static level,	hydrostatic pres	sures, bottom h	ole temp	erature, fluid
Drill Stem Tests Taker (Attach Additional S		Yes	No		Log	y Formation	n (Top), Depth a	nd Datum		Sample
Samples Sent to Geo	logical Survey	Yes	No		Name			Тор	I	Datum
Cores Taken Electric Log Run Electric Log Submitte (If no, Submit Copy	d Electronically	Yes Yes Yes	☐ No ☐ No ☐ No							
List All E. Logs Run:										
		Report all	CASING I		New	Used mediate, producti	on, etc.			
Purpose of String	Size Hole Drilled	le Size Casing		Weight Lbs. / Ft.		Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives	
		AI	DDITIONAL	CEMENTIN	G / SQUE	EZE RECORD				
Purpose: — Perforate — Protect Casing — Plug Back TD — Plug Off Zone Depth Top Bottom Type of Cement		ement	# Sacks	Used		Type and	Percent Additives			
Shots Per Foot	PERFORATION RECORD - Bridge Plugs S Specify Footage of Each Interval Perfora			s Set/Type orated			cture, Shot, Cemei mount and Kind of N		d	Depth
TUBING RECORD:	Size:	Set At:		Packer At:		Liner Run:				
Date of First, Resumed	Production, SWD or EN		ducing Meth	od:		as Lift C	Yes No	0		
Estimated Production Per 24 Hours	Oil	Bbls.		Mcf	Water		ols.	Gas-Oil Ratio		Gravity
DISPOSITIO	ON OF GAS:		M	IETHOD OF	COMPLET	ION:		PRODUCTIO	ON INTER	VAL:
Vented Sold	Used on Lease	Open	Hole (Specify)	Perf.	Dually (nmingled mit ACO-4)			




TICKET NUMBER	34249
LOCATION 0724	wc
FOREMAN A)	Madia

PO Box 884, Chanute, KS 66720 620-431-9210 or 800-467-8676

FIELD TICKET & TREATMENT REPORT CEMENT

0_0 .0. 00							₹ ₩ 22
DATE	CUSTOMER#	WELL	NAME & NUMBER	SECTION	TOWNSHIP	RANGE	COUNTY
3-7-12	7806	Sobba	9-7	NW 15	20	20	AN
CUSTOMER		•	•	TRUCK#	DRIVER	TRUCK#	
MAILING ADDRE	ess	* *	•	57/	11	50.7	DRIVER
6421-	Avonda	10		368	12 Can M	GM	11100
CITY		STATE	ZIP CODE	377	Ko: +41	12/	
Oklahom	12 C 7	DK	73116	540	12.100.5	23	
JOB TYPE_	, ,	HOLE SIZE 5	3/8 HOLE		CASING SIZE & W	VEIGHT	
CASING DEPTH	<u> </u>	DRILL PIPE	TUBING			OTHER	
SLURRY WEIGH		SLURRY VOL	WATER	R gal/sk	CEMENT LEFT in		
DISPLACEMENT		DISPLACEMENT		1,1990	RATE 4600	The state of the s	
1	1	Mee	to Estab	1; shed vat	e. Mi	xed & par	med
10.5K		ement,	11us 290	_ 1 /	ple TI	P=11	40
stoe/	to 35		road 10 Sk	cement,	Pulle	d to	17.5
	alled 7						
	· · · · · · · · · · · · · · · · · · ·				**		
*	105 K	TD	555	Ktotal			
	IDSK	350	es es				
	35 SK	1751					ŧI
		•	01 8 3 48			111	1
Evan	s Ken		· .			Jun/VIA	an .
ACCOUNT	QUANITY	or UNITS	DESCRIPT	ION of SERVICES or PRO	DDUCT	UNIT PRICE	TOTAL
5405 N)	PUMP CHARGE		**************************************		1030.00
5400	25		MILEAGE				100.00
5407	42 M	in	ton mi	125			17500
55000	1/0	20 A 10	80 vuc			•	13500
1124	5.5		50150 1.00	n			602.25
118.13	92	IF	G se				1932
111030		•					
		\$ /* \					
							12
			$\sim (cc)$				
			J4X3		((*))		
			0100				
		1				SALES TAX	48.49
Ravin 3737						ESTIMATED	01112 01
AUTHORIZTION	Alex	· that	TITLE			DATE	WILL ENTO
			· // UIIILE			DAIE	ex #/

I acknowledge that the payment terms, unless specifically amended in writing on the front of the form or in the customer's account records, at our office, and conditions of service on the back of this form are in effect for services identified on this form.



Oil & Gas Well Drilling Water Wells Geo-Loop Installation

> Phone: 913-557-9083 Fax: 913-557-9084

Paola, KS 66071

WELL LOG
Tailwater, Inc.
Sobba #9-T
API#15-003-25,395
March 6- March 7, 2012

Thickness of Strata	<u>Formation</u>	<u>Total</u>
5	soil & clay	5
127	shale	132
36	lime	168
65	shale	233
11	lime	244
6	shale	250
33	lime	283
9	shale	292
· 22	lime	314
4	shale	318
16	lime	334
184	shale	518
7	lime	525
16	shale	541
39	broken sand	580
148	shale	728
10	broken sand	738
11	shale	749 TD

Drilled a 9 7/8" hole to 22.3'. Drilled a 5 5/8" hole to 835'.

Set 22.3' of 7" surface casing cemented with 6 sacks of cement.

This well was plugged by Consolidated Oil Well Service. 10 sacks at 749', 10 sacks at 350' and filled from 175' to the surface.

	<u>Minutes</u>	<u>Seconds</u>
729		32
730		29
731		30
732		30
733		33
734		41
735		36
736		35
737		38
738		36
739		49
740		52
741		46
742		45
743		53
744		47
745		55
746		38
747		31
748		34