

Well will not be drilled or Permit Expired Date: \_

Signature of Operator or Agent:

| For KCC    | Use:  |    |  |  |
|------------|-------|----|--|--|
| Effective  | Date: |    |  |  |
| District # |       |    |  |  |
| SGA?       | Yes   | No |  |  |

SGA?

## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 March 2010 Form must be Typed Form must be Signed All blanks must be Filled

## **NOTICE OF INTENT TO DRILL**

| Expected Spud Date:   | Spot Description:   |
|---|---|
| monur day year  |   |
| PERATOR: License#   | foot from   N /   S Line of Soction   |
| lame:   | feet from E / W Line of Section   |
| ddress 1:   | Is SECTION: Regular Irregular?  |
| ddress 2:   |   |
| State:  | County:   |
| Contact Person:   | Lease Name: Well #:   |
| hone:   | Field Name:   |
| ONTRACTOR: License#   | Is this a Prorated / Spaced Field?  |
| ame:  | Target Formation(s):  |
| Well Drilled For: Well Class: Type Equipment:   | Nearest Lease or unit boundary line (in footage):   |
|   | Ground Surface Elevation:feet MS  |
| Oil Enh Rec Infield Mud Rotary  | Water well within one-quarter mile:   |
| Gas Storage Pool Ext. Air Rotary  | Public water supply well within one mile:   |
| Disposal Wildcat Cable  Seismic ; # of Holes Other  | Depth to bottom of fresh water:   |
| Other:  | Depth to bottom of usable water:  |
|   | Surface Pipe by Alternate: II   |
| If OWWO: old well information as follows:   | Length of Surface Pipe Planned to be set:   |
| Operator:   |   |
| Well Name:  | Projected Total Depth:  |
| Original Completion Date: Original Total Depth:   |   |
| - · · g······ - · · · · · · · · · · · ·   | Water Source for Drilling Operations:   |
| Directional, Deviated or Horizontal wellbore? Yes No  | Well Farm Pond Other:   |
| f Yes, true vertical depth:   | DWR Permit #:   |
| Bottom Hole Location:   | (Note: Apply for Permit with DWR )  |
|   |   |
| CCC DKT #:  |   |
| CCC DKT #:  |   |
|   | Will Cores be taken? Yes N If Yes, proposed zone:   |
| AF  | - Will Cores be taken? Yes N If Yes, proposed zone:   |
| AF<br>The undersigned hereby affirms that the drilling, completion and eventual p   | - Will Cores be taken? Yes N If Yes, proposed zone:   |
| The undersigned hereby affirms that the drilling, completion and eventual p t is agreed that the following minimum requirements will be met:  | - Will Cores be taken? Yes N If Yes, proposed zone:   |
| AF  The undersigned hereby affirms that the drilling, completion and eventual p t is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;   | Will Cores be taken?  If Yes, proposed zone:  FFIDAVIT  Iugging of this well will comply with K.S.A. 55 et. seq.  |
| AF The undersigned hereby affirms that the drilling, completion and eventual p t is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each   | Will Cores be taken?  If Yes, proposed zone:  FFIDAVIT  lugging of this well will comply with K.S.A. 55 et. seq.  Ch drilling rig;  |
| AF The undersigned hereby affirms that the drilling, completion and eventual p t is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be se</i>  | Will Cores be taken?  If Yes, proposed zone:  FIDAVIT  lugging of this well will comply with K.S.A. 55 et. seq.  ch drilling rig;  th by circulating cement to the top; in all cases surface pipe shall be set  |
| AF The undersigned hereby affirms that the drilling, completion and eventual p t is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the  | Will Cores be taken?  If Yes, proposed zone:  FIDAVIT  lugging of this well will comply with K.S.A. 55 et. seq.  ch drilling rig;  th by circulating cement to the top; in all cases surface pipe shall be set  |
| The undersigned hereby affirms that the drilling, completion and eventual pt is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the district office prior to spudding of well;  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the district office will be notified before well is either pluging.   | Will Cores be taken?  If Yes, proposed zone:  FIDAVIT  lugging of this well will comply with K.S.A. 55 et. seq.  ch drilling rig;  th by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  strict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in;  |
| The undersigned hereby affirms that the drilling, completion and eventual parties agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the approved notice of intent to drill <i>shall be</i> posted on each and the approved notice of intent to drill <i>shall be</i> posted on each and the approved notice of intent to drill <i>shall be</i> posted on each and the approved in the approved in the second of | Will Cores be taken?  If Yes, proposed zone:  FIDAVIT  lugging of this well will comply with K.S.A. 55 et. seq.  Ch drilling rig;  If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  Strict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spud date.  |
| The undersigned hereby affirms that the drilling, completion and eventual parties agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the approved notice of intent to drill <i>shall be</i> posted on each and the approved notice of intent to drill <i>shall be</i> posted on each and the approved notice of intent to drill <i>shall be</i> posted on each through all unconsolidated materials plus a minimum of 20 feet into the standard plus of the second through all unconsolidated materials plus a minimum of 20 feet into the second plus of the second | Will Cores be taken?  If Yes, proposed zone:  FIDAVIT  lugging of this well will comply with K.S.A. 55 et. seq.  ch drilling rig;  the by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  strict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; the driving formation is compared to surface within 120 DAYS of spud date.  2133,891-C, which applies to the KCC District 3 area, alternate II cementing  |
| The undersigned hereby affirms that the drilling, completion and eventual pt is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac.  3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the second of the s           | Will Cores be taken?  If Yes, proposed zone:  FIDAVIT  lugging of this well will comply with K.S.A. 55 et. seq.  ch drilling rig;  the by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  strict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spud date.   |
| AF The undersigned hereby affirms that the drilling, completion and eventual p t is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into ti 4. If the well is dry hole, an agreement between the operator and the dis 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order #  | Will Cores be taken?  If Yes, proposed zone:  FIDAVIT  lugging of this well will comply with K.S.A. 55 et. seq.  ch drilling rig;  the by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  strict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; the driving downward of the complete shall be set to surface within 120 DAYS of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing   |
| The undersigned hereby affirms that the drilling, completion and eventual provided is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the approved notice of intent to drill <i>shall be</i> posted on each and the district office will be a specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug to the specified before will be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order from the must be completed within 30 days of the spud date or the well shall be  | Will Cores be taken?  If Yes, proposed zone:  FIDAVIT  lugging of this well will comply with K.S.A. 55 et. seq.  Ch drilling rig;  If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  Strict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spud date.  If 133,891-C, which applies to the KCC District 3 area, alternate II cementing  |
| The undersigned hereby affirms that the drilling, completion and eventual provided is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the approved notice of intent to drill <i>shall be</i> posted on each and the district office will be a specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug to the specified before will be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order from the must be completed within 30 days of the spud date or the well shall be  | Will Cores be taken?  If Yes, proposed zone:  FIDAVIT  lugging of this well will comply with K.S.A. 55 et. seq.  Ch drilling rig;  If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  Strict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spud date.  Et 133,891-C, which applies to the KCC District 3 area, alternate II cementing  |
| The undersigned hereby affirms that the drilling, completion and eventual pris agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the district office prior to spudding of well;  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set into the set in the set of the set in the            | If Yes, proposed zone:  FIDAVIT  Iugging of this well will comply with K.S.A. 55 et. seq.  Ch drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  Strict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spud date.  If 33,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.  |
| The undersigned hereby affirms that the drilling, completion and eventual process agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and a specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the spuddate or the well shall be completed within 30 days of the spuddate or the well shall be completed.  **Description**  **Description*           | If Yes, proposed zone:  FIDAVIT  Iugging of this well will comply with K.S.A. 55 et. seq.  Ch drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  Strict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification  |
| The undersigned hereby affirms that the drilling, completion and eventual provided is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the approved notice of intent to drill <i>shall be</i> posted on each and the district office will be a specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug to the specified before will be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order from the well shall be completed within 30 days of the spud date or the well shall be submitted Electronically  For KCC Use ONLY  API # 15 -   | If Yes, proposed zone:  FIDAVIT  Iugging of this well will comply with K.S.A. 55 et. seq.  Ch drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  Strict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  |
| The undersigned hereby affirms that the drilling, completion and eventual provided is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the approved notice of intent to drill <i>shall be</i> posted on each and the district office will be a specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug to the specified before will be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order from the well shall be completed within 30 days of the spud date or the well shall be submitted Electronically  For KCC Use ONLY  API # 15 -   | If Yes, proposed zone:  FIDAVIT  Iugging of this well will comply with K.S.A. 55 et. seq.  Ch drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  Strict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spud date.  F133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  File Drill Pit Application (form CDP-1) with Intent to Drill;   |
| he undersigned hereby affirms that the drilling, completion and eventual p is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac.  3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the through all unconsolidated materials plus a minimum of 20 feet into the second of the s           | If Yes, proposed zone:  FIDAVIT  Iugging of this well will comply with K.S.A. 55 et. seq.  Ch drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  Strict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spud date.  F133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;   |
| The undersigned hereby affirms that the drilling, completion and eventual part is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and a specified below <i>shall be</i> see through all unconsolidated materials plus a minimum of 20 feet into the season of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the spud date or the well shall be computed or pursuant to Appendix "B" - Eastern Kansas surface casing order the must be completed within 30 days of the spud date or the well shall be completed.  1. In the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug of the spud date or the well shall be computed.  2. A copy of the appropriate district office will be notified before well is either plug of the spud date or the well shall be computed.  3. The minimum surface pipe required   | If Yes, proposed zone:  FIDAVIT  Ilugging of this well will comply with K.S.A. 55 et. seq.  Ch drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  Strict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spud date.  F133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  |
| The undersigned hereby affirms that the drilling, completion and eventual provided is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and a specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set into the set into the set into the set of the set into the s           | If Yes, proposed zone:  FIDAVIT  Iugging of this well will comply with K.S.A. 55 et. seq.  Ch drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  Strict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spud date.  F133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;   |
| The undersigned hereby affirms that the drilling, completion and eventual pris agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the approved notice of intent to drill <i>shall be</i> posted on each and the district office will be as through all unconsolidated materials plus a minimum of 20 feet into the standard plus and the district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the standard propriate of the spud date or the well shall be computed within 30 days of the spud date or the well shall be submitted Electronically  For KCC Use ONLY  API # 15 -  Conductor pipe required feet  Minimum surface pipe required feet per ALT. I I II  Approved by:  This authorization expires:  | If Yes, proposed zone:  SFIDAVIT  Ilugging of this well will comply with K.S.A. 55 et. seq.  Ich drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set he underlying formation.  Strict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; aged from below any usable water to surface within 120 DAYS of spud date.  If 133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;   |
| The undersigned hereby affirms that the drilling, completion and eventual pt is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac.  3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the through all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plus of the spud date of the well is either plus or pursuant to Appendix "B" - Eastern Kansas surface casing order from must be completed within 30 days of the spud date or the well shall be completed.  **Dubmitted Electronically**  **Por KCC Use ONLY**  API # 15 -  **Conductor pipe required**  **Minimum surface pipe required**  **Minimum surface pipe required**  **Jubmitted**  **Jubmitt           | If Yes, proposed zone:  SFIDAVIT  Ilugging of this well will comply with K.S.A. 55 et. seq.  In drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  Strict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; aged from below any usable water to surface within 120 DAYS of spud date.  If 133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed (within 60 days);  |
| The undersigned hereby affirms that the drilling, completion and eventual pris agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the approved notice of intent to drill <i>shall be</i> posted on each and the district office will be as through all unconsolidated materials plus a minimum of 20 feet into the standard plus and the district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the standard propriate of the spud date or the well shall be computed within 30 days of the spud date or the well shall be submitted Electronically  For KCC Use ONLY  API # 15 -  Conductor pipe required feet  Minimum surface pipe required feet per ALT. I I II  Approved by:  This authorization expires:  | If Yes, proposed zone:  SFIDAVIT  Ilugging of this well will comply with K.S.A. 55 et. seq.  In drilling rig;  If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  In strict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; aged from below any usable water to surface within 120 DAYS of spud date.  If 133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed (within 60 days);  Obtain written approval before disposing or injecting salt water. |

Side Two



| For KCC Use ONLY |
|------------------|
| API # 15         |

### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

| or:                                     |                        |               | Location of Well: Cou         | JIILY  |
|---|------------------------|---------------|-------------------------------|--|
|   |                        |               |                               | feet from N / S Line of Section                            |
| umber:                                  |                        |               |                               | feet from E / W Line of Section                            |
|   |                        |               |                               | S. R   |
| er of Acres attributa                   | ble to well:           |               |                               |  |
|   | •                      |               | Is Section: Reg               | gular or Irregular   |
| erro grio grio a                        |                        |               | <del>_</del>                  |  |
|   |                        |               |                               | ar, locate well from nearest corner boundary.  NE NW SE SW |
|   |                        |               | Section corner used:          | NE NW SE SW  |
|   |                        |               |                               |  |
|   |                        |               | PLAT                          |  |
|   |                        |               |                               | e. Show the predicted locations of                         |
| lease roads, t                          | ank batteries, pipelii |               |                               | ace Owner Notice Act (House Bill 2032).                    |
|   |                        | You may attac | h a separate plat if desired. |  |
|   |                        |               |                               |  |
|   |                        |               |                               |  |
|   |                        |               |                               | LEGEND   |
| • |                        |               |                               | O W.W  |
|   | : :                    | :             |                               | O Well Location  |
|   |                        |               |                               | Tank Battery Location                                      |
|   |                        |               |                               | —— Pipeline Location                                       |
|   |                        |               |                               | Electric Line Location                                     |
|   |                        |               |                               | Lease Road Location  |
|   |                        |               |                               |  |
| •••••                                   |                        | :             | : :                           |  |
|   | :                      | :             | •                             |  |
|   |                        |               |                               | EXAMPLE : :  |
|   |                        |               |                               |  |
|   |                        |               | <u> </u>                      |  |
|   |                        | 34            | <u> </u>                      |  |
|   |                        | 34            | <u> </u>                      |  |
|   |                        | 34            | <u> </u>                      |  |
|   |                        |               | <u> </u>                      |  |
|   |                        | 34            | • 239<br>• 239                |  |
|   |                        |               | O— 239                        | ) ft. 1980' FSL  |
|   |                        |               | O— 239                        | ft   |
|   |                        |               | <u> </u>                      | ) ft. 1980' FSL  |
|   |                        |               | ©— 239                        | ) ft. 1980' FSL  |
|   |                        |               | ©— 239                        | ) ft. 1980' FSL  |

# 2469 ft.

#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.



## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

079342

Form CDP-1 May 2010 Form must be Typed

## **APPLICATION FOR SURFACE PIT**

### Submit in Duplicate

| Operator Name:   |                                |  | License Number:   |
|--|--------------------------------|--|---|
| Operator Address:  |                                |  |   |
| Contact Person:  |                                |  | Phone Number:   |
| Lease Name & Well No.:   |                                |  | Pit Location (QQQQ):  |
| Type of Pit:    Emergency Pit   Burn Pit   | Pit is:  Proposed Existing     |  | SecTwp R  |
| Settling Pit Drilling Pit  | If Existing, date constructed: |  | Feet from North / South Line of Section   |
| Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)   | Pit capacity:(bbls)            |  | Feet from East / West Line of Section County                                    |
| Is the pit located in a Sensitive Ground Water Area? Yes No  |                                | No                                     | Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)        |
| Is the bottom below ground level?  Yes No  | Artificial Liner?              | 0                                      | How is the pit lined if a plastic liner is not used?                            |
| Pit dimensions (all but working pits):   | Length (fee                    | t)                                     | Width (feet) N/A: Steel Pits  |
| Depth fro  | om ground level to deep        | pest point:                            | (feet) No Pit   |
| If the pit is lined give a brief description of the line material, thickness and installation procedure. | itei                           |  | dures for periodic maintenance and determining ncluding any special monitoring. |
| Distance to nearest water well within one-mile of pit:   |                                | Depth to shallo                        | west fresh water feet.<br>mation:   |
| feet Depth of water wellfeet   |                                | measured                               | well owner electric log KDWR  |
| Emergency, Settling and Burn Pits ONLY:  |                                | Drilling, Worko                        | over and Haul-Off Pits ONLY:  |
| Producing Formation:   |                                | Type of materia                        | al utilized in drilling/workover:   |
| Number of producing wells on lease:  |                                | Number of working pits to be utilized: |   |
| Barrels of fluid produced daily:   |                                | Abandonment p                          | procedure:  |
| Does the slope from the tank battery allow all spilled fluids to flow into the pit?                      |                                | Drill pits must b                      | pe closed within 365 days of spud date.   |
| Submitted Electronically   |                                |  |   |
|  | ксс                            | OFFICE USE OI                          | NLY  Liner Steel Pit RFAC RFAS  |
| Date Received: Permit Numb   | ber:                           | Permi                                  | t Date: Lease Inspection: Yes No  |



### Kansas Corporation Commission Oil & Gas Conservation Division

1079342

Form KSONA-1
July 2010
Form Must Be Typed
Form must be Signed
All blanks must be Filled

# CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

| Select the corresponding form being filed: C-1 (Intent) CB-1 (CB-1)   | Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)  |
|---|--|
| OPERATOR: License #   | Well Location:   |
| Name:   | SecTwpS. R East  |
| Address 1:  | County:  |
| Address 2:  | Lease Name: Well #:  |
| City: State: Zip:+  | If filing a Form T-1 for multiple wells on a lease, enter the legal description of   |
| Contact Person:   | the lease below:   |
| Phone: ( ) Fax: ( )   |  |
| Email Address:  |  |
| Surface Owner Information:  |  |
| Name:   | When filing a Form T-1 involving multiple surface owners, attach an additional   |
| Address 1:  | sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the  |
| Address 2:  | county, and in the real estate property tax records of the county treasurer.   |
| City:   |  |
| the KCC with a plat showing the predicted locations of lease roads, tank  | dic Protection Borehole Intent), you must supply the surface owners and k batteries, pipelines, and electrical lines. The locations shown on the plat in the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted. |
| ☐ I certify that, pursuant to the Kansas Surface Owner Notice A owner(s) of the land upon which the subject well is or will be to CP-1 that I am filing in connection with this form; 2) if the form to form; and 3) my operator name, address, phone number, fax, at ☐ I have not provided this information to the surface owner(s). I at KCC will be required to send this information to the surface owner(s). | cknowledge that, because I have not provided this information, the vner(s). To mitigate the additional cost of the KCC performing this   |
| task, I acknowledge that I am being charged a \$30.00 handling  If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-  | fee with this form. If the fee is not received with this form, the KSONA-1   |
| Submitted Electronically  |  |

34 *3*0 N UniT Norman :

. ~

•

.

Conservation Division Finney State Office Building 130 S. Market, Rm. 2078 Wichita, KS 67202-3802



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Mark Sievers, Chairman Ward Loyd, Commissioner Thomas E. Wright, Commissioner

April 23, 2012

ROGER KENT Kent, Roger dba R J Enterprises 22082 NE Neosho Rd GARNETT, KS 66032-1918

Re: Drilling Pit Application NORMAN UNIT 30-N SE/4 Sec.34-23S-21E Allen County, Kansas

#### Dear ROGER KENT:

According to the drilling pit application referenced above, no earthen pits will be used at this location. Steel pits will be used. Please inform the Commission in writing as to which disposal well you utilized to dispose of the contents in the steel pits and the amount of fluid that was disposed. Please file form CDP-5 (August 2008), Exploration and Production Waste Transfer, within 30 days of fluid removal.

Should a haul-off pit be necessary please file form CDP-1 (April 2004), Application for Surface Pit, through KOLAR. This location will have to be inspected prior to approval of the haul-off pit application.

A copy of this letter should be posted in the doghouse along with the approved Intent to **Drill**. If you have any questions or concerns please feel free to contact the District Office at (620) 432-2300.

Conservation Division Finney State Office Building 130 S. Market, Rm. 2078 Wichita, KS 67202-3802



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Mark Sievers, Chairman Ward Loyd, Commissioner Thomas E. Wright, Commissioner

82-3-607.

# HAUL-OFF PIT APPLICATION FILING REQUIREMENTS

**DISPOSAL OF DIKE AND PIT CONTENTS.** 

| (a)   | Each operator shall perform one of the following when disposing of dike or  |
|-------|---|
| pit   | contents:   |
| (1)   | Remove the liquid contents to a disposal well or other oil and gas operation approved by the commission or to road maintenance or construction locations approved by the department;  |
| (2)   | dispose of reserve pit waste down the annular space of a well completed according to the alternate I requirements of K.A.R. 82-3-106, if the waste to be disposed of was generated during the drilling and completion of the well;  |
| or    |   |
| (3)   | dispose of the remaining solid contents in any manner required by the commission. The requirements may include any of the following:  (A) Burial in place, in accordance with the grading and restoration requirements in K.A.R. 82-3-602 (f);  (B) removal and placement of the contents in an on-site disposal area approved by the commission;  (C) removal and placement of the contents in an off-site disposal area |
| on    |   |
| lease | acreage owned by the same landowner or to another producing   |
|       | or unit operated by the same operator, if prior written permission  |
| from  | the landowner has been obtained; or   |

|          | (D)       | removal of the contents to a permitted off-site disposal area       |
|----------|-----------|---|
| approved |           |   |
|          |           | by the department.  |
| (b)      | Each      | violation of this regulation shall be punishable by the following:  |
| (1       | ) A \$1,0 | 000 penalty for the first violation;                                |
| (2       | a \$2,5   | 00 penalty for the second violation; and                            |
| (3       | a \$5,0   | 000 penalty and an operator license review for the third violation. |

File Haul-Off Pit Application in KOLAR. Review the information below and attach all required documents to the pit application when submitting through KOLAR. This form will automatically generate and fill in from questions asked in KOLAR.

| Haul-off pit will be located in an on-site disposal area:YesNo   |
|--|
| Haul-off pit is located in an off-site disposal area on acreage owned by the same landowner: YesNo  If yes, written permission from the land owner must be obtained. Attach written permission to haul-off pit application.  |
| Haul-off pit is located in an off-site disposal area on another <b>producing</b> lease or unit operated by the same operator:YesNo If yes, written permission from the land owner must be obtained. Attach permission and a copy of the lease assignment that covers the acreage where the haul-off pit is to be located, to the haul-off pit application. |