

please check the box below and return to the address below.

Well will not be drilled or Permit Expired Date: _

Signature of Operator or Agent:

For KCC	Use:
Effective	Date:
District #	
SGA?	Yes No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 March 2010 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

OPERATOR: License#	Expected Spud Date:	month day		Spot Description:
SECTION: Regular feet from R / S Une conditions Section Regular feet from R / S Une conditions Section Regular Interpular?		month day	year	, Sec Twp S. R 🔲 E 🔲 W
Name:	OPERATOR: License#			feet from N / S Line of Section
Is SECTION: Regular Irregular?				feet from E / W Line of Section
Well Drillod For: State: Zip: + Country: Lease Name: Well #:				Is SECTION: Regular Irregular?
State: Zip: + Country: Lease Name: Well #r: Lease Name:				
Contact Person: Contact Pe				(Note: Escale well of the Section Flat of February
Field Name:				County
Is this a Protated Spaced Field? Stage S	Phone:			
Marrie: Well Drilled For: Well Class: Type Equipment: Target Formation(s): Nearest Lease or unit boundary line (in footage): Ground Surface Elevation: Water well within one mile: Yes Yes Sunday Wildcat Cable Public water supply well within one mile: Yes Yes Public water supply well within one mile: Yes	CONTRACTOR: License#			
Well Drilled For: Well Class: Type Equipment: Squipment: Squ				is the difference of passed field.
Ground Surface Elevation: Saismic Fan Rec	varrie.			
Gas Storage Pool Ext. Air Rotary Water well within one-quarter mile: Yes Yes Storage Pool Ext. Air Rotary Water well within one-quarter mile: Yes Yes Gasimic ; # of Holes Other	Well Drilled For:	Well Class:	Type Equipment:	
Gas Glorage Pool Ext. Air Rotary Water well within one-quarter mile: Yes Public water supply well within one mile: Depth to bottom of usable water: Depth to bottom of usable water: Depth to bottom of usable water: Depth to Defend on usable water Depth to Defend on usable Depth to Defend on usable water Depth to Defend on usable water Depth to Defend on usable Depth to Defend on usable water Depth to Defend on usable Depth to Defend on usable water Depth to Defend on usable Depth to Defend on usable Depth to Defend on usable Depth to Defend on usable water Depth to Defend on usable Depth	Oil Enh f	Rec Infield	Mud Rotary	
Disposal Wildcat Cable Public water supply well within one nile: Yes Depth to bottom of fresh water: Depth to bottom of veable water Depth to bottom of fresh water: Depth to bottom of fresh water: Depth to bottom of fresh water: Depth to bottom of veable water Depth to bottom of fresh water: Depth to bottom of veable water Depth to bottom of veable water: Depth to bottom of veable			= '	
Seismic;			_ ′	Public water supply well within one mile:
Other:				Depth to bottom of fresh water:
Length of Surface Pipe Planned to be set: Length of Surface Pipe Planned to be set: Length of Conductor Pipe (if any): Projected Total Depth: Water Source for Drilling Operations: Water Source				Depth to bottom of usable water:
Operator: Well Name: Original Completion Date: Original Total Depth: Well Name: Original Completion Date: Original Compl				Surface Pipe by Alternate: I III
Well Name: Original Completion Date: Original Total Depth: Original Completion Date: Original Co	If OWWO: old well	information as follows:		Length of Surface Pipe Planned to be set:
Well Name: Original Completion Date: Original Total Depth: Directional, Deviated or Horizontal wellbore? Yes, true vertical depth: Soltom Hole Location: CCC DKT #: Water Source for Drilling Operations: Well Farm Pond Other:	Operator:			Length of Conductor Pipe (if any):
Original Completion Date:	•			
Water Source for Drilling Operations: Water Source for Drilling Operations: Water Source for Drilling Operations: Well Farm Pond Other: DWR Permit #: DWR Permit with DWR) Will Cores be taken? If Yes, proposed zone: AFFIDAVIT The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementin must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. **Remember to:** - File Certification of Compliance with the Kansas Surface Owner Notificat Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry;				
Vest	ongman compression as	Ong	J.G. 2 0 p.m.	
Mote: Apply for Permit with DWR Settlem Hole Location: Will Cores be taken? Mote: Apply for Permit with DWR Settlem Hole Location: Will Cores be taken? Yes If Yes, proposed zone: Mill Cores be taken? Yes If Yes, proposed zone: Mill Cores be taken? Yes If Yes, proposed zone: Mill Cores be taken? Yes If Yes, proposed zone: Mill Cores be taken? If Yes, proposed zone: If Yes, propos	Directional, Deviated or Ho	rizontal wellbore?	Yes No	
AFFIDAVIT The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementin must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. **Remember to:** - File Certification of Compliance with the Kansas Surface Owner Notificat Act (KSONA-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File Completion Form ACO-1 within 120 days of spud date; - File Completion Form ACO-1 within 120 days of spud date; - File Completion Form ACO-1 within 120 days of spud date; - File Completion Form ACO-1 within 120 days of spud date; - File careage attribution pita according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry;	If Yes, true vertical depth:_			
AFFIDAVIT The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the appropriate of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementin must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. Will Cores be taken? If Yes API # 15 - Conductor pipe required feet Minimum surface pipe required feet per ALT. I I II Approved by: Notify appropriate district office 48 hours prior to workover or re-entry;	Bottom Hole Location:			
If Yes, proposed zone: AFFIDAVIT The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementin must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. Wemember to: - File Certification of Compliance with the Kansas Surface Owner Notificat Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File careage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry;	KCC DKT #:			
AFFIDAVIT The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementin must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. While the temperature feet feet feet feet prior feet per ALT. I list acreage attribution plat according to field proration orders; Approved by: - File Completion Form ACO-1 within 120 days of spud date; - File careage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry;				
The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementin must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. **Remember to:** File Certification of Compliance with the Kansas Surface Owner Notificat Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;				11 100, proposed 2011c
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. Wemember to: File Certification of Compliance with the Kansas Surface Owner Notificat Act (KSONA-1) with Intent to Drill; File Circli Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;			AF	FIDAVIT
 Notify the appropriate district office prior to spudding of well; A copy of the approved notice of intent to drill shall be posted on each drilling rig; The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; The appropriate district office will be notified before well is either plugged or production casing is cemented in; If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementin must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. Wernember to: - File Certification of Compliance with the Kansas Surface Owner Notificat Act (KSONA-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry;	The undersigned hereby	affirms that the drilling, cor	npletion and eventual p	lugging of this well will comply with K.S.A. 55 et. seq.
 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each drilling rig; 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by circulating cement to the top; in all cases surface pipe <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary <i>prior to plugging</i>; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within <i>120 DAYS</i> of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. <i>In all cases, NOTIFY district office</i> prior to any cementing. 4. File Certification of Compliance with the Kansas Surface Owner Notificat Act (KSONA-1) with Intent to Drill; 5. File Completion Form ACO-1 within 120 days of spud date; 6. File acreage attribution plat according to field proration orders; 6. Notify appropriate district office 48 hours prior to workover or re-entry; 	t is agreed that the follow	ring minimum requirements	s will be met:	
 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each drilling rig; 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by circulating cement to the top; in all cases surface pipe <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary <i>prior to plugging</i>; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within <i>120 DAYS</i> of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. <i>In all cases, NOTIFY district office</i> prior to any cementing. Wemember to: - File Certification of Compliance with the Kansas Surface Owner Notificat Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; 	Notify the appropri	ate district office prior to si	oudding of well:	
3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementin must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. Wemember to: File Certification of Compliance with the Kansas Surface Owner Notificat Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;				th drilling rig:
through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementin must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. Wemember to: File Certification of Compliance with the Kansas Surface Owner Notificat Act (KSONA-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;	1,7			0 0,
5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementin must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. Bemember to: - File Certification of Compliance with the Kansas Surface Owner Notificat Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry;				
6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementin must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. Which applies to the KCC District 3 area, alternate II cementin must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notificat Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry;	4. If the well is dry ho	le, an agreement between	the operator and the dis	strict office on plug length and placement is necessary prior to plugging;
Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementin must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. Which applies to the KCC District 3 area, alternate II cementing. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notificat Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry;				
must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. which is a prior to any cementing. Because of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notificat Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;				
wbmitted Electronically For KCC Use ONLY				
Remember to: For KCC Use ONLY API # 15	must be completed	within 30 days of the spuc	I date or the well shall b	e plugged. In all cases, NOTIFY district office prior to any cementing.
Remember to: For KCC Use ONLY API # 15				
For KCC Use ONLY API # 15				
For KCC Use ONLY API # 15	ubmitted Electro	nically		
API # 15				Remember to:
API # 15				
Conductor pipe requiredfeetfeetfeet per ALT. I I II II	For KCC Use ONLY			
Minimum surface pipe requiredfeet per ALTIIIIIIII = File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry;				ACT (KSONA-1) With Intent to Drill;
Approved by:	API # 15		foot	
	API # 15			- File Drill Pit Application (form CDP-1) with Intent to Drill;
	API # 15			File Drill Pit Application (form CDP-1) with Intent to Drill;File Completion Form ACO-1 within 120 days of spud date;
Inis authorization expires:	API # 15	quired	feet per ALT. I	 File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;
(This authorization void if drilling not started within 12 months of approval date.) - Obtain written approval before disposing or injecting salt water.	API # 15 Conductor pipe required . Minimum surface pipe red Approved by:	quired	feet per ALT. I	 File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days);

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

Spud date: _

For KCC Use ONLY	
API # 15	-

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator:	_ Location of Well: County:
Lease:	feet from N / S Line of Section
Well Number:	feet from E / W Line of Section
Field:	Sec. Twp. S. R. E W
r leiu.	Ο. Ν Ε ν
Number of Acres attributable to well:	ls Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary.
	Section corner used: NE NW SE SW
Show location of the well. Show footage to the neares lease roads, tank batteries, pipelines and electrical lines, as t	PLAT st lease or unit boundary line. Show the predicted locations of required by the Kansas Surface Owner Notice Act (House Bill 2032). a separate plat if desired.
: : : :	: :
	LEGEND
	LEGEND
	: O Well Location
	Tank Battery Location
	:
	: Electric Line Location
	Lease Road Location
	Ecase Road Ecoalion
	: :
	EXAMPLE
25	
	``
	660 \$\function{\pmathbb{4} \text{WARD CO.} 3390' FEL
	<u>, </u>

200 ft.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.

NOTE: In all cases locate the spot of the proposed drilling locaton.

- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION 079928

Form CDP-1
May 2010
Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name:			License Number:
Operator Address:			
Contact Person:			Phone Number:
Lease Name & Well No.:			Pit Location (QQQQ):
Type of Pit: Emergency Pit Burn Pit Settling Pit Drilling Pit Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled) Is the pit located in a Sensitive Ground Water A	Pit is: Proposed Existing If Existing, date constructed: Pit capacity: (bbls)		SecTwp R East West Feet from North / South Line of Section Feet from East / West Line of Section County mg/l
Is the bottom below ground level?	Artificial Liner?	No	(For Emergency Pits and Settling Pits only) How is the pit lined if a plastic liner is not used?
Pit dimensions (all but working pits): Depth fro	Length (fee		
If the pit is lined give a brief description of the liner material, thickness and installation procedure. Describe procedures for periodic maintenance and determining liner integrity, including any special monitoring.			
		Depth to shallo Source of infor	west fresh water feet. nation:
feet Depth of water wellfeet		measured	well owner electric log KDWR
Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Submitted Electronically		Drilling, Workover and Haul-Off Pits ONLY: Type of material utilized in drilling/workover: Number of working pits to be utilized: Abandonment procedure: Drill pits must be closed within 365 days of spud date.	
KCC OFFICE USE ONLY Liner Steel Pit RFAC RFAS			
Date Received: Permit Num	ber:	Permi	t Date: Lease Inspection: Yes No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form KSONA-1 July 2010 Form Must Be Typed Form must be Signed All blanks must be Filled

CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application). Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (C	athodic Protection Borehole Intent)		
OPERATOR: License #	Well Location:		
Name:	SecTwpS. R		
Address 1:	County:		
Address 2:	Lease Name: Well #:		
City:	If filing a Form T-1 for multiple wells on a lease, enter the legal description		
Contact Person:	the lease helow:		
Phone: () Fax: ()			
Email Address:			
Surface Owner Information:			
Name:	When filing a Form T-1 involving multiple surface owners, attach an additiona		
Address 1:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the		
Address 2:	county, and in the real estate property tax records of the county treasurer.		
City: +			
are preliminary non-binding estimates. The locations may be entered on Select one of the following: I certify that, pursuant to the Kansas Surface Owner Notice Acowner(s) of the land upon which the subject well is or will be located CP-1 that I am filing in connection with this form; 2) if the form beform; and 3) my operator name, address, phone number, fax, an I have not provided this information to the surface owner(s). I acknowledge that I am being charged a \$30.00 handling the surface owner(s) is acknowledge that I am being charged a \$30.00 handling the surface owner(s).	batteries, pipelines, and electrical lines. The locations shown on the plat the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted. ct (House Bill 2032), I have provided the following to the surface cated: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form eing filed is a Form C-1 or Form CB-1, the plat(s) required by this ad email address. cknowledge that, because I have not provided this information, the ner(s). To mitigate the additional cost of the KCC performing this		
form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-1 Submitted Electronically			
I			

Conservation Division Finney State Office Building 130 S. Market, Rm. 2078 Wichita, KS 67202-3802



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Mark Sievers, Chairman Ward Loyd, Commissioner Thomas E. Wright, Commissioner

April 30, 2012

Aletha Dewbre Chesapeake Operating, Inc. 6100 N WESTERN AVE PO BOX 18496 OKLAHOMA CITY, OK 73154-0496

Re: Drilling Pit Application API 15-077-21749-01-00 Danielson 25-34-8 1H SE/4 Sec.25-34S-08W Harper County, Kansas

Dear Aletha Dewbre:

According to the drilling pit application referenced above, no earthen pits will be used at this location. Steel pits will be used. Please inform the Commission in writing as to which disposal well you utilized to dispose of the contents in the steel pits and the amount of fluid that was disposed. Please file form CDP-5 (August 2008), Exploration and Production Waste Transfer, within 30 days of fluid removal.

Should a haul-off pit be necessary please file form CDP-1 (April 2004), Application for Surface Pit, through KOLAR. This location will have to be inspected prior to approval of the haul-off pit application.

A copy of this letter should be posted in the doghouse along with the approved Intent to Drill. If you have any questions or concerns please feel free to contact the District Office at (316) 630-4000.

Conservation Division Finney State Office Building 130 S. Market, Rm. 2078 Wichita, KS 67202-3802



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Mark Sievers, Chairman Ward Loyd, Commissioner Thomas E. Wright, Commissioner

82-3-607.

HAUL-OFF PIT APPLICATION FILING REQUIREMENTS

DISPOSAL OF DIKE AND PIT CONTENTS.

(a)	Each operator shall perform one of the following when disposing of dike or
pit	contents:
(1)	Remove the liquid contents to a disposal well or other oil and gas operation approved by the commission or to road maintenance or construction locations approved by the department;
(2)	dispose of reserve pit waste down the annular space of a well completed according to the alternate I requirements of K.A.R. 82-3-106, if the waste to be disposed of was generated during the drilling and completion of the well;
or	
(3)	dispose of the remaining solid contents in any manner required by the commission. The requirements may include any of the following: (A) Burial in place, in accordance with the grading and restoration requirements in K.A.R. 82-3-602 (f); (B) removal and placement of the contents in an on-site disposal area approved by the commission; (C) removal and placement of the contents in an off-site disposal area
on	
lease	acreage owned by the same landowner or to another producing
	or unit operated by the same operator, if prior written permission
from	the landowner has been obtained; or

	(D)	removal of the contents to a permitted off-site disposal area
approved		
		by the department.
(b)	Eac	h violation of this regulation shall be punishable by the following:
(1	1) A \$ ²	1,000 penalty for the first violation;
(2	2) a \$2	2,500 penalty for the second violation; and
(3	a \$5	5,000 penalty and an operator license review for the third violation.

File Haul-Off Pit Application in KOLAR. Review the information below and attach all required documents to the pit application when submitting through KOLAR. This form will automatically generate and fill in from questions asked in KOLAR.

Haul-off pit will be located in an on-site disposal area:YesNo
Haul-off pit is located in an off-site disposal area on acreage owned by the same landowner:YesNo If yes, written permission from the land owner must be obtained. Attach written permission to haul-off pit application.
Haul-off pit is located in an off-site disposal area on another producing lease or unit operated by the same operator:YesNo If yes, written permission from the land owner must be obtained. Attach permission and a copy of the lease assignment that covers the acreage when the haul-off pit is to be located, to the haul-off pit application.

Summary of Changes

Lease Name and Number: Danielson 25-34-8 1H

API/Permit #: 15-077-21749-01-00

Doc ID: 1079928

Correction Number: 1

Approved By: Rick Hestermann 04/30/2012

Field Name	Previous Value	New Value
Abandonment Procedure Artificial Liner?	Allow to dry. Restore by filling with soil to natural level No	
Feet to Nearest Water Well Within One-Mile of	NA	
Pit Fresh Water Information Source: KDWR	Yes	No
How Pit is Lined if Plastic Liner Not Used	Liner not required	
Is Bottom Below Ground Level?	Yes	
Is Pit Proposed or Existing	Proposed	
KCC Only - Approved By	Rick Hestermann 08/11/2011	Rick Hestermann 04/30/2012
KCC Only - Approved Date	08/11/2011	04/30/2012
KCC Only - CDP1 Steel Pit		Yes

Summary of changes for correction 1 continued

Field Name	Previous Value	New Value
KCC Only - Date Received	07/21/2011	04/30/2012
Number of Working Pits to be Used	1	
Pit Capacity BBLS	13900	
Pit Deepest Depth	5	
Pit Length	125	
Pit Type	Drilling	
Pit Width	125	
RFAC		Yes
Save Link	//kcc/detail/operatorE ditDetail.cfm?docID=10	//kcc/detail/operatorE ditDetail.cfm?docID=10
Steel Pit	59217 No	79928 Yes
Type of Material Used in Drilling / Workover	water based mud	

Summary of Attachments

Lease Name and Number: Danielson 25-34-8 1H

API: 15-077-21749-01-00

Doc ID: 1079928

Correction Number: 1

Approved By: Rick Hestermann 04/30/2012

Attachment Name

No Earthen Pits

Haul Off Pit Application