

Co	nfiden	tiality	/ Requested:
	Yes	N	lo

Kansas Corporation Commission Oil & Gas Conservation Division

1078709

Form ACO-1
August 2013
Form must be Typed
Form must be Signed
All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #			API No. 15		
Name:			Spot Description:		
Address 1:			Sec.	TwpS. R	East _ West
Address 2:			F6	eet from North /	South Line of Section
City:	State: Z	ip:+	Fe	eet from East /	West Line of Section
Contact Person:			Footages Calculated from	Nearest Outside Section C	Corner:
Phone: ()			□ NE □ NW	V □SE □SW	
CONTRACTOR: License #			GPS Location: Lat:	, Long:	
Name:				(e.g. xx.xxxxx)	(e.gxxx.xxxxx)
Wellsite Geologist:			Datum: NAD27	NAD83 WGS84	
Purchaser:			County:		
Designate Type of Completion:			Lease Name:	W	ell #:
	e-Entry	Workover	Field Name:		
	_		Producing Formation:		
☐ Oil ☐ WSW ☐ D&A	☐ SWD	∐ SIOW ∏ SIGW	Elevation: Ground:	Kelly Bushing:	
	GSW	Temp. Abd.	Total Vertical Depth:	Plug Back Total D	epth:
CM (Coal Bed Methane)	dow	Temp. Abd.	Amount of Surface Pipe Se	et and Cemented at:	Feet
☐ Cathodic ☐ Other (Co	ore. Expl., etc.):		Multiple Stage Cementing	Collar Used? Yes	No
If Workover/Re-entry: Old Well I			If yes, show depth set:		
Operator:			If Alternate II completion, c	cement circulated from:	
Well Name:			feet depth to:	w/	sx cmt.
Original Comp. Date:					
Deepening Re-perf	J	ENHR Conv. to SWD	Drilling Fluid Managemer	nt Plan	
Plug Back	Conv. to G		(Data must be collected from to		
Commingled	Permit #		Chloride content:	ppm Fluid volume	: bbls
Dual Completion			Dewatering method used:_		
SWD			Location of fluid disposal if	hauled offsite:	
ENHR	Permit #:				
GSW	Permit #:		Operator Name:		
			Lease Name:		
Spud Date or Date R	eached TD	Completion Date or	Quarter Sec	TwpS. R	East West
Recompletion Date		Recompletion Date	County:	Permit #:	

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY
Confidentiality Requested
Date:
Confidential Release Date:
Wireline Log Received
Geologist Report Received
UIC Distribution
ALT I II Approved by: Date:

Page Two



Operator Name:				Lease I	Name: _			Well #:		
Sec Twp	S. R	East	West	County	:					
INSTRUCTIONS: Shopen and closed, flow and flow rates if gas to	ring and shut-in press o surface test, along v	ures, whet vith final c	ther shut-in pre hart(s). Attach	essure reac extra shee	hed stati t if more	c level, hydrosta space is neede	tic pressures, bod.	ottom hole temp	erature, fluid re	ecovery,
Final Radioactivity Lo files must be submitte						gs must be ema	liled to kcc-well-	ogs@kcc.ks.go	v. Digital electi	ronic log
Drill Stem Tests Taker (Attach Additional		Ye	es No			J	on (Top), Depth		Samp	
Samples Sent to Geo	logical Survey	Ye	es No		Nam	e		Тор	Datum	1
Cores Taken Electric Log Run		☐ Ye								
List All E. Logs Run:										
				RECORD	Ne					
	0: 11.1					ermediate, product		" 0 1	T 15	
Purpose of String	Size Hole Drilled		e Casing (In O.D.)	Weig Lbs.		Setting Depth	Type of Cement	# Sacks Used	Type and Pe Additive	
			ADDITIONAL	CEMENTI	NG / SQL	JEEZE RECORD				
Purpose:	Depth Top Bottom	Туре	of Cement	# Sacks	Used		Type and	Percent Additives		
Perforate Protect Casing	Top Detterm									
Plug Back TD Plug Off Zone										
1 lug 0 li 20 lio										
Did you perform a hydrau	ulic fracturing treatment of	on this well?	•			Yes	No (If No, s	kip questions 2 a	nd 3)	
Does the volume of the t			_		-		= ` `	kip question 3)		
Was the hydraulic fractur	ing treatment information	n submitted	to the chemical of	disclosure re	gistry?	Yes	No (If No, f	ill out Page Three	of the ACO-1)	
Shots Per Foot			D - Bridge Plug Each Interval Perf				cture, Shot, Ceme			Depth
						(_	
TUBING RECORD:	Size:	Set At:		Packer A		Liner Run:				
		0017111		. dono. 7		[Yes N	0		
Date of First, Resumed	Production, SWD or EN	HR.	Producing Meth	nod:	g 🗌	Gas Lift (Other (Explain)			
Estimated Production Per 24 Hours	Oil	Bbls.	Gas	Mcf	Wat	er B	bls.	Gas-Oil Ratio	Gra	avity
DIODOCITI	01.05.040			4ETUOD 05	001451	TION		DDODUCT	ONLINITED (A)	
DISPOSITION Solo	ON OF GAS: Used on Lease		N Open Hole	∥ETHOD OF ☐ Perf.			nmingled	PRODUCTION	ON INTERVAL:	
	bmit ACO-18.)		Other (Specify)		(Submit		mit ACO-4)			

Conservation Division Finney State Office Building 130 S. Market, Rm. 2078 Wichita, KS 67202-3802



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Mark Sievers, Chairman Ward Loyd, Commissioner Thomas E. Wright, Commissioner

April 12, 2012

P.J. Buck Kansas Energy Company, L.L.C. BOX 68 SEDAN, KS 67361-0068

Re: ACO1 API 15-019-27091-00-00 Bales JBD 19-3 NW/4 Sec.19-34S-12E Chautauqua County, Kansas

Dear Production Department:

We are herewith requesting that the Well Completion Form ACO-1 and attached information for the subject well be held confidential for a period of two years.

Should you have any questions or need additional information regarding subject well, please contact our office.

Respectfully, P.J. Buck

ACKARMAN HARDWARE and LUMBER CO **160 EAST MAIN STREET** SEDAN, KS 67361

PHONE: (620) 725-3103

THANKS FOR YOUR BUSINESS!!

			Bell Bosons			,	,
Cust No	Job No	Purchase Order	Reference	Terms	Clerk	Date	Time
253636			DEM L	NET 10TH	CAM	1/19/12	11:48
					•	•	
Sold To	;		Ship To:				
JONE	S & BUCK I	EVELOPMENT				DOC#	210589
P. 0	. BOX 68				TERM#553	**DUPI	ICATE**
1						+ INV	OICE +
SEDA	V	KS 67361				*****	*****
				TAX :	001 KANSAS SALES TAX		

LN#	SHIPPED	ORDERED	UM	SKU	DESCRIPTION	SUGG	UNITS	PRICE/PER	EXTENSION
1	8			RM44816	PORTLAND CEMENT 92.6#		8	10.95 /EA	87.60 *
				*					
					3				
				5.					
					**				
				.N.	*				

** AMOUNT CHARGED TO STORE ACCOUNT ** 96.18 TAXABLE

.18 TAXABLE 87.60 NON-TAXABLE 0.00 SUBTOTAL 87.60

(ERIC DARNALL)

TAX AMOUNT 8.58
TOTAL AMOUNT 96.18

 $\underset{\tiny{\text{Received By}}}{\texttt{Manual Signature}}$

CONSOLIDATED Oil Well Services, LLC

REMIT TO

Consolidated Oil Well Services, LLC Dept. 970 P.O. Box 4346 Houston, TX 77210-4346 MAIN OFFICE
P.O. Box 884
Chanute, KS 66720
620/431-9210 • 1-800/467-8676
Fax 620/431-0012

Invoice # 247350

Invoice Date: 01/25/2012 Terms: 15/15/30,n/30 Page 1

J. B. D. % P. J. BUCK P.O. BOX 68 SEDAN KS 67361 (620)725-3636 JBD BALES 19-3 182000213 01/23/12 19-34S-12E KS

=======================================				
Part Number 1126A 1110A 1118B 1107A 1123	Description THICK SET CEMENT KOL SEAL (50# BAG) PREMIUM GEL / BENTONITE PHENOSEAL (M) 40# BAG) CITY WATER 4 1/2" RUBBER PLUG	Qty 120.00 600.00 500.00 200.00 5000.00	.2100 1.2900	Total 2304.00 276.00 105.00 258.00 82.50 45.00
Sublet Performed 9999-240 9999-240	Description CASH DISCOUNT CASH DISCOUNT			Total -339.91 -460.58
Description T-90 WATER TRANSPOR 551 MIN. BULK DELI T-133 CEMENT PUMP T-133 EQUIPMENT MILE T-133 CASING FOOTAGE	VERY AGE (ONE WAY)	Hours 4.00 1.00 1.00 45.00 1173.00		

Amount Due 5591.42 if paid after 02/24/2012

Pal:	rts: bor: blt:		Freight:		Tax:	216.63	AR	4752.70
Lą.	bor:	.00	Misc:	.00	Total:	4752.70		
Sų	blt:	-800.49	Supplies:	.00	Change:	.00		
==	======				=======		====	

Signed Date_____Date_____

CEMENT FIELD TICKET AND TREATMENT REPORT

ustomer	JBD	State, County	Chautauqua , Kansas	Cement Type	CLASS A
Туре	Long String	Section	19	Excess (%)	30
stomer Acct #	4291	TWP	34S	Density	13.8
ell No.	JBD Bales #19-3	RGE	12E	Water Required	
iling Address		Formation		Yeild	1.75
ty & State		Hole Size	6 3/4	Slurry Weight	
Code		Hole Depth	1180	Slurry Volume	
ontact		Casing Size	4 1/2INCH, J-55 (9.5 LBS)	Displacement	1
nail	†	Casing Depth	1173	Displacement PSI	35
ell		Drill Pipe	1173	MIX PSI	
	DADTIFOVULE				20
spatch Location	BARTLESVILLE	Tubing		Rate	
ode	Cement Pump Charges and Mileage	Quantity	Unit	Price per Unit	<u> </u>
5401	CEMENT PUMP (2 HOUR MAX)	1 1	2 HRS MAX	\$1,030.00	\$ 1,030.00
5406	EQUIPMENT MILEAGE (ONE-WAY)	45	PER MILE	\$4.00	\$ 180.00
5407	MIN. BULK DELIVERY (WITHIN 50 MILES)	1	PER LOAD	\$350.00	\$ 350.00
0			0	\$0.00	
0			0	\$0.00	-
0			0	\$0.00	\$ -
0			0	\$0.00	\$ -
0			00	\$0.00	
5402	FOOTAGE	1,173	PER FOOT	0.22	\$ 258.06
				EQUIPMENT TOTAL	\$ 1,818.06
	Cement, Chemicals and Water				
1126A	THICK SET CEMENT (8LB OWC 4% GEL 2% CAL. CLOR	IDE 120	0	\$19.20	\$ 2,304.00
1110A	KOL SEAL (50 # SK)	600	0	\$0.46	\$ 276.00
1118B	PREMIUM GEL/BENTONITE (50#)	500	0	\$0.21	\$ 105.00
1107A	PHENOSEAL	200	0	\$1.29	\$ 258.00
1123	CITY WATER (PER 1000 GAL)	5	Ö	\$16.54	\$ 82.50
0			0	\$0.00	\$ -
0			0	\$0.00	\$ -
0			0	\$0.00	\$ -
0			0	\$0.00	\$ -
0			0	\$0.00	\$ -
0			0	\$0.00	\$ -
	I	. L			The state of the s
				CHEMICAL TOTAL	\$ 3,025.70
	Water Transport			0140.00	140.00
5501C	WATER TRANSPORT (CEMENT)	4	TER TRANSPORT (CEME		\$ 448.00
0			0	\$0.00	\$ -
0	<u> </u>		0	\$0.00	\$ -
			T	RANSPORT TOTAL	\$ 448.00
	Cement Floating Equipment (TAXABLE)		: <u>L</u>		<u> </u>
14 (19)	Cement Basket	The state of the s			
0			0	\$0.00	
	Centralizer				
0			0	\$0.00	\$
0			0	\$0.00	\$ -
	Float Shoe				44.4
0			0	\$0.00	\$ -
	Float Collers			No. 10	
0			0	\$0.00	\$ -
	Guide Shoes				
0			0_	\$0.00	\$ -
	Baffle and Flapper Plates				
0			0	\$0.00	\$ -
	Packer Shoes				
0			0	\$0.00	\$ -
	DV Tools				
0			0	\$0.00	\$ -
	Ball Valves, Swedges, Clamps, Misc.				4.7
0			0	\$0.00	\$ -
0			0	\$0.00	\$ -
0			0	\$0.00	\$ -
	Plugs and Ball Sealers				
4404	4' 1/2" RUBBER PLUG	1	PER UNIT	\$45.00	\$ 45.00
	Downhole Tools				
0			0	\$0.00	\$ -
			CEMENT FLOATING E		\$ 45.00
Library Page 125	DRIVER NAME			SUB TOTAL	5,336.76
1 T133	Williams, Chancey		15%	(-DISCOUNT)	\$ 800.51
551				SALES TAX	316.6
T90	Lucas, Bryan		Di	SCOUNTED TOTAL	\$ 4,752.70
	1/11/				. 201.10
	+ // ////			1	
	-//////			,	\
	-11/10/11/				
AUTHORIZATION	That H	тпи	E		\

FOREMAN

1.A "KNOWLEDGE THAT THE PAYMENT TERMS, UNLESS SPECIFICALLY AMENDED IN WRITING ON THE FRONT OF THE FORM OR IN THE CUSTOMER'S ACCOUNT RECORDS, AT OUR OFFICE, AND CONDITIONS OF SERVICE ON THE BACK OF THIS FORM ARE IN EFFECT FOR SERVICES IDENTIFIED ON THIS FORM.



CEMENT FIELD TICKET AND TREATMENT REPORT

Customer	JBD	State, County	Chautauqua , Kansas	Cement Type	CLASS A
Customer Acct #	Long String	Section	19	Excess (%)	30
Vell I lo.	0	TWP	34\$	Density	13.8
Nailing Address	JBD Bales #19-3	RGE	12E	Water Required	О
City & State	0	Formation	0	Yeild	1.75
ip Code	0	Hole Size	6 3/4	Slurry Weight	0
Contact	0	Hole Depth	1180	Slurry Volume	0
mail	0	Casing Size	4 1/2INCH, J-55 (9.5 LBS)	Displacement	19
ell	0	Casing Depth	1173	Displacement PSI	350
Office	0	Drill Pipe	0	MIX PSI	200
isparch Location	BARTLESVILLE	Tubing	0	Rate	5

	est. Circulation, pumped 120 sks cement, nusned pump	***************************************
nes, displaced plug to bottom set	shoe shut in. Circulated cement to surface.	
AND THE PROPERTY OF THE PROPER		
The second of th		
	· · · · · · · · · · · · · · · · · · ·	
Sadedy MT6		
Coup		
Chanuy		
Brank		
. 2		
Caleir		
/		