



CONSOLIDATED
Oil Well Services, LLC

REMIT TO
Consolidated Oil Well Services, LLC
Dept. 970
P.O. Box 4346
Houston, TX 77210-4346

MAIN OFFICE
P.O. Box 884
Chanute, KS 66720
620/431-9210 • 1-800/467-8676
Fax 620/431-0012

INVOICE

Invoice # 248045

Invoice Date: 02/28/2012 Terms: 15/15/30,n/30 Page 1

J. B. D. % P. J. BUCK
P.O. BOX 68
SEDAN KS 67361
(620)725-3636

15-14
WINDERS ~~12-4~~
339000127
02/24/12
15-34-12E
KS

| Part Number | Description | Qty | Unit Price | Total |
|-------------|-------------------------|---------|------------|--------|
| 1104S | CLASS "A" CEMENT (SALE) | 50.00 | 14.9000 | 745.00 |
| 1107A | PHENOSEAL (M) 40# BAG | 40.00 | 1.2900 | 51.60 |
| 1118B | PREMIUM GEL / BENTONITE | 200.00 | .2100 | 42.00 |
| 1102 | CALCIUM CHLORIDE (50#) | 100.00 | .7400 | 74.00 |
| 1123 | CITY WATER | 4000.00 | .0174 | 69.60 |

| Sublet Performed | Description | Total |
|------------------|---------------|---------|
| 9999-240 | CASH DISCOUNT | -228.00 |
| 9999-240 | CASH DISCOUNT | -147.33 |

| Description | Hours | Unit Price | Total |
|--------------------------------|-------|------------|--------|
| 492 CEMENT PUMP (SURFACE) | 1.00 | 825.00 | 825.00 |
| 492 CASING FOOTAGE | 41.00 | .22 | 9.02 |
| NUNNE WATER TRANSPORT (CEMENT) | 3.00 | 112.00 | 336.00 |
| 518 MIN. BULK DELIVERY | 1.00 | 350.00 | 350.00 |

Amount Due 2583.75 if paid after 03/29/2012

| | | | | | | | |
|--------|---------|-----------|-----|---------|---------|----|---------|
| Parts: | 982.20 | Freight: | .00 | Tax: | 69.30 | AR | 2196.19 |
| Labor: | .00 | Misc: | .00 | Total: | 2196.19 | | |
| Subt: | -375.33 | Supplies: | .00 | Change: | .00 | | |

Signed _____ Date _____

2/24 2012

#248045



3390000127

CEMENT FIELD TICKET AND TREATMENT REPORT

| | | | | |
|--------------|---------------|--------------|------------------|---------|
| JBD | State, County | chatauqua KS | Cement Type | CLASS A |
| Surf | Section | 15 | Excess (%) | 50 |
| winders 12-4 | TWP | 34s | Density | 14.5 |
| | RGE | 12e | Water Required | |
| | Formation | | Yield | 1.18 |
| | Hole Size | 11 | Slurry Weight | |
| | Hole Depth | 41 | Slurry Volume | |
| | Casing Size | 85/8 | Displacement | 1.3 |
| | Casing Depth | 41 | Displacement PSI | |
| | Drill Pipe | | MIX PSI | |
| BARTLESVILLE | Tubing | | Flow | |

| | | | | | |
|-------|--------------------------------------|----|-----------|------------------------|--------------------|
| 5401S | CEMENT PUMP (SURFACE PIPE) | 1 | 2 HRS MAX | \$825.00 | \$ 825.00 |
| 5407 | MIN. BULK DELIVERY (WITHIN 50 MILES) | 1 | PER LOAD | \$350.00 | \$ 350.00 |
| 5402 | FOOTAGE | 41 | PER FOOT | \$0.22 | \$ 9.02 |
| 0 | | | 0 | \$0.00 | \$ - |
| 0 | | | 0 | \$0.00 | \$ - |
| 0 | | | 0 | \$0.00 | \$ - |
| 0 | | | 0 | \$0.00 | \$ - |
| 0 | | | 0 | \$0.00 | \$ - |
| | | | | EQUIPMENT TOTAL | \$ 1,184.02 |

| | | | | | |
|-------|-----------------------------|-----|---|-----------------------|------------------|
| 1104 | CLASS "A" CEMENT (BULK) | 50 | 0 | | \$ 745.00 |
| 1107A | PHENOSEAL | 40 | 0 | \$1.29 | \$ 51.60 |
| 1118B | PREMIUM GEL/BENTONITE (50#) | 200 | 0 | \$0.21 | \$ 42.00 |
| 1102 | CALCIUM CHLORIDE | 100 | 0 | \$0.74 | \$ 74.00 |
| 1123 | CITY WATER (PER 1000 GAL) | 4 | 0 | \$16.54 | \$ 69.60 |
| 0 | | | 0 | \$0.00 | \$ - |
| 0 | | | 0 | \$0.00 | \$ - |
| 0 | | | 0 | \$0.00 | \$ - |
| 0 | | | 0 | \$0.00 | \$ - |
| 0 | | | 0 | \$0.00 | \$ - |
| 0 | | | 0 | \$0.00 | \$ - |
| | | | | CHEMICAL TOTAL | \$ 982.07 |

| | | | | | |
|-------|--------------------------|---|----------------------|------------------------|------------------|
| 5501C | WATER TRANSPORT (CEMENT) | 3 | ATER TRANSPORT (CEME | \$112.00 | \$ 336.00 |
| 0 | | | 0 | \$0.00 | \$ - |
| 0 | | | 0 | \$0.00 | \$ - |
| | | | | TRANSPORT TOTAL | \$ 336.00 |

| | | | | | |
|---|--|--|---|--|-------------|
| 0 | | | 0 | \$0.00 | \$ - |
| 0 | | | 0 | \$0.00 | \$ - |
| 0 | | | 0 | \$0.00 | \$ - |
| 0 | | | 0 | \$0.00 | \$ - |
| 0 | | | 0 | \$0.00 | \$ - |
| 0 | | | 0 | \$0.00 | \$ - |
| 0 | | | 0 | \$0.00 | \$ - |
| 0 | | | 0 | \$0.00 | \$ - |
| 0 | | | 0 | \$0.00 | \$ - |
| 0 | | | 0 | \$0.00 | \$ - |
| 0 | | | 0 | \$0.00 | \$ - |
| 0 | | | 0 | \$0.00 | \$ - |
| 0 | | | 0 | \$0.00 | \$ - |
| 0 | | | 0 | \$0.00 | \$ - |
| 0 | | | 0 | \$0.00 | \$ - |
| | | | | CEMENT FLOATING EQUIPMENT TOTAL | \$ - |

492 frank
 518 david c
 hurnley to

| | | |
|-------|-------------------------|--------------------|
| | SUB TOTAL | \$ 2,502.09 |
| 8.30% | SALES TAX | \$ 17.91 |
| | TOTAL | \$ 2,583.60 |
| 15% | (DISCOUNT) | \$ 387.54 |
| | DISCOUNTED TOTAL | \$ 2,196.19 |

AUTHORIZATION _____ TITLE _____
 DATE _____ FOREMAN *Bob Bell*


I ACKNOWLEDGE THAT THE PAYMENT TERMS, UNLESS SPECIFICALLY AMENDED IN WRITING ON THE FRONT OF THE FORM OR IN THE CUSTOMER'S ACCOUNT RECORDS, AT OUR OFFICE, AND CONDITIONS OF SERVICE ON THE BACK OF THIS FORM ARE IN EFFECT FOR SERVICES IDENTIFIED ON THIS FORM.

CEMENT FIELD TICKET AND TREATMENT REPORT

| | | | | | |
|-------------------|--------------|---------------|---------------|------------------|---------|
| Customer | JBD | State, County | chautauqua KS | Cement Type | CLASS A |
| Customer Acct # | | Section | 15 | Excess (%) | 50 |
| Well No. | winder 12-4 | TWP | 34s | Density | 14.5 |
| Well Address | winders 12-4 | RGE | 12e | Water Required | 0 |
| Qty. & Size | 0 | Formation | 0 | Yield | 1.18 |
| Qty. Cracks | 0 | Hole Size | 11 | Slurry Weight | 0 |
| Quantity | 0 | Hole Depth | 41 | Slurry Volume | 0 |
| Brand | 0 | Casing Size | 85/8 | Displacement | 1.3 |
| Cost | 0 | Casing Depth | 41 | Displacement PSI | 0 |
| Other | 0 | Drill Pipe | 0 | MIX PSI | 0 |
| Operator Location | BARTLESVILLE | Tubing | 0 | Rate | 0 |

REMARKS
 Ran 4 sks of gel established circulation. Ran 50 sks of class a 2% calcium cement displaced with 1.3 bbls and shut in well fell back. Knocked loc

Safety Meeting
JD, FB



CONSOLIDATED
Oil Well Services, LLC

REMIT TO
Consolidated Oil Well Services, LLC
Dept. 970
P.O. Box 4346
Houston, TX 77210-4346

MAIN OFFICE
P.O. Box 884
Chanute, KS 66720
620/431-9210 • 1-800/467-8676
Fax 620/431-0012

INVOICE Invoice # 248095

=====
Invoice Date: 02/29/2012 Terms: 15/15/30,n/30 Page 1

| | |
|-----------------------|---------------|
| J. B. D. % P. J. BUCK | WINDERS 15-14 |
| P.O. BOX 68 | 5000000134 |
| SEDAN KS 67361 | 02/28/12 |
| (620)725-3636 | 15-34S-12E |
| | KS |

| Part Number | Description | Qty | Unit Price | Total |
|-------------|-------------------------|---------|------------|---------|
| 1126A | THICK SET CEMENT | 95.00 | 19.2000 | 1824.00 |
| 1107A | PHENOSEAL (M) 40# BAG) | 40.00 | 1.2900 | 51.60 |
| 1110A | KOL SEAL (50# BAG) | 500.00 | .4600 | 230.00 |
| 1118B | PREMIUM GEL / BENTONITE | 300.00 | .2100 | 63.00 |
| 1123 | CITY WATER | 5000.00 | .0126 | 63.00 |
| 4404 | 4 1/2" RUBBER PLUG | 1.00 | 45.0000 | 45.00 |

| Sublet Performed | Description | Total |
|------------------|---------------|---------|
| 9999-240 | CASH DISCOUNT | -313.34 |
| 9999-240 | CASH DISCOUNT | -341.49 |

| Description | Hours | Unit Price | Total |
|---------------------------------|--------|------------|---------|
| 398 CEMENT PUMP | 1.00 | 1030.00 | 1030.00 |
| 398 EQUIPMENT MILEAGE (ONE WAY) | 40.00 | 4.00 | 160.00 |
| 398 CASING FOOTAGE | 968.00 | .22 | 212.96 |
| T-90 WATER TRANSPORT (CEMENT) | 3.00 | 112.00 | 336.00 |
| 551 MIN. BULK DELIVERY | 1.00 | 350.00 | 350.00 |

Amount Due 4554.52 if paid after 03/30/2012

| | | | | | | | |
|--------|---------|-----------|-----|---------|---------|----|---------|
| Parts: | 2276.60 | Freight: | .00 | Tax: | 160.62 | AR | 3871.35 |
| Labor: | .00 | Misc: | .00 | Total: | 3871.35 | | |
| Sublt: | -654.83 | Supplies: | .00 | Change: | .00 | | |

Signed _____ Date _____

2/28/2012

245095



500000134

CEMENT FIELD TICKET AND TREATMENT REPORT

| | | | | | |
|--|--|-----------------|--------------------|--|--------------------|
| Customer | JBD | State, County | Chautauqua, Kansas | Cement Type | CLASS A |
| Job Type | Long String | Section | 15 | Excess (%) | |
| Customer Acct # | 4291 | TWP | 34S | Density | 13.8 |
| Well No. | Winders 15-14 | RGE | 12E | Water Required | |
| Mailing Address | | Formation | | Yield | 1.75 |
| City & State | | Hole Size | 6 3/4 | Slurry Weight | |
| Zip Code | | Hole Depth | 1013 | Slurry Volume | |
| Contact | | Casing Size | 4 1/2 | Displacement | 15.4 |
| Email | | Casing Depth | 968 | Displacement PSI | |
| Cell | | Drill Pipe | | MIX PSI | 200 |
| Dispatch Location | BARTLESVILLE | Tubing | | Rate | 4 bpm |
| Code | Cement Pump Charges and Mileage | Quantity | Unit | Price per Unit | |
| 5401 | CEMENT PUMP (2 HOUR MAX) | 1 | 2 HRS MAX | \$1,030.00 | \$ 1,030.00 |
| 5406 | EQUIPMENT MILEAGE (ONE-WAY) | 40 | PER MILE | \$4.00 | \$ 160.00 |
| 5407 | MIN. BULK DELIVERY (WITHIN 50 MILES) | 1 | PER LOAD | \$350.00 | \$ 350.00 |
| 0 | | | | \$0.00 | \$ - |
| 0 | | | | \$0.00 | \$ - |
| 0 | | | | \$0.00 | \$ - |
| 0 | | | | \$0.00 | \$ - |
| 0 | | | | \$0.00 | \$ - |
| 0 | | | | \$0.00 | \$ - |
| 5402 | FOOTAGE | 968 | PER FOOT | 0.22 | \$ 212.96 |
| | | | | EQUIPMENT TOTAL | \$ 1,752.96 |
| Cement, Chemicals and Water | | | | | |
| 1126A | THICK SET CEMENT (8LB OWC 4% GEL 2% CAL. CHLORIDE) | 95 | 0 | \$19.20 | \$ 1,824.00 |
| 1107A | PHENOSEAL | 40 | 0 | \$1.29 | \$ 51.60 |
| 1110A | KOL SEAL (50 # SK) | 500 | 0 | \$0.46 | \$ 230.00 |
| 1118B | PREMIUM GEL/BENTONITE (50#) | 300 | 0 | \$0.21 | \$ 63.00 |
| 1123 | CITY WATER (PER 1000 GAL) | 5 | 0 | \$16.50 | \$ 89.10 |
| 0 | | | | \$0.00 | \$ - |
| 0 | | | | \$0.00 | \$ - |
| 0 | | | | \$0.00 | \$ - |
| 0 | | | | \$0.00 | \$ - |
| 0 | | | | \$0.00 | \$ - |
| 0 | | | | \$0.00 | \$ - |
| 0 | | | | \$0.00 | \$ - |
| | | | | CHEMICAL TOTAL | \$ 2,257.70 |
| Water Transport | | | | | |
| 5501C | WATER TRANSPORT (CEMENT) | 3 | | \$112.00 | \$ 336.00 |
| 0 | | | | \$0.00 | \$ - |
| 0 | | | | \$0.00 | \$ - |
| | | | | TRANSPORT TOTAL | \$ 336.00 |
| Cement Floating Equipment (TAXABLE) | | | | | |
| Cement Baskets | | | | | |
| 0 | | | | \$0.00 | \$ - |
| Centralizer | | | | | |
| 0 | | | | \$0.00 | \$ - |
| 0 | | | | \$0.00 | \$ - |
| Float Shoes | | | | | |
| 0 | | | | \$0.00 | \$ - |
| Float Collars | | | | | |
| 0 | | | | \$0.00 | \$ - |
| Guide Shoes | | | | | |
| 0 | | | | \$0.00 | \$ - |
| Baffle and Flapper Plates | | | | | |
| 0 | | | | \$0.00 | \$ - |
| Packer Shoes | | | | | |
| 0 | | | | \$0.00 | \$ - |
| DV Tools | | | | | |
| 0 | | | | \$0.00 | \$ - |
| Ball Valves, Swedges, Clamps, Misc. | | | | | |
| 0 | | | | \$0.00 | \$ - |
| 0 | | | | \$0.00 | \$ - |
| 0 | | | | \$0.00 | \$ - |
| Plugs and Ball Sealers | | | | | |
| 4404 | 4 1/2" RUBBER PLUG | 1 | PER UNIT | \$45.00 | \$ 45.00 |
| 0 | | | | \$0.00 | \$ - |
| | | | | CEMENT FLOATING EQUIPMENT TOTAL | \$ 45.00 |
| | | | | SUB TOTAL | \$ 4,391.66 |
| | | | | SALES TAX | \$ 361.41 |
| | | | | TOTAL | \$ 4,753.07 |
| | | | | 15% (-DISCOUNT) | \$ 711.72 |
| | | | | DISCOUNTED TOTAL | \$ 3,871.35 |
| DRIVER NAME | | | | | |
| 577 | Kirk Sanders | | | | |
| 398 | John Wade | | | | |
| 551 | James Ness | | | | |
| 411 T90 | Jeff Fildes | | | | |

AUTHORIZATION [Signature]
DATE _____

TITLE _____
FOREMAN [Signature]

I AM KNOWLEDGE THAT THE PAYMENT TERMS, UNLESS SPECIFICALLY AMENDED IN WRITING ON THE FRONT OF THE FORM OR IN THE CUSTOMER'S ACCOUNT RECORDS, AT OUR OFFICE, AND CONDITIONS OF SERVICE ON THE BACK OF THIS FORM ARE IN EFFECT FOR SERVICES IDENTIFIED ON THIS FORM.

2/28/2012



5000000134

CEMENT FIELD TICKET AND TREATMENT REPORT

| | | | | | |
|-------------------|---------------|---------------|---------------------|------------------|---------|
| Customer | JBD | State, County | Chautauqua , Kansas | Cement Type | CLASS A |
| Customer Acct # | | Section | 15 | Excess (%) | |
| Well No. | 0 | TWP | 34S | Density | 13.8 |
| Mailing Address | Winders 15-14 | RGE | 12E | Water Required | 0 |
| City & State | 0 | Formation | 0 | Yeild | 1.75 |
| Zip Code | 0 | Hole Size | 6 3/4 | Slurry Weight | 0 |
| Contact | 0 | Hole Depth | 1013 | Slurry Volume | 0 |
| Email | 0 | Casing Size | 4.5 | Displacement | 15.4 |
| Cell | 0 | Casing Depth | 968 | Displacement PSI | 0 |
| Office | 0 | Drill Pipe | 0 | MIX PSI | 200 |
| Dispatch Location | BARTLESVILLE | Tubing | 0 | Rate | 4 bpm |
| REMARKS | | | | | |

Rangel/LCM to establish circulation, ran 95sx of Thick Set Cement. Flushed pump and lines, dropped plug and displaced to set. Shut down and washed up.
Circulated cement to surface and plug held.

Handwritten signature and initials