

Well will not be drilled or Permit Expired Date: \_

Signature of Operator or Agent:

For KCC	Use:	
Effective	Date:	
District #		
SGA?	Yes No	

## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 March 2010 Form must be Typed Form must be Signed All blanks must be Filled

# NOTICE OF INTENT TO DRILL

month day year	Spot Description:
	SecTwpS. REV
PERATOR: License#	feet from N / S Line of Section
ame:	
ddress 1:	
ddress 2:	
ity:	County:
ontact Person:hone:	Lease Name: Well #:
HOHE.	Field Name:
ONTRACTOR: License#	Is this a Prorated / Spaced Field? Yes No
lame:	Target Formation(s):
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage):
Oil Enh Rec Infield Mud Rotary	Ground Surface Elevation:feet MS
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile:
Disposal Wildcat Cable	Public water supply well within one mile:
Seismic ; # of Holes Other	Depth to bottom of fresh water:
Other:	Depth to bottom of usable water:
If OWWO: old well information as follows:	Surface Pipe by Alternate: III
ii OvvvvO. oid well information as follows:	Length of Surface Pipe Planned to be set:
Operator:	
Well Name:	Projected Total Depth:
Original Completion Date: Original Total Depth:	
Directional, Deviated or Horizontal wellbore?	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore? Yes Notes true vertical depth:	
Bottom Hole Location:	DVVK Permit #.
KCC DKT #:	(Note: Apply for Formit Wall 2011
	Will Cores be taken? Yes No
	ii les, proposed zorie.
A	FFIDAVIT
The undersigned hereby affirms that the drilling, completion and eventual	plugging of this well will comply with K.S.A. 55 et. seq.
t is agreed that the following minimum requirements will be met:	
1. Notify the appropriate district office <i>prior</i> to spudding of well;	
	ach drilling rig;
2. A copy of the approved notice of intent to drill <b>shall be</b> posted on ea	
3. The minimum amount of surface pipe as specified below shall be s	
<ol><li>The minimum amount of surface pipe as specified below shall be s through all unconsolidated materials plus a minimum of 20 feet into</li></ol>	the underlying formation.
<ul><li>3. The minimum amount of surface pipe as specified below <i>shall be s</i> through all unconsolidated materials plus a minimum of 20 feet into</li><li>4. If the well is dry hole, an agreement between the operator and the ope</li></ul>	the underlying formation. district office on plug length and placement is necessary <i>prior to plugging;</i>
<ul> <li>3. The minimum amount of surface pipe as specified below shall be sthrough all unconsolidated materials plus a minimum of 20 feet into</li> <li>4. If the well is dry hole, an agreement between the operator and the construction.</li> <li>5. The appropriate district office will be notified before well is either plus</li> </ul>	the underlying formation.  district office on plug length and placement is necessary <i>prior to plugging</i> ;  ugged or production casing is cemented in;
<ol> <li>The minimum amount of surface pipe as specified below shall be sthrough all unconsolidated materials plus a minimum of 20 feet into</li> <li>If the well is dry hole, an agreement between the operator and the construction of the surface of the s</li></ol>	the underlying formation.  district office on plug length and placement is necessary <i>prior to plugging</i> ;  ugged or production casing is cemented in;  nted from below any usable water to surface within 120 DAYS of spud date.
<ol> <li>The minimum amount of surface pipe as specified below shall be sthrough all unconsolidated materials plus a minimum of 20 feet into</li> <li>If the well is dry hole, an agreement between the operator and the construction of the surface of the s</li></ol>	the underlying formation.  district office on plug length and placement is necessary <i>prior to plugging;</i> ugged or production casing is cemented in;
<ol> <li>The minimum amount of surface pipe as specified below shall be sthrough all unconsolidated materials plus a minimum of 20 feet into</li> <li>If the well is dry hole, an agreement between the operator and the construction.</li> <li>The appropriate district office will be notified before well is either plus.</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order</li> </ol>	the underlying formation. district office on plug length and placement is necessary <i>prior to plugging;</i> ugged or production casing is cemented in; nted from below any usable water to surface within <i>120 DAYS</i> of spud date. ##133,891-C, which applies to the KCC District 3 area, alternate II cementing
<ol> <li>The minimum amount of surface pipe as specified below shall be sthrough all unconsolidated materials plus a minimum of 20 feet into</li> <li>If the well is dry hole, an agreement between the operator and the construction of the surface of the s</li></ol>	the underlying formation. district office on plug length and placement is necessary <i>prior to plugging;</i> ugged or production casing is cemented in; nted from below any usable water to surface within <i>120 DAYS</i> of spud date. ##133,891-C, which applies to the KCC District 3 area, alternate II cementing
<ol> <li>The minimum amount of surface pipe as specified below shall be sthrough all unconsolidated materials plus a minimum of 20 feet into</li> <li>If the well is dry hole, an agreement between the operator and the constraint of the surface of the sur</li></ol>	the underlying formation. district office on plug length and placement is necessary <i>prior to plugging;</i> ugged or production casing is cemented in; nted from below any usable water to surface within <i>120 DAYS</i> of spud date. ##133,891-C, which applies to the KCC District 3 area, alternate II cementing
<ol> <li>The minimum amount of surface pipe as specified below shall be sthrough all unconsolidated materials plus a minimum of 20 feet into</li> <li>If the well is dry hole, an agreement between the operator and the constraint of the surface of the sur</li></ol>	the underlying formation. district office on plug length and placement is necessary <i>prior to plugging;</i> ugged or production casing is cemented in; nted from below any usable water to surface within <i>120 DAYS</i> of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. <i>In all cases, NOTIFY district office</i> prior to any cementing.
<ol> <li>The minimum amount of surface pipe as specified below shall be sthrough all unconsolidated materials plus a minimum of 20 feet into</li> <li>If the well is dry hole, an agreement between the operator and the constraint of the surface of the sur</li></ol>	the underlying formation. district office on plug length and placement is necessary <i>prior to plugging;</i> ugged or production casing is cemented in; nted from below any usable water to surface within <i>120 DAYS</i> of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. <i>In all cases, NOTIFY district office</i> prior to any cementing.  **Remember to:
3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the construction of 5. The appropriate district office will be notified before well is either plus 6. If an ALTERNATE II COMPLETION, production pipe shall be cemer. Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall shall be completed.  **Description**  **Descrip	the underlying formation. district office on plug length and placement is necessary <i>prior to plugging;</i> ugged or production casing is cemented in; nted from below any usable water to surface within <i>120 DAYS</i> of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. <i>In all cases, NOTIFY district office</i> prior to any cementing.  **Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification
3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the construction of 5. The appropriate district office will be notified before well is either plus 6. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall shall with the complete shall be completed.  **The appropriate district office will be notified before well is either plus of the shall be completed. The complete shall be completed within 30 days of the spud date or the well shall shall be shall be completed. The complete shall be completed. The complete shall be completed within 30 days of the spud date or the well shall be completed.  **The appropriate district office will be notified before well is either plus of the complete shall be completed. The complete shall be completed within 30 days of the spud date or the well shall be completed. The complete shall be completed within 30 days of the spud date or the well shall be completed. The complete shall be completed within 30 days of the spud date or the well shall be completed. The complete shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed. The complete shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed.	the underlying formation. district office on plug length and placement is necessary <i>prior to plugging;</i> ugged or production casing is cemented in; nted from below any usable water to surface within <i>120 DAYS</i> of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. <i>In all cases, NOTIFY district office</i> prior to any cementing.  **Remember to:
3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the construction of 5. The appropriate district office will be notified before well is either plus 6. If an ALTERNATE II COMPLETION, production pipe shall be cemerally or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall shall be completed.  **Description**  **Desc	the underlying formation. district office on plug length and placement is necessary prior to plugging; ugged or production casing is cemented in; nted from below any usable water to surface within 120 DAYS of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date;
3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the construction of 5. The appropriate district office will be notified before well is either plus 6. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall shall with a surface construction of the spud date or the well shall shall with the construction of the spud date or the well shall s	the underlying formation. district office on plug length and placement is necessary prior to plugging; ugged or production casing is cemented in; nted from below any usable water to surface within 120 DAYS of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date;
3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the construction of 5. The appropriate district office will be notified before well is either plus 6. If an ALTERNATE II COMPLETION, production pipe shall be cemerally or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall shall be completed.  **The appropriate district office will be notified before well is either plus of the spud date or the well shall be completed.  **The appropriate district office will be notified before well is either plus of the spud date or the well shall be completed.  **The appropriate district office will be notified before well is either plus of the spud date or the well shall be completed.  **The appropriate district office will be notified before well is either plus of the spud date or the well shall be completed.  **The appropriate district office will be notified before well is either plus of the spud date or the well shall be completed.  **The appropriate district office will be notified before well is either plus of the spud date or the well shall be completed.  **The appropriate district office will be notified before well is either plus of the spud date or the well shall be completed.  **The appropriate district office will be notified before well is either plus of the spud date or the well shall be completed.  **The appropriate district office will be notified before well is either plus of the spud date or the well shall be completed.  **The appropriate district office will be notified before well is either plus of the spud date or the spud date or the well shall be completed.  **The appropriate district office will be notified before well is either plus of the spud date or the well shall be notified before well is either plus of the spud date or the spud date or the spud date or the spud date or	the underlying formation. district office on plug length and placement is necessary prior to plugging; ugged or production casing is cemented in; nted from below any usable water to surface within 120 DAYS of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry;
3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the composition of 5. The appropriate district office will be notified before well is either plus 6. If an ALTERNATE II COMPLETION, production pipe shall be cemed or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall shall be composited.  **The appropriate district office will be notified before well is either plus of the spud date or the well shall be cemed on the spud date or the well shall be completed.  **The appropriate district office will be notified before well is either plus of the spud date or the well shall be cemed on the spud date or the well shall be cemed on the spud date or the well shall be cemed on the spud date or the well shall be cemed on the spud date or the well shall be cemed on the spud date or the well shall be cemed on the spud date or the well shall be cemed on the spud date or the well shall be cemed on the spud date or the well shall be cemed on the spud date or the well shall be cemed on the spud date or the well shall be cemed on the spud date or the well shall be cemed on the spud date or the well shall be cemed on the spud date or the well shall be cemed on the spud date or the well shall be cemed on the spud date or the well shall be cemed on the spud date or the well shall be cemed on the spud date or the spud date or the well shall be cemed on the spud date or the well shall be cemed on the spud date or the spud	the underlying formation. district office on plug length and placement is necessary prior to plugging; ugged or production casing is cemented in; nted from below any usable water to surface within 120 DAYS of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed (within 60 days);
3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the composition of 5. The appropriate district office will be notified before well is either plus 6. If an ALTERNATE II COMPLETION, production pipe shall be cemed or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall shall with the complete of the spud date or the well shall with the complete of the spud date or the well shall with the complete of the spud date or the well shall shall shall shall be completed within 30 days of the spud date or the well shall with the complete of the spud date or the well shall shall shall shall be completed within 30 days of the spud date or the well shall shall be completed within 30 days of the spud date or the well shall shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within	the underlying formation. district office on plug length and placement is necessary prior to plugging; ugged or production casing is cemented in; nted from below any usable water to surface within 120 DAYS of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry;

\_ Agent: .

Side Two



For KCC Use ONLY	
API # 15	

#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator:	Location of Well: County:
ease:	feet from N / S Line of Section
Vell Number:	feet from E / W Line of Section
Field:	Sec Twp S. R
Number of Acres attributable to well:	Is Section: Regular or Irregular
QTR/QTR/QTR/QTR of acreage:	io Godieni. Trogular or Integular
	If Section is Irregular, locate well from nearest corner boundary.
	Section corner used: NE NW SE SW
Р	PLAT
	lease or unit boundary line. Show the predicted locations of
	equired by the Kansas Surface Owner Notice Act (House Bill 2032).
	separate plat if desired.
	240 ft.
	660 ft.
	LEGEND
	: O Well Location
	Tank Battery Location
	Pipeline Location
	Electric Line Location
	Lease Road Location
	EXAMPLE : :
· · · · · · · · · · · · · · · · · · ·	
21	
	1980' FSL
	:     <u> </u> - <mark>-' #</mark> :
	SEWARD CO. 3390' FFI

NOTE: In all cases locate the spot of the proposed drilling locaton.

#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.



## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1081202

Form CDP-1
May 2010
Form must be Typed

# **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name:			License Number:
Operator Address:			
Contact Person:		Phone Number:	
Lease Name & Well No.:			Pit Location (QQQQ):
Type of Pit:  Emergency Pit Burn Pit  Settling Pit Drilling Pit  Workover Pit Haul-Off Pit  (If WP Supply API No. or Year Drilled)	Pit is:  Proposed  If Existing, date continued in the pit capacity:	Existing nstructed: (bbls)	SecTwp R East WestFeet from North / South Line of SectionFeet from East / West Line of Section County
Is the pit located in a Sensitive Ground Water A	rea? Yes	No	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)
Is the bottom below ground level?	Artificial Liner?		How is the pit lined if a plastic liner is not used?
Pit dimensions (all but working pits):	Length (fee	et)	Width (feet) N/A: Steel Pits
If the pit is lined give a brief description of the li material, thickness and installation procedure.	om ground level to dee	Describe proce	dures for periodic maintenance and determining any special monitoring.
Distance to nearest water well within one-mile of	of pit:	Depth to shallo Source of infor	west fresh water feet. mation:
feet Depth of water well	feet	measured	well owner electric log KDWR
Emergency, Settling and Burn Pits ONLY:  Producing Formation:  Number of producing wells on lease:  Barrels of fluid produced daily:  Does the slope from the tank battery allow all spilled fluids to flow into the pit?  Yes No  Submitted Electronically		Type of materia  Number of work  Abandonment p  Drill pits must b	over and Haul-Off Pits ONLY:  all utilized in drilling/workover:  king pits to be utilized:  procedure:  de closed within 365 days of spud date.
	KCC	OFFICE USE O	NLY
Date Received: Permit Num	ber:		Liner Steel Pit RFAC RFAS  t Date: Lease Inspection: Yes No



### Kansas Corporation Commission Oil & Gas Conservation Division

1081202

Form KSONA-1
July 2010
Form Must Be Typed
Form must be Signed
All blanks must be Filled

# CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (C	Cathodic Protection Borehole Intent)	
OPERATOR: License #	Well Location:	
Name:	SecTwpS. R	
Address 1:	County:	
Address 2:	Lease Name: Well #:	
City: State: Zip:+	If filing a Form T-1 for multiple wells on a lease, enter the legal description of	
Contact Person:	the lease below:	
Phone: ( ) Fax: ( )		
Email Address:		
Surface Owner Information:		
Name:	When filing a Form T-1 involving multiple surface owners, attach an additional	
Address 1:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the county, and in the real estate property tax records of the county treasurer.	
Address 2:		
City: State: Zip:+		
the KCC with a plat showing the predicted locations of lease roads, tank	dic Protection Borehole Intent), you must supply the surface owners and batteries, pipelines, and electrical lines. The locations shown on the plat in the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.	
I certify that, pursuant to the Kansas Surface Owner Notice Adowner(s) of the land upon which the subject well is or will be lo CP-1 that I am filing in connection with this form; 2) if the form b form; and 3) my operator name, address, phone number, fax, are	ct (House Bill 2032), I have provided the following to the surface potential:  1) a copy of the Form C-1, Form CB-1, Form T-1, or Form the being filed is a Form C-1 or Form CB-1, the plat(s) required by this end email address.  1) cknowledge that, because I have not provided this information, the	
KCC will be required to send this information to the surface ow	ner(s). To mitigate the additional cost of the KCC performing this fee, payable to the KCC, which is enclosed with this form.	
If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-1	fee with this form. If the fee is not received with this form, the KSONA-1 1 will be returned.	
Submitted Electronically		



May 23, 2012

Rodney L. and Glenda Toews, Trustees 10906 Z Road Montezuma, KS 67867

Re: KSONA-1 NOTIFICATION

Please find attached a draft copy of Intent to Drill currently pending with the KCC for approval. We plan to drill the Toews 2629 1-21H well located in Gray County, Kansas, and you are listed as current surface owner.

This notice is being provided pursuant to the Kansas Surface Owner Notice Ace (House Bill 2032). If you have any questions, please contact us.

Sincerely,

Tiffany Golay

Regulatory Technician

SandRidge Energy

123 Robert S Kerr Avenue Oklahoma City, OK 73102

T: 405.429.6543

E: tiffany.golay@sandridgeenergy.com

/file

Attach.

For KCC Use ONLY	
API # 15	

#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator: Sand Ridge Expl. + Prod., LLC  Lease: Toews 2429  Well Number: 1-21 H  Field: Ingalls South  Number of Acres attributable to well:  QTR/QTR/QTR/QTR of acreage: N2 - N2 - NE - NE	Location of Well: County: Gray
Show location of the well. Show footage to the nearest	PLAT lease or unit boundary line. Show the predicted locations of
	rquired by the Kansas Surface Owner Notice Act (House Bill 2032). separate plat if desired. 2 40'
	SHUD (60° LEGEND
	O Well Location  Tank Battery Location
no elec lines	Pipeline Location Electric Line Location Lease Road Location
	EXAMPLE : :
21	
	1980' FSL
	BHL CLO'
NOTE: In all cases locate the spot of the proposed drilling I	SEWARD CO. 3390' FEL
3 12. III all cases locate the spot of the proposed drilling i	outon

#### In plotting the proposed location of the well, you must show:

1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.

330'

- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

# Toews 2629 1-21H

# **Gray County, KS**

# Lease Description:


All of section 21-26S-29W and NW/4 & S/2 of Section 28-26S-29W.

# Surface Owner:

Rodney L. and Glenda Toews, as Trustees

10906 Z Road

Montezuma, KS 67867



Conservation Division Finney State Office Building 130 S. Market, Rm. 2078 Wichita, KS 67202-3802



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Mark Sievers, Chairman Ward Loyd, Commissioner Thomas E. Wright, Commissioner

June 04, 2012

Tiffany Golay SandRidge Exploration and Production LLC 123 ROBERT S. KERR AVE OKLAHOMA CITY, OK 73102-6406

Re: Drilling Pit Application Toews 2629 1-21H NE/4 Sec.21-26S-29W Gray County, Kansas

#### Dear Tiffany Golay:

District staff has inspected the location and has determined that an unsealed condition will present a pollution threat to water resources.

District staff has recommended that the reserve pit be lined. If a plastic liner is to be used it must have a minimum thickness of 20 mil. Integrity of the liner must be maintained at all times.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The free fluids in the reserve pit should be removed as soon as practical after drilling operations have ceased. The fluids should be taken to an authorized disposal well. Please call the District Office at (620) 225-8888 when the fluids have been removed. Please file form CDP-5 (August 2008), Exploration and Production Waste Transfer, through KOLAR within 30 days of fluid removal.

A copy of this letter should be posted in the doghouse along with the approved Intent to **Drill.** If you have any questions or concerns please feel free to contact the District Office at (620) 225-8888.