

Well will not be drilled or Permit Expired Date: \_

Signature of Operator or Agent:

| For KCC    | Use:   |  |
|------------|--------|--|
| Effective  | Date:  |  |
| District # |        |  |
| SGA?       | Yes No |  |

## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 March 2010 Form must be Typed Form must be Signed All blanks must be Filled

# NOTICE OF INTENT TO DRILL

| month day year  | Spot Description:  |
|---|--|
|   | SecTwpS. R   |
| PERATOR: License#   | feet from N / S Line of Section  |
| ame:  |  |
| ddress 1:   |  |
| ddress 2:   |  |
| ty:   | County:  |
| ontact Person:hone:   | Lease Name: Well #:  |
| none.   | Field Name:  |
| ONTRACTOR: License#   | Is this a Prorated / Spaced Field? Yes No  |
| ame:  | Target Formation(s):   |
| Well Drilled For: Well Class: Type Equipment:   | Nearest Lease or unit boundary line (in footage):  |
| Oil Enh Rec Infield Mud Rotary  | Ground Surface Elevation:feet MS   |
| Gas Storage Pool Ext. Air Rotary  | Water well within one-quarter mile:  |
| Disposal Wildcat Cable  | Public water supply well within one mile:  |
| Seismic ;# of Holes Other   | Depth to bottom of fresh water:  |
| Other:  | Depth to bottom of usable water:   |
| If OWWO: old well information as follows:   | Surface Pipe by Alternate: III   |
| Ovvvvo. Old well information as follows:  | Length of Surface Pipe Planned to be set:  |
| Operator:   |  |
| Well Name:  | Projected Total Depth:   |
| Original Completion Date: Original Total Depth:   |  |
| Directional, Deviated or Horizontal wellbore?   | Water Source for Drilling Operations:  |
| f Yes, true vertical depth:   |  |
| Bottom Hole Location:   | DWK Permit #.  |
| CC DKT #:   | (Note: Apply for Fernite With EVIV.  |
|   | Will Cores be taken?   |
|   | If Yes, proposed zone:   |
|   | AFFIDAVIT  |
| The undersigned hereby affirms that the drilling, completion and eventua  | I plugging of this well will comply with K.S.A. 55 et. seq.  |
| t is agreed that the following minimum requirements will be met:  |  |
| t is agreed that the following minimum requirements will be met.  |  |
|   |  |
| Notify the appropriate district office <i>prior</i> to spudding of well;     A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the shall be posted on the shall be pos                 | each drilling rig;   |
| <ol> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on e.</li> <li>The minimum amount of surface pipe as specified below <i>shall be</i></li> </ol>  | set by circulating cement to the top; in all cases surface pipe shall be set   |
| <ol> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on e.</li> <li>The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into</li> </ol>  | set by circulating cement to the top; in all cases surface pipe shall be set of the underlying formation.  |
| <ol> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on a</li> <li>The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into</li> <li>If the well is dry hole, an agreement between the operator and the</li> </ol>   | set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation.  district office on plug length and placement is necessary prior to plugging;  |
| <ol> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on a</li> <li>The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into</li> <li>If the well is dry hole, an agreement between the operator and the</li> <li>The appropriate district office will be notified before well is either p</li> </ol>   | set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation.  district office on plug length and placement is necessary prior to plugging; lugged or production casing is cemented in;  |
| <ol> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on a</li> <li>The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into</li> <li>If the well is dry hole, an agreement between the operator and the</li> <li>The appropriate district office will be notified before well is either p</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cementary</li> </ol>  | set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation.  district office on plug length and placement is necessary prior to plugging; lugged or production casing is cemented in; ented from below any usable water to surface within 120 DAYS of spud date.   |
| <ol> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on e.</li> <li>The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet intended to the surface of t</li></ol>         | set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. district office on plug length and placement is necessary prior to plugging; lugged or production casing is cemented in;   |
| <ol> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on e.</li> <li>The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet intended to the surface of t</li></ol>         | set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation.  district office on plug length and placement is necessary prior to plugging; lugged or production casing is cemented in; ented from below any usable water to surface within 120 DAYS of spud date.  or #133,891-C, which applies to the KCC District 3 area, alternate II cementing  |
| <ol> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on e.</li> <li>The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet intended to the surface of t</li></ol>         | set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation.  district office on plug length and placement is necessary prior to plugging; lugged or production casing is cemented in; ented from below any usable water to surface within 120 DAYS of spud date. or #133,891-C, which applies to the KCC District 3 area, alternate II cementing   |
| <ol> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on a control of the approved notice of intent to drill <i>shall be</i> posted on a control of the approved notice of intent to drill <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into the well is dry hole, an agreement between the operator and the control of the appropriate district office will be notified before well is either point of the appropriate district office will be notified before well is either point of the appropriate district office of the spuddate or the well shall be completed within 30 days of the spuddate or the well shall be completed within 30 days of the spuddate or the well shall be completed.</li> </ol>   | set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation.  district office on plug length and placement is necessary prior to plugging; lugged or production casing is cemented in; ented from below any usable water to surface within 120 DAYS of spud date. or #133,891-C, which applies to the KCC District 3 area, alternate II cementing   |
| <ol> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on a control of the approved notice of intent to drill <i>shall be</i> posted on a control of the approved notice of intent to drill <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into the well is dry hole, an agreement between the operator and the control of the appropriate district office will be notified before well is either point of the appropriate district office will be notified before well is either point of the appropriate district office of the spuddate or the well shall be completed within 30 days of the spuddate or the well shall be completed</li></ol> | set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation.  district office on plug length and placement is necessary prior to plugging; lugged or production casing is cemented in; ented from below any usable water to surface within 120 DAYS of spud date. or #133,891-C, which applies to the KCC District 3 area, alternate II cementing II be plugged. In all cases, NOTIFY district office prior to any cementing.   |
| <ol> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on a control of the approved notice of intent to drill <i>shall be</i> posted on a control of the approved notice of intent to drill <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into the well is dry hole, an agreement between the operator and the control of the appropriate district office will be notified before well is either point of the appropriate district office will be notified before well is either point of the appropriate district office of the spuddate or the well shall be completed within 30 days of the spuddate or the well shall be completed</li></ol> | set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. district office on plug length and placement is necessary prior to plugging; lugged or production casing is cemented in; ented from below any usable water to surface within 120 DAYS of spud date. or #133,891-C, which applies to the KCC District 3 area, alternate II cementing II be plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  |
| <ol> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on a control of the approved notice of intent to drill <i>shall be</i> posted on a control of the approved notice of intent to drill <i>shall be</i> posted on a control of the approved notice of the appropriate district office will be notified before well is either post. The appropriate district office will be notified before well is either post. If an ALTERNATE II COMPLETION, production pipe shall be come or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be the control of the control of the spud date or the well shall be completed.</li> </ol>  | set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. district office on plug length and placement is necessary prior to plugging; lugged or production casing is cemented in; ented from below any usable water to surface within 120 DAYS of spud date. or #133,891-C, which applies to the KCC District 3 area, alternate II cementing II be plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification   |
| <ol> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on e.</li> <li>The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet intended to the second of the</li></ol>          | set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. district office on plug length and placement is necessary prior to plugging; lugged or production casing is cemented in; ented from below any usable water to surface within 120 DAYS of spud date. or #133,891-C, which applies to the KCC District 3 area, alternate II cementing II be plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  |
| 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e. 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet inte. 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either p. 6. If an ALTERNATE II COMPLETION, production pipe shall be ceme. Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be completed.  **District Completed        | set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation.  district office on plug length and placement is necessary prior to plugging; lugged or production casing is cemented in; ented from below any usable water to surface within 120 DAYS of spud date. or #133,891-C, which applies to the KCC District 3 area, alternate II cementing II be plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  - File Drill Pit Application (form CDP-1) with Intent to Drill;  - File Completion Form ACO-1 within 120 days of spud date;   |
| <ol> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on e.</li> <li>The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet intended to the second of the</li></ol>          | set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation.  district office on plug length and placement is necessary prior to plugging; lugged or production casing is cemented in; ented from below any usable water to surface within 120 DAYS of spud date. or #133,891-C, which applies to the KCC District 3 area, alternate II cementing II be plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date;   |
| 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet intended. If the well is dry hole, an agreement between the operator and the specified before well is either part of the specified before the specified be        | set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. district office on plug length and placement is necessary prior to plugging; lugged or production casing is cemented in; ented from below any usable water to surface within 120 DAYS of spud date. or #133,891-C, which applies to the KCC District 3 area, alternate II cementing III be plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry;   |
| 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into through all unconsolidated materials plus a minimum of 20 feet into the well is dry hole, an agreement between the operator and the through appropriate district office will be notified before well is either point of the appropriate district office will be notified before well is either point of the appropriate district office will be notified before well is either point of the appropriate district office will be notified before well is either point of the appropriate of the well of the appropriate of the well of the spund date or the well shall be completed within 30 days of the spund date or the well shall be completed within 30 days of the spund date or the well shall be completed within 30 days of the spund date or the well shall be completed within 30 days of the spund date or the well shall be completed within 30 days of the spund date or the well shall be completed within 30 days of the spund date or the well shall be completed within 30 days of the spund date or the well shall be completed within 30 days of the spund date or the well shall be completed within 30 days of the spund date or the well shall be completed within 30 days of the spund date or the well shall be completed within 30 days of the spund date or the well shall be completed within 30 days of the spund date or the well shall be completed within 30 days of the spund date or the well shall be completed within 30 days of the spund date or the well shall be completed within 30 days of the spund date or the well shall be completed within 30 days of the spund date or the well shall be completed within 30 days of the spund date or the well shall be completed within 30 days of the spund date or the well shall be completed within 30 days of the spund date or the spun        | set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. district office on plug length and placement is necessary prior to plugging; lugged or production casing is cemented in; ented from below any usable water to surface within 120 DAYS of spud date. or #133,891-C, which applies to the KCC District 3 area, alternate II cementing III be plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed (within 60 days); |
| 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e. 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet inte. 4. If the well is dry hole, an agreement between the operator and the form the appropriate district office will be notified before well is either p. 6. If an ALTERNATE II COMPLETION, production pipe shall be ceme. Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be completed.  **Libmitted Electronically**  For KCC Use ONLY  API # 15  | set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. district office on plug length and placement is necessary prior to plugging; lugged or production casing is cemented in; ented from below any usable water to surface within 120 DAYS of spud date. or #133,891-C, which applies to the KCC District 3 area, alternate II cementing III be plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry;   |

\_ Agent: .

Side Two



| For KCC Use ONLY |  |
|------------------|--|
| API # 15         |  |

### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Location of Well: County: \_\_\_

| Lease:    |           |  |              |  |            |            |          |                                | feet from N / S Line of Section                 |  |
|-----------|-----------|--|--------------|--|------------|------------|----------|--------------------------------|---|--|
| Well Numb | oer:      |  |              |  |            |            |          |                                | feet from E / W Line of Section                 |  |
| Field:    |           |  |              |  |            |            | 8        | Sec                            | Twp S. R  |  |
| Number of |           |  |              |  |            |            | — Is     | s Section:                     | Regular or Irregular                            |  |
| QTR/QTR/  | /QTR/QTR  | of acreac                                    | je:          |  |            |            | _        |                                |   |  |
|           |           |  |              |  |            |            |          | r Section is<br>Section corne  | er used: NE NW SE SW                            |  |
|           |           |  |              |  |            |            |          |                                |   |  |
|           |           |  |              |  |            |            | PLAT     |                                |   |  |
|           | S         | how locati                                   | on of the w  | ell. Show                              | footage to | the neare  |          | or unit bound                  | dary line. Show the predicted locations of      |  |
|           | lease roa | ads, tank b                                  | atteries, pi | pelines an                             |            |            |          | by the Kans<br>te plat if desi | sas Surface Owner Notice Act (House Bill 2032). |  |
|           |           |  |              | 155                                    | 50 ft.     | ay allacii | а ѕерага | te piat ii desi                | anea.   |  |
|           |           | :  | :            |  |            | :          | :        | :                              |   |  |
|           |           | :  | :            | :                                      |            |            | :        |                                | LEGEND  |  |
|           | •••••     | :  | :            | :                                      | •••••      | :          | :        | :                              | O Well Location                                 |  |
|           |           | :  | :            |  |            | :          |          |                                | Tank Battery Location  Pipeline Location        |  |
| 2310 ft   | •••••     | :  | :            |  | •••••      | :          | :        | :                              | Electric Line Location                          |  |
| 201011.   |           | :  | :            |  |            | :          | :        | :                              | Lease Road Location                             |  |
|           | •••••     | :  | :            | :                                      | •••••      | :          | :        | :                              |   |  |
|           |           |  |              |  |            |            |          |                                | EXAMPLE : :                                     |  |
|           |           | <u>:                                    </u> | <u>:</u>     | ·<br>:                                 | .0         | <u>:</u>   | :        | <u>:</u>                       | -   |  |
|           |           | :  | :            | <u> </u>                               |            |            |          | :                              |   |  |
|           | •••••     | :  | :            | ······································ | •••••      | :          | :        | :                              |   |  |
|           |           | :  | :            | :                                      |            |            |          | :                              |   |  |
|           |           | :  | :            | :<br>:                                 |            | :          | ······   | :                              | 1980' FSL                                       |  |
|           |           | :  |              | :                                      |            | :          |          | :                              |   |  |
|           |           | :  | :            | :                                      | •••••      | :          | :        | :                              |   |  |
|           |           |  |              | :                                      |            |            |          | :                              | :   |  |
|           |           | •  | •            | •                                      |            | •          | :        | •                              |   |  |

#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.

NOTE: In all cases locate the spot of the proposed drilling locaton.

- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.



KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION 081679

Form CDP-1
May 2010
Form must be Typed

# **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

| Operator Name:  |  | License Number:   |  |  |  |
|---|--|---|--|--|--|
| Operator Address:   |  |   |  |  |  |
| Contact Person:   |  |   | Phone Number:  |  |  |
| Lease Name & Well No.:  |  | Pit Location (QQQQ):  |  |  |  |
| Type of Pit:  Emergency Pit Burn Pit  Settling Pit Drilling Pit  Workover Pit Haul-Off Pit  (If WP Supply API No. or Year Drilled)  | Pit is:  Proposed  If Existing, date continue prit capacity: | Existing nstructed: (bbls)  | SecTwpR East WestFeet from North / South Line of SectionFeet from East / West Line of SectionCounty  |  |  |
| Is the pit located in a Sensitive Ground Water A  | rea? Yes   | No  | Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)   |  |  |
| Is the bottom below ground level?   | Artificial Liner?  | No  | How is the pit lined if a plastic liner is not used?   |  |  |
| Pit dimensions (all but working pits):  | Length (fee  | et)   | Width (feet) N/A: Steel Pits   |  |  |
| If the pit is lined give a brief description of the li material, thickness and installation procedure.  | om ground level to dee                                       | Describe proce  | dures for periodic maintenance and determining any special monitoring.   |  |  |
| Distance to nearest water well within one-mile  | of pit:  | Depth to shallo<br>Source of infor                                | west fresh water feet. mation:   |  |  |
| feet Depth of water well  | feet   | measured  | well owner electric log KDWR   |  |  |
| Emergency, Settling and Burn Pits ONLY:  Producing Formation:  Number of producing wells on lease:  Barrels of fluid produced daily:  Does the slope from the tank battery allow all s flow into the pit?  Yes No  Submitted Electronically |  | Type of materia  Number of work  Abandonment p  Drill pits must b | over and Haul-Off Pits ONLY:  all utilized in drilling/workover:  king pits to be utilized:  procedure:  de closed within 365 days of spud date. |  |  |
| KCC OFFICE USE ONLY   |  |   |  |  |  |
| Date Received: Permit Num   | ber:   |   | Liner Steel Pit RFAC RFAS  t Date: Lease Inspection: Yes No  |  |  |



## Kansas Corporation Commission Oil & Gas Conservation Division

1081679


Form KSONA-1
July 2010
Form Must Be Typed
Form must be Signed
All blanks must be Filled

# CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

| Select the corresponding form being filed: C-1 (Intent) CB-1  | (Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)   |  |  |  |
|---|--|--|--|--|
| OPERATOR: License #   | Well Location:   |  |  |  |
|   | County:  |  |  |  |
| Address 1:  | Lease Name: Well #:  |  |  |  |
| Address 2: State: Zip:+   |  |  |  |  |
| Contact Person:   | If filing a Form T-1 for multiple wells on a lease, enter the legal description of<br>the lease below:   |  |  |  |
| Phone: ( ) Fax: ( )   |  |  |  |  |
| Email Address:  |  |  |  |  |
| Surface Owner Information:  |  |  |  |  |
| Name:   | When filing a Form T-1 involving multiple surface owners, attach an additional sheet listing all of the information to the left for each surface owner. Surface  |  |  |  |
| Address 1:  | owner information can be found in the records of the register of deeds for the   |  |  |  |
| Address 2:  | county, and in the real estate property tax records of the county treasurer.   |  |  |  |
| City:   |  |  |  |  |
| the KCC with a plat showing the predicted locations of lease roads, tan are preliminary non-binding estimates. The locations may be entered of Select one of the following:  I certify that, pursuant to the Kansas Surface Owner Notice A owner(s) of the land upon which the subject well is or will be I CP-1 that I am filing in connection with this form; 2) if the form form; and 3) my operator name, address, phone number, fax, a I have not provided this information to the surface owner(s). I a KCC will be required to send this information to the surface or | Act (House Bill 2032), I have provided the following to the surface ocated: 1) a copy of the Form C-1, Form CB-1, Form CB-1, Form CB-1, Form T-1, or Form being filed is a Form C-1 or Form CB-1, the plat(s) required by this and email address.  acknowledge that, because I have not provided this information, the wner(s). To mitigate the additional cost of the KCC performing this gree, payable to the KCC, which is enclosed with this form. |  |  |  |
| If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-  | fee with this form. If the fee is not received with this form, the KSONA-1 will be returned.   |  |  |  |
| Submitted Electronically  |  |  |  |  |
| [   | _  |  |  |  |



Conservation Division Finney State Office Building 130 S. Market, Rm. 2078 Wichita, KS 67202-3802



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Mark Sievers, Chairman Ward Loyd, Commissioner Thomas E. Wright, Commissioner

June 07, 2012

Scott Corsair American Warrior, Inc. 3118 Cummings Rd PO BOX 399 GARDEN CITY, KS 67846

Re: Drilling Pit Application Rein 5-20 NW/4 Sec.20-19S-21W Ness County, Kansas

#### Dear Scott Corsair:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed **without slots**, the bottom shall be flat and reasonably level, and the free fluids must be removed. The fluids are to be removed from the reserve pit within 96 hours of completion of drilling operations.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (620) 225-8888 when the fluids have been removed. Please file form CDP-5 (August 2008), Exploration and Production Waste Transfer, through KOLAR within 30 days of fluid removal.

A copy of this letter should be posted in the doghouse along with the approved Intent to **Drill**. If you have any questions or concerns please feel free to contact the District Office at (620) 225-8888.