

Well will not be drilled or Permit Expired Date: _

Signature of Operator or Agent:

For KCC	Use:
Effective	Date:
District #	
SGA?	Yes No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 March 2010 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

month o	d	Spot Description:
monur	day year	
DPERATOR: License#		feet from N / S Line of Section
lame:		feet from E / W Line of Section
ddress 1:		Is SECTION: Regular Irregular?
ddress 2:		(Note: Locate well on the Section Plat on reverse side)
City: State:		County:
Contact Person:		Lease Name: Well #:
Phone:		
CONTRACTOR: License#		Field Name: Is this a Prorated / Spaced Field? Yes No.
Name:		·
vario.		Target Formation(s):
Well Drilled For: Well Class:	Type Equipment:	Nearest Lease or unit boundary line (in footage):
Oil Enh Rec Infield	Mud Rotary	Ground Surface Elevation:feet MS
Gas Storage Pool Ext.	Air Rotary	Water well within one-quarter mile:
Disposal Wildcat	Cable	Public water supply well within one mile:
Seismic ; # of Holes Other		Depth to bottom of fresh water:
Other:		Depth to bottom of usable water:
LE CIADACO - ald could intermediate as a fall-		Surface Pipe by Alternate: I II
If OWWO: old well information as follows:		Length of Surface Pipe Planned to be set:
Operator:		Length of Conductor Pipe (if any):
Well Name:		Projected Total Depth:
Original Completion Date: Orig	ginal Total Depth:	Formation at Total Depth:
		Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore?	Yes No	Well Farm Pond Other:
If Yes, true vertical depth:		DWR Permit #:
Bottom Hole Location:		(Note: Apply for Permit with DWR)
KCC DKT #:		Will Cores be taken?
		If Yes, proposed zone:
	٨Ε	FIDAVIT
	= ==	
The undersigned hereby affirms that the drilling	a completion and eventual bi	agging of this won win comply with it.o.A. 33 ct. 3cq.
It is agreed that the following minimum requirer	ments will be met:	
t is agreed that the following minimum requirer 1. Notify the appropriate district office <i>prior</i>	ments will be met: r to spudding of well;	
t is agreed that the following minimum requirer 1. Notify the appropriate district office <i>prior</i> 2. A copy of the approved notice of intent to	ments will be met: r to spudding of well; o drill shall be posted on eac	h drilling rig;
t is agreed that the following minimum requirer 1. Notify the appropriate district office <i>prior</i> 2. A copy of the approved notice of intent to 3. The minimum amount of surface pipe as	ments will be met: r to spudding of well; o drill shall be posted on each s specified below shall be see	h drilling rig; by circulating cement to the top; in all cases surface pipe shall be set
t is agreed that the following minimum requirer 1. Notify the appropriate district office <i>priot</i> 2. A copy of the approved notice of intent to 3. The minimum amount of surface pipe as through all unconsolidated materials plus	ments will be met: r to spudding of well; o drill shall be posted on each s specified below shall be set s a minimum of 20 feet into the	h drilling rig; by circulating cement to the top; in all cases surface pipe shall be set le underlying formation.
t is agreed that the following minimum requirer 1. Notify the appropriate district office <i>priot</i> 2. A copy of the approved notice of intent to 3. The minimum amount of surface pipe as through all unconsolidated materials plus	ments will be met: r to spudding of well; o drill shall be posted on each s specified below shall be set s a minimum of 20 feet into the ween the operator and the dis	h drilling rig; by circulating cement to the top; in all cases surface pipe shall be set le underlying formation. trict office on plug length and placement is necessary prior to plugging ;
It is agreed that the following minimum requirer 1. Notify the appropriate district office <i>prioi</i> 2. A copy of the approved notice of intent to 3. The minimum amount of surface pipe as through all unconsolidated materials plus 4. If the well is dry hole, an agreement betw 5. The appropriate district office will be noti	ments will be met: r to spudding of well; o drill shall be posted on each s specified below shall be set s a minimum of 20 feet into the ween the operator and the dis ified before well is either plug	h drilling rig; by circulating cement to the top; in all cases surface pipe shall be set le underlying formation. trict office on plug length and placement is necessary prior to plugging ;
t is agreed that the following minimum requirer 1. Notify the appropriate district office <i>priot</i> 2. A copy of the approved notice of intent to 3. The minimum amount of surface pipe as through all unconsolidated materials plus 4. If the well is dry hole, an agreement betw 5. The appropriate district office will be noti 6. If an ALTERNATE II COMPLETION, production or pursuant to Appendix "B" - Eastern Ka	ments will be met: r to spudding of well; o drill shall be posted on each s specified below shall be set s a minimum of 20 feet into the ween the operator and the dis ified before well is either plug duction pipe shall be cemente ansas surface casing order #	th drilling rig; by circulating cement to the top; in all cases surface pipe shall be set be underlying formation. trict office on plug length and placement is necessary prior to plugging ; ged or production casing is cemented in; but from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing
It is agreed that the following minimum requirer 1. Notify the appropriate district office <i>priot</i> 2. A copy of the approved notice of intent to 3. The minimum amount of surface pipe as through all unconsolidated materials plus 4. If the well is dry hole, an agreement betw 5. The appropriate district office will be noti 6. If an ALTERNATE II COMPLETION, production or pursuant to Appendix "B" - Eastern Ka	ments will be met: r to spudding of well; o drill shall be posted on each s specified below shall be set s a minimum of 20 feet into the ween the operator and the dis ified before well is either plug duction pipe shall be cemente ansas surface casing order #	th drilling rig; by circulating cement to the top; in all cases surface pipe shall be set be underlying formation. trict office on plug length and placement is necessary prior to plugging ; ged or production casing is cemented in; but from below any usable water to surface within 120 DAYS of spud date.
It is agreed that the following minimum requirer 1. Notify the appropriate district office <i>prioi</i> 2. A copy of the approved notice of intent to 3. The minimum amount of surface pipe as through all unconsolidated materials plus 4. If the well is dry hole, an agreement betw 5. The appropriate district office will be noti 6. If an ALTERNATE II COMPLETION, prodor pursuant to Appendix "B" - Eastern Ka	ments will be met: r to spudding of well; o drill shall be posted on each s specified below shall be set s a minimum of 20 feet into the ween the operator and the dis ified before well is either plug duction pipe shall be cemente ansas surface casing order #	th drilling rig; by circulating cement to the top; in all cases surface pipe shall be set be underlying formation. trict office on plug length and placement is necessary prior to plugging ; ged or production casing is cemented in; but from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing
t is agreed that the following minimum requirer 1. Notify the appropriate district office <i>prioi</i> 2. A copy of the approved notice of intent to 3. The minimum amount of surface pipe as through all unconsolidated materials plus 4. If the well is dry hole, an agreement betw 5. The appropriate district office will be noti 6. If an ALTERNATE II COMPLETION, proc Or pursuant to Appendix "B" - Eastern Ka must be completed within 30 days of the	ments will be met: r to spudding of well; o drill shall be posted on each s specified below shall be set s a minimum of 20 feet into the ween the operator and the dis ified before well is either plug duction pipe shall be cemente ansas surface casing order #	th drilling rig; by circulating cement to the top; in all cases surface pipe <i>shall be set</i> be underlying formation. trict office on plug length and placement is necessary <i>prior to plugging;</i> ged or production casing is cemented in; but from below any usable water to surface within <i>120 DAYS</i> of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing
t is agreed that the following minimum requirer 1. Notify the appropriate district office <i>prioi</i> 2. A copy of the approved notice of intent to 3. The minimum amount of surface pipe as through all unconsolidated materials plus 4. If the well is dry hole, an agreement betw 5. The appropriate district office will be noti 6. If an ALTERNATE II COMPLETION, proc Or pursuant to Appendix "B" - Eastern Ka must be completed within 30 days of the	ments will be met: r to spudding of well; o drill shall be posted on each s specified below shall be set s a minimum of 20 feet into the ween the operator and the dis ified before well is either plug duction pipe shall be cemente ansas surface casing order #	th drilling rig; by circulating cement to the top; in all cases surface pipe <i>shall be set</i> be underlying formation. trict office on plug length and placement is necessary <i>prior to plugging;</i> ged or production casing is cemented in; but from below any usable water to surface within <i>120 DAYS</i> of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing
t is agreed that the following minimum requirer 1. Notify the appropriate district office <i>prioi</i> 2. A copy of the approved notice of intent to 3. The minimum amount of surface pipe as through all unconsolidated materials plus 4. If the well is dry hole, an agreement betw 5. The appropriate district office will be noti 6. If an ALTERNATE II COMPLETION, proc Or pursuant to Appendix "B" - Eastern Kamust be completed within 30 days of the	ments will be met: r to spudding of well; o drill shall be posted on each s specified below shall be set s a minimum of 20 feet into the ween the operator and the dis ified before well is either plug duction pipe shall be cemente ansas surface casing order #	th drilling rig; by circulating cement to the top; in all cases surface pipe shall be set be underlying formation. trict office on plug length and placement is necessary prior to plugging ; ged or production casing is cemented in; but from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing
t is agreed that the following minimum requirer 1. Notify the appropriate district office <i>prioi</i> 2. A copy of the approved notice of intent to 3. The minimum amount of surface pipe as through all unconsolidated materials plus 4. If the well is dry hole, an agreement betw 5. The appropriate district office will be noti 6. If an ALTERNATE II COMPLETION, proc Or pursuant to Appendix "B" - Eastern Ka must be completed within 30 days of the	ments will be met: r to spudding of well; o drill shall be posted on each s specified below shall be set s a minimum of 20 feet into the ween the operator and the dis ified before well is either plug duction pipe shall be cemente ansas surface casing order #	th drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. The trict office on plug length and placement is necessary prior to plugging ; The great or production casing is cemented in; The drom below any usable water to surface within 120 DAYS of spud date. The sur
t is agreed that the following minimum requirer 1. Notify the appropriate district office <i>prioi</i> 2. A copy of the approved notice of intent to 3. The minimum amount of surface pipe as through all unconsolidated materials plus 4. If the well is dry hole, an agreement betw 5. The appropriate district office will be noti 6. If an ALTERNATE II COMPLETION, proc Or pursuant to Appendix "B" - Eastern Kamust be completed within 30 days of the	ments will be met: r to spudding of well; o drill shall be posted on each s specified below shall be set s a minimum of 20 feet into the ween the operator and the dis diffied before well is either plug duction pipe shall be cemente ansas surface casing order # e spud date or the well shall be	th drilling rig; by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. trict office on plug length and placement is necessary prior to plugging ; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing.
t is agreed that the following minimum requirer 1. Notify the appropriate district office <i>prioi</i> 2. A copy of the approved notice of intent to 3. The minimum amount of surface pipe as through all unconsolidated materials plus 4. If the well is dry hole, an agreement betw 5. The appropriate district office will be noti 6. If an ALTERNATE II COMPLETION, proc Or pursuant to Appendix "B" - Eastern Kamust be completed within 30 days of the ubmitted Electronically For KCC Use ONLY API # 15 -	ments will be met: r to spudding of well; o drill shall be posted on each specified below shall be set s a minimum of 20 feet into the ween the operator and the dis iffied before well is either plug duction pipe shall be cemente ansas surface casing order # e spud date or the well shall be	th drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. The trict office on plug length and placement is necessary prior to plugging ; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification
It is agreed that the following minimum requirer 1. Notify the appropriate district office <i>priot</i> 2. A copy of the approved notice of intent to 3. The minimum amount of surface pipe as through all unconsolidated materials plus 4. If the well is dry hole, an agreement betw 5. The appropriate district office will be noti 6. If an ALTERNATE II COMPLETION, proc Or pursuant to Appendix "B" - Eastern Kamust be completed within 30 days of the ubmitted Electronically For KCC Use ONLY API # 15	ments will be met: r to spudding of well; o drill shall be posted on each s specified below shall be set s a minimum of 20 feet into the ween the operator and the dis ified before well is either plug duction pipe shall be cemente ansas surface casing order # e spud date or the well shall be feet	th drilling rig; by circulating cement to the top; in all cases surface pipe shall be set le underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing e plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;
It is agreed that the following minimum requirer 1. Notify the appropriate district office <i>prioi</i> 2. A copy of the approved notice of intent to 3. The minimum amount of surface pipe as through all unconsolidated materials plus 4. If the well is dry hole, an agreement betw 5. The appropriate district office will be noti 6. If an ALTERNATE II COMPLETION, proc Or pursuant to Appendix "B" - Eastern Kamust be completed within 30 days of the ubmitted Electronically For KCC Use ONLY API # 15	ments will be met: r to spudding of well; o drill shall be posted on each s specified below shall be set s a minimum of 20 feet into the ween the operator and the dis ified before well is either plug duction pipe shall be cemente ansas surface casing order # e spud date or the well shall be feet	th drilling rig; thy circulating cement to the top; in all cases surface pipe shall be set the underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;
It is agreed that the following minimum requirer 1. Notify the appropriate district office <i>priot</i> 2. A copy of the approved notice of intent to 3. The minimum amount of surface pipe as through all unconsolidated materials plus 4. If the well is dry hole, an agreement betw 5. The appropriate district office will be noti 6. If an ALTERNATE II COMPLETION, proc Or pursuant to Appendix "B" - Eastern Kamust be completed within 30 days of the ubmitted Electronically For KCC Use ONLY API # 15	ments will be met: r to spudding of well; o drill shall be posted on each s specified below shall be set s a minimum of 20 feet into the ween the operator and the dis diffied before well is either plug duction pipe shall be cemente ansas surface casing order # e spud date or the well shall be feet feet feet per ALT. I I II	th drilling rig; thy circulating cement to the top; in all cases surface pipe shall be set the underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;
It is agreed that the following minimum requirer 1. Notify the appropriate district office <i>prioi</i> 2. A copy of the approved notice of intent to 3. The minimum amount of surface pipe as through all unconsolidated materials plus 4. If the well is dry hole, an agreement betw 5. The appropriate district office will be noti 6. If an ALTERNATE II COMPLETION, procount of pursuant to Appendix "B" - Eastern Kamust be completed within 30 days of the ubmitted Electronically For KCC Use ONLY API # 15	ments will be met: r to spudding of well; o drill shall be posted on each s specified below shall be set s a minimum of 20 feet into the ween the operator and the dis diffied before well is either plug duction pipe shall be cemente ansas surface casing order # e spud date or the well shall be feet feet feet per ALT. I I II	th drilling rig; thy circulating cement to the top; in all cases surface pipe shall be set the underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days);
2. A copy of the approved notice of intent to 3. The minimum amount of surface pipe as through all unconsolidated materials plus 4. If the well is dry hole, an agreement betw 5. The appropriate district office will be noti 6. If an ALTERNATE II COMPLETION, production or pursuant to Appendix "B" - Eastern Kamust be completed within 30 days of the submitted Electronically For KCC Use ONLY API # 15	ments will be met: r to spudding of well; o drill shall be posted on each specified below shall be set is a minimum of 20 feet into the ween the operator and the distiffed before well is either plug duction pipe shall be cemente ansas surface casing order #e spud date or the well shall be spud date or the well shall be feet feet per ALT.	th drilling rig; thy circulating cement to the top; in all cases surface pipe shall be set the underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

Spud date: _

For KCC Use ONLY	
API # 15	-

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW


In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator:	Location of Well: County:
Lease:	feet from N / S Line of Section
Well Number:	feet from N / S Line of Section feet from E / W Line of Section
Field:	Sec Twp S. R
Number of Acres attributable to well:	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT

Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032).

You may attach a separate plat if desired.



NOTE: In all cases locate the spot of the proposed drilling locaton.

1300 ft.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 May 2010 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name:			License Number:	
Operator Address:				
Contact Person:			Phone Number:	
Lease Name & Well No.:			Pit Location (QQQQ):	
Type of Pit: Emergency Pit Burn Pit Settling Pit Drilling Pit Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)	Pit is: Proposed If Existing, date co Pit capacity:	Existing nstructed:	SecTwp R East WestFeet from North / South Line of SectionFeet from East / West Line of Section	
		(bbls)	County	
Is the pit located in a Sensitive Ground Water A	Area? Yes	No	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)	
Is the bottom below ground level?	Artificial Liner?	No	How is the pit lined if a plastic liner is not used?	
Pit dimensions (all but working pits):	Length (fe	et)	Width (feet) N/A: Steel Pits	
Depth fro	om ground level to dee	epest point:	(feet) No Pit	
If the pit is lined give a brief description of the li material, thickness and installation procedure.			dures for periodic maintenance and determining ncluding any special monitoring.	
Distance to nearest water well within one-mile of pit:		Depth to shallowest fresh water feet. Source of information:		
feet Depth of water well	feet	measured	well owner electric log KDWR	
Emergency, Settling and Burn Pits ONLY:		Drilling, Work	over and Haul-Off Pits ONLY:	
Producing Formation:		Type of materia	Type of material utilized in drilling/workover:	
Number of producing wells on lease:		Number of working pits to be utilized:		
Barrels of fluid produced daily:		Abandonment procedure:		
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No		Drill pits must be closed within 365 days of spud date.		
Submitted Electronically				
	KCC	OFFICE USE O		
Date Received: Permit Num	ber:	Permi	Liner Steel Pit RFAC RFAS it Date: Lease Inspection: Yes No	

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form KSONA-1 July 2010 Form Must Be Typed Form must be Signed

All blanks must be Filled

CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application). Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (C	Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)	
OPERATOR: License #	Well Location:	
Name:	SecTwpS. R	
Address 1:	County:	
Address 2:	Lease Name: Well #:	
City: State: Zip:+	If filing a Form T-1 for multiple wells on a lease, enter the legal description of	
Contact Person:	the lease below:	
Phone: () Fax: ()		
Email Address:		
Surface Owner Information:		
Name:	When filing a Form T-1 involving multiple surface owners, attach an addition sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for	
Address 1:		
Address 2:	county, and in the real estate property tax records of the county treasurer.	
City: State: Zip:+		
the KCC with a plat showing the predicted locations of lease roads, tank	dic Protection Borehole Intent), you must supply the surface owners and a batteries, pipelines, and electrical lines. The locations shown on the plat in the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.	
owner(s) of the land upon which the subject well is or will be lo	act (House Bill 2032), I have provided the following to the surface ocated: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form being filed is a Form C-1 or Form CB-1, the plat(s) required by this and email address.	
	cknowledge that, because I have not provided this information, the vner(s). To mitigate the additional cost of the KCC performing this fee, payable to the KCC, which is enclosed with this form.	
If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-	fee with this form. If the fee is not received with this form, the KSONA-1 will be returned.	
Submitted Electronically		

Amended Surface Owners of the Carter B Lease:

Robert K. Leach 4237 Finney Rd. Rantoul, KS 66079-9117

Marvin D. Willcut, Jr. Karla E. Willcut 1354 Utah Rd. Rantoul, KS 66079-9120

Gregory T. Gay 4275 Finney Rd. Rantoul, KS 66079-9117

Trent Burkdoll 4191 John Brown Rd. Rantoul, KS 66079-9125

Russel Rickerson Laurie Rickerson 4252 John Brown Rd. Rantoul, KS 66079

Summary of Changes

Lease Name and Number: Carter B BSI-CB8

API/Permit #: 15-059-26051-00-00

Doc ID: 1081720

Correction Number: 1

Approved By: Steve Bond 05/18/2012

Field Name	Previous Value	New Value
Fresh Water Information Source: KDWR	Yes	No
KCC Only - Approved By	Rick Hestermann 05/17/2012	Steve Bond 05/18/2012
KCC Only - Approved Date	05/17/2012	05/18/2012
KCC Only - Date Received	05/16/2012	05/17/2012
KCC Only - Lease Inspection	Yes	No
Save Link	//kcc/detail/operatorE ditDetail.cfm?docID=10 81494	//kcc/detail/operatorE ditDetail.cfm?docID=10 81720

Summary of Attachments

Lease Name and Number: Carter B BSI-CB8

API: 15-059-26051-00-00

Doc ID: 1081720

Correction Number: 1

Approved By: Steve Bond 05/18/2012

Attachment Name