



KANSAS CORPORATION COMMISSION
OIL & GAS CONSERVATION DIVISION

1082620

Form ACO-1

June 2009

Form Must Be Typed

Form must be Signed

All blanks must be Filled

WELL COMPLETION FORM
WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License # _____

Name: _____

Address 1: _____

Address 2: _____

City: _____ State: _____ Zip: _____ + _____

Contact Person: _____

Phone: (_____) _____

CONTRACTOR: License # _____

Name: _____

Wellsite Geologist: _____

Purchaser: _____

Designate Type of Completion:

- ☐ New Well ☐ Re-Entry ☐ Workover
- ☐ Oil ☐ WSW ☐ SWD ☐ SIOW
- ☐ Gas ☐ D&A ☐ ENHR ☐ SIGW
- ☐ OG ☐ GSW ☐ Temp. Abd.
- ☐ CM (Coal Bed Methane)
- ☐ Cathodic ☐ Other (Core, Expl., etc.): _____

If Workover/Re-entry: Old Well Info as follows:

Operator: _____

Well Name: _____

Original Comp. Date: _____ Original Total Depth: _____

- ☐ Deepening ☐ Re-perf. ☐ Conv. to ENHR ☐ Conv. to SWD
- ☐ Conv. to GSW
- ☐ Plug Back: _____ Plug Back Total Depth _____
- ☐ Commingled Permit #: _____
- ☐ Dual Completion Permit #: _____
- ☐ SWD Permit #: _____
- ☐ ENHR Permit #: _____
- ☐ GSW Permit #: _____

Spud Date or
Recompletion Date

Date Reached TD

Completion Date or
Recompletion Date

API No. 15 - _____

Spot Description: _____

_____-_____-_____- Sec. _____ Twp. _____ S. R. _____ ☐ East ☐ West

_____-_____-_____- Feet from ☐ North / ☐ South Line of Section

_____-_____-_____- Feet from ☐ East / ☐ West Line of Section

Footages Calculated from Nearest Outside Section Corner:

☐ NE ☐ NW ☐ SE ☐ SW

County: _____

Lease Name: _____ Well #: _____

Field Name: _____

Producing Formation: _____

Elevation: Ground: _____ Kelly Bushing: _____

Total Depth: _____ Plug Back Total Depth: _____

Amount of Surface Pipe Set and Cemented at: _____ Feet

Multiple Stage Cementing Collar Used? ☐ Yes ☐ No

If yes, show depth set: _____ Feet

If Alternate II completion, cement circulated from: _____

feet depth to: _____ w/ _____ sx cmt.

Drilling Fluid Management Plan

(Data must be collected from the Reserve Pit)

Chloride content: _____ ppm Fluid volume: _____ bbls

Dewatering method used: _____

Location of fluid disposal if hauled offsite: _____

Operator Name: _____

Lease Name: _____ License #: _____

Quarter _____ Sec. _____ Twp. _____ S. R. _____ ☐ East ☐ West

County: _____ Permit #: _____

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY

☐ Letter of Confidentiality Received

Date: _____

☐ Confidential Release Date: _____

☐ Wireline Log Received

☐ Geologist Report Received

☐ UIC Distribution

ALT ☐ I ☐ II ☐ III Approved by: _____ Date: _____



1082620

Operator Name: _____ Lease Name: _____ Well #: _____

Sec. _____ Twp. _____ S. R. _____ ☐ East ☐ West County: _____

INSTRUCTIONS: Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach complete copy of all Electric Wire-line Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken ☐ Yes ☐ No <i>(Attach Additional Sheets)</i> Samples Sent to Geological Survey ☐ Yes ☐ No Cores Taken ☐ Yes ☐ No Electric Log Run ☐ Yes ☐ No Electric Log Submitted Electronically ☐ Yes ☐ No <i>(If no, Submit Copy)</i> List All E. Logs Run:	☐ Log Formation (Top), Depth and Datum ☐ Sample Name Top Datum
--	--

CASING RECORD ☐ New ☐ Used Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives

ADDITIONAL CEMENTING / SQUEEZE RECORD				
Purpose:	Depth Top Bottom	Type of Cement	# Sacks Used	Type and Percent Additives
_____ Perforate _____ Protect Casing _____ Plug Back TD _____ Plug Off Zone				

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record <i>(Amount and Kind of Material Used)</i>	Depth

TUBING RECORD:		Size:	Set At:	Packer At:	Liner Run: ☐ Yes ☐ No
Date of First, Resumed Production, SWD or ENHR.			Producing Method: ☐ Flowing ☐ Pumping ☐ Gas Lift ☐ Other <i>(Explain)</i> _____		
Estimated Production Per 24 Hours	Oil Bbls.	Gas Mcf	Water Bbls.	Gas-Oil Ratio	Gravity

DISPOSITION OF GAS: ☐ Vented ☐ Sold ☐ Used on Lease <i>(If vented, Submit ACO-18.)</i>	METHOD OF COMPLETION: ☐ Open Hole ☐ Perf. ☐ Dually Comp. <i>(Submit ACO-5)</i> ☐ Commingled <i>(Submit ACO-4)</i> ☐ Other <i>(Specify)</i> _____	PRODUCTION INTERVAL: _____ _____
--	--	---

Orscheln Farm and Home

2900 W. Main

Independ, KS 67301

620-331-2551

ORSCHELN FARM & HOME CAREERS

Training-Advancement-Opportunity

Family Values

CALL 1-800-498-5090 EXT.3600

Visit us at www.orschelnfarmhome.com

QTY	ITEM	PRICE	TOTAL
-----	------	-------	-------

15	108240096	\$3.29	\$49.35T
----	-----------	--------	----------

CONCRETE MIX 80 LB BAG

Original Price: \$3.69

2	101302025	\$3.99	\$7.98T
---	-----------	--------	---------

LIMESTONE POWDER 40 LB

1	103220134	\$13.99	\$13.99T
---	-----------	---------	----------

ROD WELDING E6013 1/8 IN 5 LB

Subtotal \$71.32

Tax @ 8.5500% \$6.10

Total \$77.42

Check \$77.42

Thank You for Shopping ORSCHELN!

Sales Associate: CRYSTAL

77

3/0

PO Box 884, Chanute, KS 66720
620-431-9210 or 800-467-8676

FIELD TICKET & TREATMENT REPORT CEMENT

DATE	CUSTOMER #	WELL NAME & NUMBER	SECTION	TOWNSHIP	RANGE	COUNTY
1-29-11		Beair #1				Montgomery
CUSTOMER Melander Drilling						
MAILING ADDRESS			TRUCK #	DRIVER	TRUCK #	DRIVER
			398	John W.		
			518	James W.		
			Nimbley's			
CITY		STATE	ZIP CODE			

JOB TYPE	P4A	HOLE SIZE	5 7/8	HOLE DEPTH	800'	CASING SIZE & WEIGHT	
CASING DEPTH		DRILL PIPE		TUBING	1" to 800'	OTHER	
SLURRY WEIGHT	14.1	SLURRY VOL	6.55	WATER gal/sk	7.8	CEMENT LEFT in CASING	
DISPLACEMENT		DISPLACEMENT PSI		MIX PSI		RATE	36 gpm

REMARKS: Est. circ., ran 110 cu of 4% gel cement. Rig pulled 1" out & topped off. Shut down & washed up.

[illegible]

Ravin 3737

AUTHORIZATION W. J. M. P. G. S. TITLE _____ DATE _____

I acknowledge that the payment terms, unless specifically amended in writing on the front of the form or in the customer's account records, at our office, and conditions of service on the back of this form are in effect for services identified on this form.