For KCC Use:

Effective	Date:

	~	2010.	
District	#		

80.42	Vaa	
SGA?	Yes	No

CORRECTION #1

1082798

KANSAS CORPORATION COMMISSION **OIL & GAS CONSERVATION DIVISION**

March 2010 Form must be Typed Form must be Signed All blanks must be Filled

Form C-1

Must be approved by KCC five (5) days prior to commencing well

Form KSONA-1, Certification of Compliance with the Kansas Surface Owner Notification Act, MUST be submitted with this form.

Expected Spud Date:	Spot Description:
month day year	
OPERATOR: License#	feet from E / W Line of Section
Name:	
Address 1:	Is SECTION: Regular Irregular?
Address 2:	(Note: Locate well on the Section Plat on reverse side)
City: State: Zip: +	County:
Contact Person:	Lease Name: Well #:
Phone:	Field Name:
CONTRACTOR: License#	Is this a Prorated / Spaced Field?
Name:	Target Formation(s):
Well Drilled For: Well Class: Type Equipment: Oil Enh Rec Infield Mud Rotary Gas Storage Pool Ext. Air Rotary Disposal Wildcat Cable Seismic ; # of Holes Other Other:	Nearest Lease or unit boundary line (in footage):
Directional, Deviated or Horizontal wellbore?	Water Source for Drilling Operations:
If Yes, true vertical depth:	Well Farm Pond Other:
Bottom Hole Location:	DWR Permit #:
KCC DKT #:	(Note: Apply for Permit with DWR)
	Will Cores be taken?
	If Yes, proposed zone:

AFFIDAVIT

The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq.

It is agreed that the following minimum requirements will be met:

- 1. Notify the appropriate district office *prior* to spudding of well;
- 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig;
- 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.
- 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging;
- 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in;
- 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.

Submitted Electroni	cally	ļ
---------------------	-------	---

For KCC Use ONLY	
API # 15	
Conductor pipe required	feet
Minimum surface pipe required	feet per ALT.
Approved by:	
This authorization expires:	
Spud date: Agent:	

Remember to:

- File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;
- File Drill Pit Application (form CDP-1) with Intent to Drill;
- File Completion Form ACO-1 within 120 days of spud date;
- File acreage attribution plat according to field proration orders;
- Notify appropriate district office 48 hours prior to workover or re-entry;
- Submit plugging report (CP-4) after plugging is completed (within 60 days);
- Obtain written approval before disposing or injecting salt water.
- If well will not be drilled or permit has expired (See: authorized expiration date) please check the box below and return to the address below.
 - Well will not be drilled or Permit Expired Date: _____ Signature of Operator or Agent:

ш

For KCC Use ONLY

API # 15 - ____


IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator:	Location of Well: County:
Lease:	feet from N / S Line of Section
Well Number:	feet from E / W Line of Section
Field:	Sec Twp S. R E 🗌 W
Number of Acres attributable to well: QTR/QTR/QTR/QTR of acreage:	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary.
	Section corner used: NE NW SE SW

PLAT

Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032). You may attach a separate plat if desired.



330 ft.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.



1082798

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION 1082798

Form CDP-1 May 2010 Form must be Typed

APPLICATION FOR SURFACE PIT

Operator Name: Lconse Number; Operator Address: Contract Person: Phone Number: Contract Person: Phone Number: Person Lesse Name & Well No: Prit Location (OOOO): "	Submit in Duplicate			
Contact Person: Phone Number: Lease Name & Well No: Pit Location (QOQQ): Type of Pit: Pit Bit: Emergency Pit Burn Pit If Existing, date constructed: Foet from North /] South Line of Section Workower Pit Heuk-Off Pit If WPS Supply API No or War Differ) Pit copacity: (bble) County Is the pit located in a Sensitive Ground Water Area? Yes No (bble) Chloride concentration: (bble) County Is the bottom below ground level? Artificial Line? How is the pit located in a Sensitive Ground Water Area? Yes No Pit dimensions (all but working pits): Length (feet) W/A: Seel Pits Depth from ground level? Artificial Line? How is the pit located in a plastic liner is not usea? If the pit is lined give a brief description of the liner No Pit No Pit If the pit is lined give a brief description of the liner No Pit No Pit If the pit is lined give a brief description of the liner Meeting mathematic and analtenance and determining Iner integrity, including any special monitoring. No Pit Depth for material utilized in drilling/wo	Operator Name:		License Number:	
Lease Name & Weil No: Pit Location (QOQQ): Type of Pit: Burn Pit Benegrony Pit Dufling Pit Workower Pit Dufling Pit Workower Pit Haul-Off Pit (WPS supp) API fob. or New Dotted! Pit capacity: (bbl)	Operator Address:			
Type of Pit: Pit is: Pit is:	Contact Person:			Phone Number:
Energency Pit Burn Pit Setting Pit Dilling Pit Workover Pit Haul-Off Pit (If WP active A billed If Existing, date constructed: Pit capacity:	Lease Name & Well No.:			Pit Location (QQQQ):
Setting Pit Diffing Pit If Existing, date constructed:	Type of Pit:	Pit is:		· · · ·
Vorkover Pit	Emergency Pit Burn Pit	Proposed	Existing	SecTwpR East West
(I'WP Supply API No. or Year Diffect) Pit capacity:	Settling Pit Drilling Pit	If Existing, date co	nstructed:	Feet from North / South Line of Section
interview		Pit capacity:		Feet from East / West Line of Section
Is the bottom below ground level? Artificial Liner? How is the pit lined if a plastic liner is not used? I'ves No I'ves No Pit dimensions (all but working pits): Length (feet) Width (feet) NA: Steel Pits Depth from ground level to deepest point: (feet) No Pit No Pit If the pit is lined give a brief description of the liner material, thickness and installation procedure. Describe procedures for periodic maintenance and determining liner integrity, including any special monitoring. Distance to nearest water well within one-mile of pit: Depth to shallowest fresh water feet. Source of information: Generation: Generation: Integrity, including any special monitoring. Producing Formation: Producing Wells on lease: Drilling, Workover and Haul-Off Pits ONLY: Number of working pits to be utilized: Abandonment procedure: Abandonment procedure: Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes			(bbls)	County
Yes No Pt dimensions (all but working pits): Length (feet) Depth from ground level to deepest point: (feet) No Pit If the pit is lined give a brief description of the liner material, thickness and installation procedure. Describe procedures for periodic maintenance and determining liner integrity, including any special monitoring. Distance to nearest water well within one-mile of pit: Depth to shallowest fresh water feet. Source of information: feet Depth of water well feet measured well owner electric log KDWR Emergency, Settling and Burn Pits ONLY: Producing Formation: Type of material utilized in drilling/workover: Number of producing wells on lease: Number of working pits to be utilized: Abandonment procedure: Dest he slope from the tank battery allow all spilled fluids to frow into the pit? Submitted Electronically	Is the pit located in a Sensitive Ground Water A	rea? Yes	No	0
Pit dimensions (all but working pits);				How is the pit lined if a plastic liner is not used?
Depth from ground level to deepest point:	Yes No	Yes N	10	
If the pit is lined give a brief description of the liner material, thickness and installation procedure. Describe procedures for periodic maintenance and determining liner integrity, including any special monitoring. Distance to nearest water well within one-mile of pit: Depth to shallowest fresh water feet. Source of information: feet Depth of water wellfeet Depth to shallowest fresh water feet. Source of information: feet Depth of water wellfeet Drilling, Workover and Haul-Off Pits ONLY: Producing Formation:	Pit dimensions (all but working pits):	Length (fee	et)	Width (feet)N/A: Steel Pits
material, thickness and installation procedure. liner integrity, including any special monitoring. Distance to nearest water well within one-mile of pit: Depth to shallowest fresh water feet. Source of information: feet Depth of water well feet Image: feet Depth of water well feet	Depth fro	m ground level to dee	epest point:	(feet) No Pit
Source of information: feet Depth of water well feet measured well owner electric log KDWR	material, thickness and installation procedure.			
feet Depth of water wellfeetmeasured well owner electric log KDWR Emergency, Settling and Burn Pits ONLY: Producing Formation:				
Producing Formation: Type of material utilized in drilling/workover: Number of producing wells on lease: Number of working pits to be utilized: Barrels of fluid produced daily: Abandonment procedure: Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pits must be closed within 365 days of spud date.	feet Depth of water well	feet		
Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pits must be closed within 365 days of spud date. Submitted Electronically KCC OFFICE USE ONLY Liner Steel Pit	Emergency, Settling and Burn Pits ONLY: Drilling, Workover and Haul-Off Pits ONLY:		over and Haul-Off Pits ONLY:	
Barrels of fluid produced daily: Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pits must be closed within 365 days of spud date. Dirill pits must be closed within 365 days of spud date. KCC OFFICE USE ONLY Liner Steel Pit RFAS	Producing Formation:		Type of materia	I utilized in drilling/workover:
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pits must be closed within 365 days of spud date. Submitted Electronically KCC OFFICE USE ONLY Liner Steel Pit RFAS	Number of producing wells on lease:		Number of worl	king pits to be utilized:
flow into the pit? Yes Drill pits must be closed within 365 days of spud date. Submitted Electronically KCC OFFICE USE ONLY Liner Steel Pit RFAS	Barrels of fluid produced daily: Abandonment procedure:		procedure:	
Submitted Electronically KCC OFFICE USE ONLY Liner Steel Pit RFAC RFAS			e closed within 365 days of spud date.	
Liner Steel Pit RFAC RFAS				
Date Received: Permit Number: Permit Date: Lease Inspection: Yes No				
	Date Received: Permit Numl	oer:	Permi	it Date: Lease Inspection: Yes No

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

CORRECTION #1				
RPORATION COMMIS	SION	1082	798	

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION Form KSONA-1 July 2010 Form Must Be Typed Form must be Signed All blanks must be Filled

CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application). Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)

OPERATOR: License #	Well Location:			
Name:				
Address 1:	County:			
Address 2:	Lease Name: Well #:			
City: State: Zip:+	If filing a Form T-1 for multiple wells on a lease, enter the legal description of			
Contact Person:	the lease below:			
Phone: () Fax: ()				
Email Address:				
Surface Owner Information:				
Name:	When filing a Form T-1 involving multiple surface owners, attach an additional			
Address 1:	 sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the 			
Address 2:	county, and in the real estate property tax records of the county treasurer.			
City: State: Zip:+				

If this form is being submitted with a Form C-1 (Intent) or CB-1 (Cathodic Protection Borehole Intent), you must supply the surface owners and the KCC with a plat showing the predicted locations of lease roads, tank batteries, pipelines, and electrical lines. The locations shown on the plat are preliminary non-binding estimates. The locations may be entered on the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.

Select one of the following:

- I certify that, pursuant to the Kansas Surface Owner Notice Act (House Bill 2032), I have provided the following to the surface owner(s) of the land upon which the subject well is or will be located: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form CP-1 that I am filing in connection with this form; 2) if the form being filed is a Form C-1 or Form CB-1, the plat(s) required by this form; and 3) my operator name, address, phone number, fax, and email address.
- □ I have not provided this information to the surface owner(s). I acknowledge that, because I have not provided this information, the KCC will be required to send this information to the surface owner(s). To mitigate the additional cost of the KCC performing this task, I acknowledge that I am being charged a \$30.00 handling fee, payable to the KCC, which is enclosed with this form.

If choosing the second option, submit payment of the \$30.00 handling fee with this form. If the fee is not received with this form, the KSONA-1 form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-1 will be returned.

Submitted Electronically

I

I

Summary of Changes

Lease Name and Number: Doll 2

API/Permit #: 15-009-25700-00-00

Doc ID: 1082798

Correction Number: 1

Approved By: Rick Hestermann 05/30/2012

Field Name	Previous Value	New Value
KCC Only - Approved By	Rick Hestermann 05/23/2012	Rick Hestermann 05/30/2012
KCC Only - Approved Date	05/23/2012	05/30/2012
KCC Only - Date Received	05/23/2012	05/30/2012
Save Link Surface Owner Name	//kcc/detail/operatorE ditDetail.cfm?docID=10 82315 Edward O. Doll	//kcc/detail/operatorE ditDetail.cfm?docID=10 82798 Marlene Doll
Surface Owner Marrie	Euwaru O. Doll	