

Kansas Corporation Commission Oil & Gas Conservation Division

1082968

Form ACO-1
June 2009
Form Must Be Typed
Form must be Signed
All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #	API No. 15
Name:	Spot Description:
Address 1:	SecTwpS. R
Address 2:	Feet from North / South Line of Section
City:	Feet from _ East / _ West Line of Section
Contact Person:	Footages Calculated from Nearest Outside Section Corner:
Phone: ()	□NE □NW □SE □SW
CONTRACTOR: License #	County:
Name:	Lease Name: Well #:
Wellsite Geologist:	Field Name:
Purchaser:	Producing Formation:
Designate Type of Completion:	Elevation: Ground: Kelly Bushing:
New Well Re-Entry Workover	Total Depth: Plug Back Total Depth:
Oil WSW SWD SIOW Gas D&A ENHR SIGW OG GSW Temp. Abd. CM (Coal Bed Methane) Cathodic Other (Core, Expl., etc.):	Amount of Surface Pipe Set and Cemented at: Feet Multiple Stage Cementing Collar Used? Yes No If yes, show depth set: Feet If Alternate II completion, cement circulated from: sx cmt
Operator:	
Well Name:	Drilling Fluid Management Plan (Data must be collected from the Reserve Pit)
Original Comp. Date: Original Total Depth: Deepening Re-perf. Conv. to ENHR Conv. to SWD Conv. to GSW	Chloride content: ppm Fluid volume: bbls Dewatering method used:
Plug Back: Plug Back Total Depth	Location of fluid disposal if hauled offsite:
Commingled Permit #:	Operator Name:
Dual Completion Permit #:	Lease Name: License #:
SWD Permit #:	Quarter Sec Twp S. R
☐ ENHR Permit #: ☐ GSW Permit #:	County: Permit #:
Spud Date or Date Reached TD Completion Date or Recompletion Date Recompletion Date	

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY						
Letter of Confidentiality Received						
Date:						
Confidential Release Date:						
Wireline Log Received						
Geologist Report Received						
UIC Distribution						
ALT I II III Approved by: Date:						

Side Two



Operator Name:			Lease Name	e:			_ Well #:		
Sec Twp	S. R	East West	County:						
time tool open and clos	sed, flowing and shut s if gas to surface tes	I base of formations per in pressures, whether set, along with final chart well site report.	shut-in pressure	reached s	static level,	hydrostatic press	sures, bottom h	ole temperature, fl	
Orill Stem Tests Taken (Attach Additional S		Yes No		Log	Formatio	n (Top), Depth an	d Datum	Sample	
Samples Sent to Geolo		N	lame	е		Тор	Datum		
Cores Taken Electric Log Run Electric Log Submitted (If no, Submit Copy)	I Electronically	Yes							
List All E. Logs Run:			RECORD [Used				
	Size Hole	Report all strings set- Size Casing	-conductor, surface Weight		ate, producti Setting	on, etc. Type of	# Sacks	Type and Percen	
Purpose of String	Drilled	Set (In O.D.)	Lbs. / Ft.		Depth	Cement	Used	Additives	
		ADDITIONA	L OFMENTING (00115575	DECORD				
		ADDITIONA	L CEMENTING / :	SQUEEZE	RECORD				
Purpose: Depth Top Bottom Type of Cemer — Perforate — Protect Casing — Plug Back TD — Plug Off Zone		Type of Cement	# Sacks Used			Type and F	Type and Percent Additives		
Shots Per Foot		ON RECORD - Bridge Plu ootage of Each Interval Pe				cture, Shot, Cement mount and Kind of Ma	•	d Depth	
TUBING RECORD:	Size:	Set At:	Packer At:	Line	r Run:	Yes No			
Date of First, Resumed I	Production, SWD or ENI	HR. Producing Me	thod:	Gas Li	ift C	Other (Explain)			
Estimated Production Per 24 Hours	Oil E	Bbls. Gas	Mcf	Water	В	ols. (Gas-Oil Ratio	Gravity	
DISPOSITIO	Used on Lease	Open Hole	METHOD OF COM Perf. D (Sub	MPLETION: ually Comp omit ACO-5)	. Cor	nmingled mit ACO-4)	PRODUCTIO	DN INTERVAL:	
(If vented, Sub	mit ACO-18.)	Other (Specify) _							

Form	ACO1 - Well Completion
Operator	Laymon Oil II, LLC
Well Name	Rice 13-12
Doc ID	1082968

Tops

Name	Тор	Datum
Soil	0	7
Lime	7	100
Shale	100	120
Lime & Shale	120	280
Shale	280	315
Lime	315	412
Shale	412	416
Lime	416	500
Shale & Lime	500	900
Shale	900	1170
Lime	1170	1240

THE NEW KLEIN LUMBER COMPANY
201 W. MADISON
P.O. BOX 805
IOLA, KS 66749
PHONE: (620) 365-2201

CUSTOMER NO. JOB NO. PURCHASE ORDER NO. REFERENCE TERMS CLERK DATE TIME

3447 NET 10TH OF MONTH BE 2/ 1/12 3:50

LAYMON OIL II
1998 SQUIRREL RD
NEOSHO FALLS KS 66758

S

0

DEL. DATE: 2/1/12 TERM# 1

DOC# 250872

* ORDER *

TAX : 001 IOLAL IOLA

ORDR 250872

SHIPPED	ORDERED	UM	SKU	DESCRIPTION	OCOTTON	UNITS	PRICE/PER	EXTENSION
0,111,120	300	-	PC	PORTLAND CEMENT	PARTICLE WAS	300	9.45 /EA	2,835.00
Rice Rice Mice Mice Rice	-12 10-12 10-12 mer amer 10-	コロロロロコスイス	Dacks Dacks Dacks Dacks Dacks Dacks Dacks Dacks Dacks	Wilson 1-12-1 Cedar Post 2-12 Wright B 8-12 Wright B 9-12 Whepard 27-13	1000	soles Dacks	Rice 13	2,835.00 12 10 0X 3-12 10 5X
			** ORDER ** ORDER	* ** ORDER ** ORDER ** ORDER	{ *	Tí	AXABLE	2835.00

** UKUEK ** UKUEK ** UKUEK ** UKUEK ** UKUEK *

** DEPOSIT AMOUNT **

** BALANCE DUE **

** PAYMENT RECEIVED ##

0.00 NON-TAXABLE
3,077.39 SUBTOTAL

0.00 2835.00

0.00

TAX AMOUNT 242.39
TOTAL AMOUNT 3077.39

RECEIVED BY

802 N. Industrial Rd. P.O. Box 664 Iola, Kansas 66749 Phone: (620) 365-5588

LA005

05-01-12

9.00

1.50

9.00

Payless Concrete Products, Inc.

CONDITIONS

Concrete to be delivered to the nearest accessible point over passable road, under truck's own power. Due to delivery at owner's or intermediary's direction, seller assumes no responsibility for damages in any manner to sidewalks, roadways, driveways, buildings, trees, shrubbery, etc., which are at customer's risk. The maximum allotted time for unloading trucks is 5 minutes per yard. A charge will be made for holding trucks longer. This concrete contains correct water contents for strength or mix indicated. We do not assume responsibility for strength test when water is added at customer's request.

NOTICE TO OWNER

Failure of this contractor to pay those persons supplying material or services to complete this contract can result in the filing of a mechanic's lien on the property which is the subject of this contract.

		SHO FALLS KS 66758		PENNSYLVANIA RD W 1/2 TD 300 RD N TO HOUSE, S. OF HOUSE WELL # RICE 13-12				
TIME	FORMULA	LOAD SIZE	YARDS ORDERED		DRIVER/TRUCK		PLANT/TRANSACTION	
I IIVIC	TOMMOBY			% CAL	JE	% AIR		
M3:01:23o	EUCT 1	9.00 vd	18.00 vd	0.00	38	0.00	ALLCO	
DATE		LOAD #	YARDS DEL.	BATCH#	WATER TRIM	SLUMP	TICKET NUMBER	
DAIL	To Date		9.00 yd				74161	

1.06/21

LAYMON OIL

WARNING IRRITATING TO THE SKIN AND EYES

LAYMON DIL II, L.L.C.

Contains Portland Cement. Wear Rubber Boots and Gloves. PROLONGED CONTACT MAY CAUSE BURNS. Avoid Contact With Eyes and Prolonged Contact With Skin. In Case of Contact With Skin or Eyes, Flush Thoroughly With Water, If Irritation Persists, Get Medical Attention, KEEP CHILDREN AWAY.

CONCRETE is a PERISHABLE COMMODITY and BECOMES the PROPERTY of the PURCHASER UPON LEAVING the PLANT. ANY CHANGES OR CANCELLATION of ORIGINAL INSTRUCTIONS MUST be TELEPHONED to the OFFICE BEFORE LOADING STARTS.

The undersigned promises to pay all costs, including reasonable attorneys' fees, incurred in collecting

All accounts not paid within 30 days of delivery will bear interest at the rate of 24% per annum.

Not Responsible for Reactive Aggregate or Color Quality. No Claim Allowed Unless Made at Time Material is Delivered.

A \$25 Service Charge and Loss of the Cash Discount will be collected on all Returned Checks. Excess Delay Time Charged @ \$50/HR.

PROPERTY DAMAGE RELEASE

(TO BE SIGNED IF DELIVERY TO BE MADE INSIDE CURB LINE)

Dear Customer-The driver of this truck in presenting this RELEASE to you for your signature is of the opinion that the size and weight of his truck may possibly cause damage to the premises and/or adjacent property if it places the material in this load where you desire it. It is our wish to help you in every way that we can, but in order to do this the driver is requesting that you sign this RELEASE relieving him and this supplier from any responsibility from any damage that may occur to the premises and/or adjacent property, buildings, sidewalks, driveways, curbs, etc., by the delivery of this material, and that you also agree to help him remove mud from the wheels of his vehicle so that he will not litter the public street. Further, as additional consideration, the undersigned agrees to indemnify and hold harmless the driver of this truck and this supplier for any and all damage to the premises and/or adjacent property which may be claimed by anyone to have arisin out of delivery of this order.

Excessive Water is Detrimental to Concrete Performance H₂0 Added By Request/Authorized By

GAL X

WEIGHMASTER

54 W TO 400 N 2.5 MI

NOTICE: MY SIGNATURE BELOW INDICATES THAT I HAVE READ THE HEALTH WARNING NOTICE AND SUPPLIER WILL NOT BE RESPONSIBLE FOR ANY DAMAGE CAUSED WHEN DELIVERING INSIDE CURB LINE.

UNIT PRICE

LOAD RECEIVED BY:

DESCRIPTION CODE

QUANTITY

WELL TRUCKING MIXSHAUL

WELL (10 SACKS PER UNIT) TRUCKING CHARGE MIXING & HAULING

X

9.00 1,50

9.00

RETURNED TO PLANT	LEFT JOB	FINISH UNLOADING	DELAY EXPLANATION/CYLINDER TEST TAKEN	TIME ALLOWED
			1. JOB NOT READY 2. SLOW POUR OR PUMP 3. TRUCK AHEAD ON JOB 4. TRUCK BROKE DOWN 7. ACCIDENT 8. CITATION	
LEFT PLANT	ARRIVED JOB	START UNLOADING	CONTRACTOR BROKE DOWN OTHER ADDED WATER	TIME DUE
470	240			
TOTAL ROUND TRIP	TOTAL AT JOB	UNLOADING TIME		DELAY TIME

ADDITIONAL CHARGE 1 __

EXTENDED PRICE

ADDITIONAL CHARGE 2

GRAND TOTAL

802 N. Industrial Rd. P.O. Box 664 Iola, Kansas 66749 Phone: (620) 365-5588

SOLD TO:

LADO5

Payless Concrete Products, Inc.

CONDITIONS

Concrete to be delivered to the nearest accessible point over passable road, under truck's own power. Due to delivery at owner's or intermediary's direction, seller assumes no responsibility for damages in any manner to sidewalks, roadways, driveways, buildings, trees, shrubbery, etc., which are at customer's risk. The maximum allotted time for unloading trucks is 5 minutes per yard. A charge will be made for holding trucks longer. This concrete contains correct water contents for strength or mix indicated. We do not assume responsibility for strength test when water is added at customer's request.

NOTICE TO OWNER

Failure of this contractor to pay those persons supplying material or services to complete this contract can result in the filing of a mechanic's lien on the property which is the subject of this contract.

SHIP TO:

LAG/21 LAYMON OIL 54 M TO ARR N 2.5 MT TO FENNSYLVANIA RD W 1/2 TO 300 RD N TO HOUSE, S. DE HOUSE VELL M RICE 13-12

TIME	FORMULA	LOAD SIZE	YARDS ORDERED		DRIVER/TRUCK		PLANT/TRANSACTION #
				* % CAL	JE	% AIR	
Ø3:07:27p	WELL	9.00 yd	18.00 yd	0.00	32	0.00	ALLCO .
DATE		LOAD #	YARDS DEL.	BATCH#	WATER TRIM	SLUMP	TICKET NUMBER
	To Date	2	18.00 yd				
03-01-18	Today	2	18.00 yd	20378	G/yd 0.0	4.00 in	31465

WARNING IRRITATING TO THE SKIN AND EYES

NEOSHO FALLS KS

Contains Portland Cement. Wear Rubber Boots and Gloves. PROLONGED CONTACT MAY CAUSE BURNS. Avoid Contact With Eyes and Prolonged Contact With Skin. In Case of Contact With Skin or Eyes, Flush Thoroughly With Water, If Irritation Persists, Get Medical Attention, KEEP CHILDREN AWAY.

CONCRETE is a PERISHABLE COMMODITY and BECOMES the PROPERTY of the PURCHASER UPON LEAVING the PLANT. ANY CHANGES OR CANCELLATION of ORIGINAL INSTRUCTIONS MUST be TELEPHONED to the OFFICE BEFORE LOADING STARTS.

The undersigned promises to pay all costs, including reasonable attorneys' fees, incurred in collecting any sums owed.

All accounts not paid within 30 days of delivery will bear interest at the rate of 24% per annum.

LAYMON DIL II, L.L.C.

1998 SQUIRREL RD.

Not Responsible for Reactive Aggregate or Color Quality. No Claim Allowed Unless Made at Time Material is Delivered.

A \$25 Service Charge and Loss of the Cash Discount will be collected on all Returned Checks. Excess Delay Time Charged @ \$50/HR.

PROPERTY DAMAGE RELEASE (TO BE SIGNED IF DELIVERY TO BE MADE INSIDE CURB LINE)

Dear Customer-The driver of this truck in presenting this RELEASE to you for your signature is of the opinion that the size and weight of his truck may possibly cause damage to the premises and/or adjacent property if it places the material in this load where you desire it. It is our wish to help you in every way that we can, but in order to do this the driver is requesting that you sign this RELEASE relieving him and this supplier from any responsibility from any damage that may occur to the premises and/or adjacent property, buildings, sidewalks, driveways, curbs, etc., by the delivery of this material, and that you also agree to help him remove mud from the wheels of his vehicle so that he will not litter the public street. Further, as additional consideration, the undersigned agrees to indemnify and hold harmless the driver of this truck and this supplier for any and all damage to the premises and/or adjacent property which may be claimed by anyone to have arisin out of delivery of this order.

SIGNED

Excessive Water is Detrimental to Concrete Performance H₂0 Added By Request/Authorized By

GAL X_

WEIGHMASTER

NOTICE: MY SIGNATURE BELOW INDICATES THAT I HAVE READ THE HEALTH WARNING NOTICE AND SUPPLIER WILL NOT BE RESPONSIBLE FOR ANY DAMAGE CAUSED WHEN DELIVERING INSIDE CURB LINE.

LOAD RECEIVED BY:

X

QUANTITY CODE DESCRIPTION UNIT PRICE EXTENDED PRICE

9.00

WELL ...

WELL (10 SACKS PER UNIT) MIXING & HAULING

18.00

TIME ALLOWED DELAY EXPLANATION/CYLINDER TEST TAKEN LEFT JOB FINISH UNLOADING RETURNED TO PLANT 6. TRUCK BROKE DOWN JOB NOT READY 2. SLOW POUR OR PUMP 7. ACCIDENT 8. CITATION 3. TRUCK AHEAD ON JOB 9. OTHER 4. CONTRACTOR BROKE DOWN TIME DUE START UNLOADING ARRIVED JOB LEFT PLANT ADDED WATER **DELAY TIME** TOTAL AT JOB UNLOADING TIME TOTAL ROUND TRIP

ADDITIONAL CHARGE 1 ____

ADDITIONAL CHARGE 2

GRAND TOTAL