

Confidentiality Requested:

Yes No

## Kansas Corporation Commission Oil & Gas Conservation Division

1080885

Form ACO-1
August 2013
Form must be Typed
Form must be Signed
All blanks must be Filled

## WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #			API No. 15					
Name:			Spot Description:					
Address 1:			Sec	TwpS. R	East West			
Address 2:			Feet from North / South Line of Section					
City:	State: Z	ip:+	Fe	eet from East /	West Line of Section			
Contact Person:			Footages Calculated from I	Nearest Outside Section C	Corner:			
Phone: ()			□ NE □ NW	V □SE □SW				
CONTRACTOR: License #			GPS Location: Lat:	, Long: _				
Name:				(e.g. xx.xxxxx)	(e.gxxx.xxxxx)			
Wellsite Geologist:			Datum: NAD27	NAD83 WGS84				
Purchaser:			County:					
Designate Type of Completion:			Lease Name:	W	/ell #:			
	e-Entry	Workover	Field Name:					
	_		Producing Formation:					
☐ Oil ☐ WSW ☐ D&A	☐ SWD	∐ SIOW □ SIGW	Elevation: Ground:	Kelly Bushing:	:			
	GSW	Temp. Abd.	Total Vertical Depth:	Plug Back Total C	Depth:			
CM (Coal Bed Methane)	dow	Temp. Abd.	Amount of Surface Pipe Se	et and Cemented at:	Feet			
☐ Cathodic ☐ Other (Co	ore, Expl., etc.):		Multiple Stage Cementing	Collar Used? Yes	No			
If Workover/Re-entry: Old Well I			If yes, show depth set:		Feet			
Operator:			If Alternate II completion, c	cement circulated from:				
Well Name:			feet depth to:	w/	sx cmt.			
Original Comp. Date:								
Deepening Re-perf	•	NHR Conv. to SWD	Drilling Fluid Managemer	nt Plan				
☐ Plug Back	Conv. to G		(Data must be collected from the					
Commingled	Pormit #:		Chloride content:	ppm Fluid volume	e: bbls			
Dual Completion			Dewatering method used: _					
SWD			Location of fluid disposal if	hauled offsite				
☐ ENHR			1					
GSW	Permit #:		Operator Name:					
_ <del>_</del>			Lease Name:	License #:_				
Spud Date or Date R	eached TD	Completion Date or	Quarter Sec	TwpS. R	East _ West			
Recompletion Date		Recompletion Date	County:	Permit #:				

## **AFFIDAVIT**

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

**Submitted Electronically** 

KCC Office Use ONLY					
Confidentiality Requested					
Date:					
Confidential Release Date:					
Wireline Log Received					
Geologist Report Received					
☐ UIC Distribution					
ALT I II III Approved by: Date:					

Page Two



Operator Name:			Well #:						
Sec Twp	S. R	East West	County:						
open and closed, flow and flow rates if gas t	ving and shut-in presson to surface test, along w	formations penetrated. I ures, whether shut-in pro vith final chart(s). Attach	essure reached stati n extra sheet if more	c level, hydrosta space is neede	itic pressures, bott d.	tom hole tempe	erature, fluid r	recovery,	
	inal Radioactivity Log, Final Logs run to obtain Geophysical Data and Final Electric Logs must be emailed to kcc-well-logs@kcc.ks.gov. Digital electronic log les must be submitted in LAS version 2.0 or newer AND an image file (TIFF or PDF).								
Drill Stem Tests Taken (Attach Additional	•	Yes No		_	on (Top), Depth ar		Samp		
Samples Sent to Geo	ological Survey	☐ Yes ☐ No	Nam	e		Тор	Datur	m	
Cores Taken Electric Log Run		☐ Yes ☐ No ☐ Yes ☐ No							
List All E. Logs Run:									
		CASING	RECORD Ne	ew Used					
		Report all strings set-	conductor, surface, inte	ermediate, product	ion, etc.				
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and P Additiv		
		ADDITIONAL	OFMENTING / OOL						
Purpose:	Depth		CEMENTING / SQL	JEEZE RECORD		araant Additiraa			
Perforate	Top Bottom	Type of Cement	# Sacks Osed	# Sacks Used Type and Percent Additive					
Protect Casing Plug Back TD									
Plug Off Zone									
Did vou perform a hydra	ulic fracturing treatment o	on this well?		Yes	No (If No, ski	p questions 2 ar	nd 3)		
	=	raulic fracturing treatment ex	xceed 350,000 gallons		= ' '	p question 3)	,		
Was the hydraulic fractu	ring treatment information	n submitted to the chemical	disclosure registry?	Yes	No (If No, fill	out Page Three	of the ACO-1)		
Shots Per Foot	Shots Per Foot PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated				cture, Shot, Cement			Depth	
	Сроспу Г	octago of Laon morvar i or	ioratou	(>1	mount and rand or ma	tonar Good)		Борит	
TUBING RECORD:	Size:	Set At:	Packer At:	Liner Run:	Yes No				
Date of First, Resumed	Production, SWD or EN								
Fotimeted Device C	0" -	Flowing			Other (Explain)	) O" D "			
Estimated Production Per 24 Hours	Oil E	Bbls. Gas	Mcf Wate	er B	bls. G	Gas-Oil Ratio	Gr 	ravity	
DISPOSITI	ON OF GAS:	1	METHOD OF COMPLE	ETION:		PRODUCTIO	ON INTERVAL:		
Vented Sold		Open Hole	Perf. Dually	Comp. Con	mmingled				
(Submit ACO-5) (Submit ACO-4)									

Conservation Division Finney State Office Building 130 S. Market, Rm. 2078 Wichita, KS 67202-3802



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Mark Sievers, Chairman Ward Loyd, Commissioner Thomas E. Wright, Commissioner

May 10, 2012

John C. Niernberger Ritchie Exploration, Inc. 8100 E 22ND ST N # 700 BOX 783188 WICHITA, KS 67278-3188

Re: ACO1 API 15-101-22346-00-00 Wilkens 5B 1 NW/4 Sec.05-17S-30W Lane County, Kansas

## **Dear Production Department:**

We are herewith requesting that the Well Completion Form ACO-1 and attached information for the subject well be held confidential for a period of two years.

Should you have any questions or need additional information regarding subject well, please contact our office.

Respectfully, John C. Niernberger



#1 Wilkens 5B 2160' FNL & 1445' FWL 150' N & 125' E of S/2 S/2 NW Section 5-17S-30W Lane County, Kansas API# 15-101-22346-0000 Elevation: 2881' GL, 2886' KB

Ţ.	Well		at	2	0	ic					0	0									
Ref.	×	+2	Flat	-12	-10	-1	<u>ئ</u>	-11	6-	4	-	-10	<i>ò</i> .	œ	9	6-	6-	œ.	<b>∞</b>	∞-	
		909+	+584	-1024	-1041	-1061	-1144	-1236	-1275	-1304	-1369	-1408	-1440	-1457	-1526	-1561	-1577	-1599	-1640	-1672	-1754
		2280	23027	3910	3927	3947	4030	4122	4161,	4190	4255	4294	4326	4343	4412,	4447	4463,	4485	4526	4558	4640
	Sample Tops	Anhydrite	B/Anhydrite	Heebner	Toronto	Lansing	LKC "E"	Muncie Shale	LKC "I"	LKC "J"	Hush. Shale	BKC	Marmaton	Altamont	Pawnee	Myrick	Fort Scott	Cherokee	Johnson	Mississippian	RTD

P.O. Box 783188 Wichita, Kansas 67278-3188

(316) 691-9500 Fax (316) 691-9550 rei@ritchie-exp.com

8100 E. 22<sup>nd</sup> St. N., Bldg. 700 Wichita, Kansas 67226-2328

## 976070 ALIED CHARACTERS CO. LC.

P.O. BOX 31 RUSSELL, KANSAS 67665 REMIT TO

Federal Tax I.D.# 20-5975804

STATE SERVICE POINT. JOB START COUNTY ON LOCATION 1,110 MILLEUMS 58" SEC

DATE 2-20-/2 SEC. 5 1"1.7 KAINGE 3.0	CALLED UUI UN L
LEASE Wilkers SB WELL# 7 LOCATION HEA!	LOCATION HEALY 21/2 W-Ni
OLD ORMEW (Circle one)	
CONTRACTOR L D	OWNER Sam
TYPE OF JOB Surface	ALALA TATAN TA
HOLE SIZE 1/2 //4 T.D. 252	CEMENT
CASING SIZE 8 1/8 DEPTH 149	AMOUNT ORDERED
TUBING SIZE DEPTH	20,00
DRILL PIPE DEPTH	The second secon
TOOL DEPTH	
PRES. MAX MINIMUM	COMMON /65
MEAS. LINE SHOE JOINT	POZMIX
CEMENT LEFT IN CSG. 15 FF	GEL 3
PERFS.	CHLORIDE
DISPLACEMENT (F) 14.97	ASC

EQUIPMENT

KEMAKKS: Mix 1655Ks Cement	Displace With Water	Cement Did Circulate	
-------------------------------	---------------------	----------------------	--

Exploration ZIP. STATE CHARGE TO: X STREET CITY.

To Allied Cementing Co., LLC.

TERMS AND CONDITIONS" listed on the reverse side. contractor. I have read and understand the "GENERAL contractor to do work as is listed. The above work was You are hereby requested to rent cementing equipment done to satisfaction and supervision of owner agent or and furnish cementer and helper(s) to assist owner or

Bes
7
Ph. 0
PRINTED NAME

DISCOUNT

12

SIGNATURE

(	3%	
ંત્ર	Com	
	SKS	
	165	10-1
	ORDERED	2% 6
<b>EMENT</b>	<b>IOUNTO</b>	1
CE	AN	4

0)

1018 1 25	# 63.75 \$ 349.29			125 # 391.15 \$ 561.32 TOTAE 4346.65
# 16.25	(a) 22/25 (a) 58/25 (a) 58/25 (a) 6	8 8 6	9 0 0	
165 sKs	.3 5Ks 6 5Ks			174 SKS 116 Pec Mile
z	GEL CHLORIDE ASC			HANDLING_ MILEAGE

## SERVICE

DEPTH OF JOB	
PUMP TRUCK CHARGE	\$ 11 25 2
÷ ,	(1)
	at 7.20 # 315,00
MANIFOLD -	@ <i>**********</i>
LV Mileage	3008/ # 20.4 to
	(B)

8 1620 TOTAL

## PLUG & FLOAT EQUIPMENT

QX 25	Se se
\$	TOTAL
521-751-4 8/24 @	
test (i)	

SALES TAX (If Any) TOTAL CHARGES

IF PAID IN 30 DAYS



# FEMENTING CO., LLC. Federal Tax I.D.# 20-5975804

REMIT TO P.O. BOX 31 RUSSELL, KANSAS 67665

SERVICE POINT:

1	
DATE 3 - 4-/2 SEC. TWP RANGE 30 CA	CALLED OUT ON LOCATION JOB START JOB FINISH
LEASE COMELL# CONTION HOSE	
OR NEW (Circle one)	
CONTRACTOR / + O	OWNER Same
TYPE OF JOB OF A TRANSPERSION AND THE STATE OF THE STATE	LINDING
ZE DEPTH	AMOUNT ORDERED 280 SKS 620 SWS
JE DEPTH	
DKILL FIFE 7/2 DEPTH 7.500 TOO!	
MAX	COMMON 168 SKS @ 12,25 20,00
	112 SKS
CEMENT LEFT IN CSG.	10 565
PERFS. DISBI A CEMENT	ORIDE
	ASC
EQUIPMENT	110-500 20th @2.20 189,00
PUMP TRUCK CEMENTER ANALOGUE	(i)
Lange I	®
BULK TRUCK # 7 % DPIVIED / Care / Care	(a)
# DRIVER	O SAN DINAME
	MILEAGE 1/2 SKIM CC /450/25
REMARKS:	5/28/2 TOTAL 6/83/0
50 5KS @ 2300 C	
0	SERVICE
	(
	DEPTH OF JOB ACCO
0	(a)
	5 2 7 6
	@
Thank You	1.567172456 @420 120100
CHARGE TO CHARGE TO	
	TOTAL 1745.00
OTTV 71D	
JAME -	PLUG & FLOAT EQUIPMENT
	The fact of the second
	(a)
10 Allied Cementing Co., LLC.	(a)
and firmish cementer and helper(s) to assist owner or	
contractor to do work as is listed. The above work was	
done to satisfaction and supervision of owner agent or	TOTAL
contractor. I have read and understand the GENERAL TERMS AND CONDITIONS" listed on the reverse side.	SALES TAX (If Any)
	TOTAL CHARGES
PRINTED NAME	DISCOUNT IF PAID IN 30 DAYS

SIGNATURE

