Confidentiality Requested: Yes No

KANSAS CORPORATION COMMISSION **OIL & GAS CONSERVATION DIVISION**

1082033

Form ACO-1 August 2013 Form must be Typed Form must be Signed All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #	API No. 15
Name:	Spot Description:
Address 1:	
Address 2:	Feet from Dorth / South Line of Section
City: State: Zip:+	Feet from East / West Line of Section
Contact Person:	Footages Calculated from Nearest Outside Section Corner:
Phone: ()	
CONTRACTOR: License #	GPS Location: Lat:, Long:
Name:	(e.g. xx.xxxx) (e.gxxx.xxxx)
Wellsite Geologist:	Datum: NAD27 NAD83 WGS84
Purchaser:	County:
Designate Type of Completion:	Lease Name: Well #:
New Well Re-Entry Workover	Field Name:
	Producing Formation:
	Elevation: Ground: Kelly Bushing:
Gas D&A ENHR SIGW	Total Vertical Depth: Plug Back Total Depth:
OG GSW Temp. Abd. CM (Coal Bed Methane)	Amount of Surface Pipe Set and Cemented at: Feet
Cathodic Other (Core, Expl., etc.):	Multiple Stage Cementing Collar Used?
If Workover/Re-entry: Old Well Info as follows:	If yes, show depth set: Feet
Operator:	If Alternate II completion, cement circulated from:
Well Name:	feet depth to:w/sx cmt.
Original Comp. Date: Original Total Depth:	
Deepening Re-perf. Conv. to ENHR Conv. to SWD	Drilling Fluid Management Plan
Plug Back Conv. to GSW Conv. to Producer	(Data must be collected from the Reserve Pit)
	Chloride content: ppm Fluid volume: bbls
Commingled Permit #:	Dewatering method used:
Dual Completion Permit #: SWD Permit #:	
	Location of fluid disposal if hauled offsite:
ENHR Permit #: GSW Permit #:	Operator Name:
	Lease Name: License #:
Spud Date or Date Reached TD Completion Date or	Quarter Sec TwpS. R East West
Recompletion Date of Recomplet	County: Permit #:

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY
Confidentiality Requested
Date:
Confidential Release Date:
Wireline Log Received
Geologist Report Received
UIC Distribution
ALT I II III Approved by: Date:

	Page Two	1082033
Operator Name:	Lease Name:	Well #:
Sec TwpS. R East West	County:	
INCTDUCTIONS: Chave important tang of formations panetrated. De	tail all aaroo Bapart all final	conice of drill stome tests giving interval tested, time test

INSTRUCTIONS: Show important tops of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed.

Final Radioactivity Log, Final Logs run to obtain Geophysical Data and Final Electric Logs must be emailed to kcc-well-logs@kcc.ks.gov. Digital electronic log files must be submitted in LAS version 2.0 or newer AND an image file (TIFF or PDF).

Drill Stem Tests Taken (Attach Additional Sh	eets)	Yes No		0	on (Top), Depth a		Sample
Samples Sent to Geolog	gical Survey	Yes No	Nam	9		Тор	Datum
Cores Taken Electric Log Run		☐ Yes ☐ No ☐ Yes ☐ No					
List All E. Logs Run:							
		CASING Report all strings set-o	RECORD Ne		ion, etc.		
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
		ADDITIONAL	CEMENTING / SQU	IEEZE RECORD			
Burpaga	Depth						

Purpose: Perforate	Depth Top Bottom	Type of Cement	# Sacks Used	Type and Percent Additives
Protect Casing				
Plug Off Zone				

Did you perform a hydraulic fracturing treatment on this well?	Yes
Does the volume of the total base fluid of the hydraulic fracturing treatment exceed 350,000 gallons?	Yes
Was the hydraulic fracturing treatment information submitted to the chemical disclosure registry?	Yes

(If No, skip questions 2 and 3) (If No, skip question 3)

No

No No

No

(If No, fill out Page Three of the ACO-1)

Shots Per Foot		PERFORATION RE Specify Footag	ECORD - I je of Each I	Bridge Plugs Set/Type Interval Perforated	9	Acid,		ement Squeeze Record d of Material Used)	Depth
TUBING RECORD:	Siz	ze: S	et At:	Packer	At:	Liner Run:	Yes	No	
Date of First, Resumed	l Producti	on, SWD or ENHR.		ducing Method: Flowing Dump	ing	Gas Lift	Other (Explain)	. <u> </u>	
Estimated Production Per 24 Hours		Oil Bbls.		Gas Mcf	Wate	er	Bbls.	Gas-Oil Ratio	Gravity
		1						1	
DISPOSITI	ON OF G	AS:	_	METHOD C		TION:		PRODUCTION INTE	ERVAL:
Vented Solo	J 🗌 L	Jsed on Lease	Open I	Hole Perf.	Uually (Submit A		Commingled (Submit ACO-4)		
(If vented, Su	bmit ACO	-18.)	Other	(Specify)	(Subinit F	, ,	Submit ACU-4)		

.

JTC Oil, Inc.

Drillers Log

Well Name Johnst	onrsp 10 16		
A CONTRACTOR OF A CONTRACTOR O	-25911-00-00	Cement Amounts	
Surface Date 1/28/		3 Sacks	
Juliace Date 1/10/			
Cement Date 2/1/	12		;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;
Well Depth 660	8-9 (Creating of the second		
Casing Depth 616	ngt tag ang ang ang ang ang ang ang ang ang a		
	Drille	rs Log	
Formation	Depth	Formation	<u>Depth</u>
top soil	0	Electronic and the second s	
shale	6		
lime	50		
shale	70		
lime	94		
red bed	103		
shale	109		
lime	120		
shale	156		
lime	165		
coal	225		
lime	228		
shale	243		
red bed	390		
lime	394		
shale	424		
lime	471		
shale	483		
lime	492		
shale	494		
top oil sand	554-556 ok		
	556-558 ok		
	558-560 560-562 v good		
	_		
	562-564 v good 564-566 v good		
	566-568 v good		
	568-570 good		
	570-573 good		
	573-576 ok		

576-578 shale

FEB-03-2012 15:38 From:

To:9137547755 P.2/2

-BSP JO 16

shale	575
#2 oil sand	627-628 no oil
	628-630
	630-632 shale
	632-634 shale
	634-638 shale
shale	630
stop drilling	660
casing pipe	616

	:onsolid/	NTED .	•	· . ·		TICKET NUM	BER 30	913
	Qil Well Service	. The second strategy is a second strategy of the second strategy of				LOCATION_	Hawg	
	Alter and an and a state of the second s		· · ·	·		FOREMAN	alan Mi	ade
20 Box 884, C	hanute, KS 6672	20 FIEI	D TICKET	& TREA	TMENT RE	PORT		
20-431-9210	or 800-467-8676			CEME	T	·	-	
. DATE -	CUSTOMER #	WELL	NAME & NUMB	ER	SECTION	TOWNSHIP	RANGE	COUNTY
2-1-12	\$579	Iphnso	n BSP-	JD 16	SE1.7.	18.	21	47
CUSTOMER	- Pa	10000						
Ener MAILING ADDR		50 uvce 5			TRUCK#	DRIVER	TRUCK#	DRIVER
10076		0	5.0		3/6	Man //	Sater+	neat-
<u> </u>	D Gra	ISTATE	ZIP CODE		500 100	HPPlen M	- MAN	
Ducilan	Deland	16	66210		510	2 Kein C	- Kg	
100 TYPE 10		HOLE SIZE /		HOLE DEPT	1010	1/RSGM	1./7/1	
CASING DEPTH		DRILL PIPE	•	TUBING	n_0_0	_ CASING SIZE & \		18
SLURRY WĖIGI		SLURRY VOL	••.	WATER gal/	ek.		OTHER	<u> </u>
DISPLACEMEN	00	DISPLACEMENT		MIX PSI	100	CEMENT LEFT in RATE 460	CASING VE	2
REMARKS:		Noed	Fell	liched	1 into	MIE YOP		Æ
NEWARRS. L	11-11200	the 121	SK J	DIANCE	Lare,	N red +	Partin PED	<u>~ 100</u>
GOL FU	henober	al per		10000	cements	plus 5%	3015 29	0 996-
	- l al			-D. 11		<u>nenti flan</u>	shed pay	inf.x
- King	The pigg	In Car	TOERA	Un n	1	5 SDME	<u>Civeulat</u>	von,
_Wer	VV-QIA	000 10	L OEV	PIDa	1-3 (10)	Ca Jeli	20.	
TTO	Delli	10 100	1401		and an international and a second		An All Contraction of Manufacture and Ma	
	and the second	Orthoga and the second	<u> </u>				- <u> </u>	
			<u> </u>	******		1 0		Ai
		<u> </u>				Ale	mMe	di
ACCOUNT	QUANITY				of SERVICES or P			du TOTAL
	QUANITY	or UNITS	DES		of SERVICES or P	Ale		TOTAL
ACCOUNT CODE 5401	QUANITY	or UNITS	DES		of SERVICES or P	Ale		би тотац 103008
ACCOUNT CODE 5401 5406	1	or UNITS	DES PUMP CHARGE MILEAGE	:		Ale		
ACCOUNT CODE 5401 5406 5402	1	or UNITS	DES			Ale		103200
ACCOUNT CODE 5401 5406	1	or UNITS	DES PUMP CHARGE MILEAGE CO3 in g fon a	foot n:les		Ale		103200 80.00
ACCOUNT CODE 5401 5406 5402	1	or UNITS	DES PUMP CHARGE MILEAGE	foot n:les		Ale		103200
ACCOUNT CODE 5401 5406 5402	1	or UNITS	DES PUMP CHARGE MILEAGE CO3 in g fon a	foot n:les		Ale		103200 80.00
ACCOUNT CODE 5401 5406 5402 5407 5301C	1	or UNITS	DES PUMP CHARGE MILEAGE Casing Jon A Fransy	foot n:les nrt	use.	Ale		103200 80.00
ACCOUNT CODE 5401 5406 5402 5402 5402 5407 5301C	1	or UNITS	DES PUMP CHARGE MILEAGE CO3 in g fon a	foot n:les nrt	use.	Ale		103200 80.00
ACCOUNT CODE 5401 5406 5402 5407 5501C	1	or UNITS	DES PUMP CHARGE MILEAGE Casing Jon A Fransy	foot n:les nrt	use.	Ale		103000
ACCOUNT CODE 5401 5406 5402 5407 5407 5501C 1127 1183	1	or UNITS	DES PUMP CHARGE MILEAGE Cosing Fon a Fransy To BO Sel	foot n:les nrt	use.	RODUCT		103000
ACCOUNT CODE 5401 5406 5402 5402 5402 5407 5301C	1	or UNITS	DES PUMP CHARGE MILEAGE Cosing Jon n Fransp To BO Gen Sg 17	Fost n:les nrt cemer	95.e	Ale		103000
ACCOUNT CODE 5401 5406 5402 5407 5501C 1127 1183 11183 1117	1	or UNITS	DES PUMP CHARGE MILEAGE Cosing Jon n Fransp To BO Gen Sg 17	foot n:les nrt	95.e	Ale		103000
ACCOUNT CODE 5401 5406 5402 5407 5501C 1127 1123 11183 1111	1	or UNITS	DES PUMP CHARGE MILEAGE Cosing Jon n Fransp To BO Gen Sg 17	Fost n:les nrt cemer	95.e	Ale		103000
ACCOUNT CODE 5401 5406 5407 5407 5301C 1127 1127 1183 11183 1117	1	or UNITS	DES PUMP CHARGE MILEAGE Cosing Jon n Fransp To BO Gen Sg 17	Fost n:les nrt cemer	95.e			103000
ACCOUNT CODE 5401 5406 5407 5407 5301C 1127 1127 1183 11183 1117	1	or UNITS	DES PUMP CHARGE MILEAGE Cosing Jon n Fransp To BO Gen Sg 17	Fost n:les nrt cemer	95.e			103000
ACCOUNT CODE 5401 5406 5402 5407 5501C 1127 1127 1183 11183 1117	1	or UNITS	DES PUMP CHARGE MILEAGE Cosing Jon n Fransp To BO Gen Sg 17	Fost n:les nrt cemer	95.e			103000
ACCOUNT CODE 5401 5406 5402 5407 5501C 1127 1127 1183 11183 1117	1	or UNITS	DES PUMP CHARGE MILEAGE Cosing Jon n Fransp To BO Gen Sg 17	Fost n:les nrt cemer	95.e			103200 80.00 168.00 1536.70 65.73 90.65 78.69 28.00
ACCOUNT CODE 5401 5406 5402 5407 5501C 1127 1127 1183 11183 1117	1	or UNITS	DES PUMP CHARGE MILEAGE Cosing Jon n Fransp To BO Gen Sg 17	Fost n:les nrt cemer	95.e			103000
ACCOUNT CODE 5401 5406 5402 5407 5501C 1127 1127 1183 11183 1117	1	or UNITS	DES PUMP CHARGE MILEAGE Cosing Jon n Fransp To BO Gen Sg 17	Fost n:les nrt cemer	95.e. 1+			103200 80.00 350.00 168.00 1536.70 65,73 90,65 78.69 28.00
ACCOUNT CODE 5401 5406 5407 5407 5301C 1127 1128 1127 1118 1118 1117 1107 1007 10	1	or UNITS	DES PUMP CHARGE MILEAGE Cosing Jon n Fransp To BO Gen Sg 17	Fost n:les nrt cemer	95.e. 1+			103200 80.00 350.00 168.00 1536.70 65.73 90.65 78.69 28.00

I acknowledge that the payment terms, unless specifically amended in writing on the front of the form or in the customer's account records, at our office, and conditions of service on the back of this form are in effect for services identified on this form

. i. ·

Conservation Division Finney State Office Building 130 S. Market, Rm. 2078 Wichita, KS 67202-3802



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Mark Sievers, Chairman Ward Loyd, Commissioner Thomas E. Wright, Commissioner Sam Brownback, Governor

May 21, 2012

Marcia Littell Enerjex Kansas, Inc. 27 CORPORATE WOODS, STE 350 10975 GRANDVIEW DR OVERLAND PARK, KS 66210

Re: ACO1 API 15-059-25911-00-00 Johnston BSP-JO16 SE/4 Sec.17-18S-21E Franklin County, Kansas

Dear Production Department:

We are herewith requesting that the Well Completion Form ACO-1 and attached information for the subject well be held confidential for a period of two years.

Should you have any questions or need additional information regarding subject well, please contact our office.

Respectfully, Marcia Littell