



11 Lewis Drive

Paola, KS 66071

**Oil & Gas Well Drilling  
Water Wells  
Geo-Loop Installation**

Phone: 913-557-9083

Fax: 913-557-9084

**WELL LOG**

Colt Energy, Inc.

Lanham #C5

API #15-107-24,601

April 24 - April 26, 2012

<u>Thickness of Strata</u>	<u>Formation</u>	<u>Total</u>
2	soil & clay	2
28	lime	30
6	shale	36
18	lime	54
6	shale	60
3	lime	63
3	shale	66
2	lime	68
2	shale	70
3	lime	73
5	shale	78
7	lime	85
167	shale	252
10	lime	262
7	shale	269
20	lime	289
42	shale	331
18	lime	349
11	shale	360
4	lime	364
33	shale	397
3	lime	400
11	shale	411
11	lime	422
13	shale	435
1	coal	436
83	shale	519
1	coal	520
19	shale	539
1	coal	540
26	shale	566
1	coal	567
9	shale	576
1	coal	577
14	shale	591
1	coal	592
19	shale	611
1	coal	612

80	shale	692
1	broken sand	693
4	oil sand	697
12	broken sand	709
4	oil sand	713
2	broken sand	715
1	coal	716
6	shale	722
1	coal	723
46	shale	769
51	lime	820 Mississippi

Drilled a 12 1/4" hole to 21.2'.

Drilled a 7 7/8" hole to 820'.

Set 21.2' of 8 5/8" surface threaded and coupled with 8 sacks cement.

Cored from 692' to 732'



**CONSOLIDATED**  
Oil Well Services, LLC

**ENTERED**

TICKET NUMBER 34619

LOCATION Eureka

FOREMAN Steve Mead

PO Box 884, Chanute, KS 66720  
620-431-9210 or 800-467-8676

Lease # 361

**FIELD TICKET & TREATMENT REPORT**

CEMENT API # 15-107-24601

DATE	CUSTOMER #	WELL NAME & NUMBER	SECTION	TOWNSHIP	RANGE	COUNTY
4-27-12	1828	Lanham # C5	35	21	22E	LINN
CUSTOMER <u>Colt Energy, Inc.</u>						
MAILING ADDRESS <u>P.O. Box 388</u>						
CITY <u>Tola</u>						
STATE <u>Ks</u>		ZIP CODE <u>66749</u>				

TRUCK #	DRIVER	TRUCK #	DRIVER
<u>485</u>	<u>Alan m</u>		
<u>513</u>	<u>Colin</u>		

JOB TYPE PTA 0 HOLE SIZE 7 7/8 HOLE DEPTH 820 CASING SIZE & WEIGHT None  
 CASING DEPTH \_\_\_\_\_ DRILL PIPE \_\_\_\_\_ TUBING 2 3/8 820' OTHER \_\_\_\_\_  
 SLURRY WEIGHT \_\_\_\_\_ SLURRY VOL \_\_\_\_\_ WATER gal/sk \_\_\_\_\_ CEMENT LEFT in CASING \_\_\_\_\_  
 DISPLACEMENT \_\_\_\_\_ DISPLACEMENT PSI \_\_\_\_\_ MIX PSI \_\_\_\_\_ RATE \_\_\_\_\_

REMARKS: Softy meeting. Rig up to 2 3/8 Tubing. Break circulation w/ Fresh water. Pump 200# Gel Flush. 45 sks 60/40 Pozmix Cement 4% Gel AT 820'. Pull tubing up to 450'. Break circulation w/ Fresh water. Pump 200# Gel Flush spap 13 sk plug AT 450'. Pull tubing up to 250'. Break @ circulation. 28 sks 250 to surface. Pull tubing out. Top well off. Job complete Rig down

*Thank you*

ACCOUNT CODE	QUANTITY or UNITS	DESCRIPTION of SERVICES or PRODUCT	UNIT PRICE	TOTAL
5405 N	1	PUMP CHARGE	1030.00	1030.00
5406	-	MILEAGE <u>N/C 2nd well</u>	0	0
1131	138 sks	60/40 Pozmix Cement	12.55	1731.90
1118B	475*	Gel 4%	.21	99.75
1118B	400*	Gel @ spacer	.21	84.00
5407	5.9 tons	Tan Mileage Bulk Truck	m/c	350.00
			Sub Total	3295.65
			SALES TAX <u>6.3%</u>	120.68
			ESTIMATED TOTAL	3416.33

Ravin 3737

249448

AUTHORIZATION R.R. [Signature]

TITLE \_\_\_\_\_

DATE 4/27/2012

I acknowledge that the payment terms, unless specifically amended in writing on the front of the form or in the customer's account records, at our office, and conditions of service on the back of this form are in effect for services identified on this form